Revision Date: 08.02.2024 Date of last issue: 08.03.2023 Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikament[®]-400/30

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Concrete admixtures
-------------	-----------------------

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317 H412	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention P261	: Avoid breathing mist or vapours.

Sikament®-400/30

Revision Date: 08.02.2024 Date of last issue: 08.03.2023



Version 3.0

P273 P280	Avoid release to the environment. Wear protective gloves.
Response:	
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

2-octyl-2H-isothiazole-3-one (OIT) mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1))

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 55965-84-9. Please use treated articles responsibly.

Revision Date: 08.02.2024 Date of last issue: 08.03.2023



Version 3.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute toxicity esti- mate Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	>= 0,0025 - < 0,025

Sikament®-400/30

Revision Date: 08.02.2024 Date of last issue: 08.03.2023 Version 3.0



mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 $\overline{}$ M-Factor (Acute aquatic toxicity): 100 $\overline{}$ Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - < 0,0015
--	--	--	-------------------------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.



Revision Date: 08.02.2024 Date of last issue: 08.03.2023		Version 3.0	Print Date 08.02.20
If swallowed	:	Do not induce vomiting without medical adv Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncons	
4.2 Most important symptoms	and e	effects, both acute and delayed	
Symptoms	:	Allergic reactions See Section 11 for more detailed information and symptoms.	on on health effects
Risks	:	sensitising effects	
		May cause an allergic skin reaction.	
4.3 Indication of any immediate	- mo	dical attention and special treatment need	led
4.5 malcation of any mineutate			
Treatment	:	Treat symptomatically.	
-	: asur	Treat symptomatically.	· jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media	asur	Treat symptomatically. res In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	· jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	: asur a : m the	Treat symptomatically. res In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	jet/carbon diox- ical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod	: asur a : m the	Treat symptomatically. res In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction. e substance or mixture	jet/carbon diox- ical powder for
Treatment SECTION 5: Firefighting media 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion products 5.3 Advice for firefighters	: asur a : m the	Treat symptomatically. res In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction. e substance or mixture	iet/carbon diox- ical powder for

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures							
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.					
6.2 Environmental precautions							
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.					



Revision Date: 08.02.2024 Date of last issue: 08.03.2023 Version 3.0

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 0	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 S	Specific end use(s)		

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

Print Date 08.02.2024

Revision Date: 08.02.2024 Date of last issue: 08.03.2023

Version 3.0

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	No special measures required.
Environmental exposure contr	ols
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour		liquid dark brown
Odour	:	very faint

Sikament®-400/30

Print Date 08.02.2024

Revision Date: 08.02.2024 Date of last issue: 08.03.2023 Version 3.0

Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or Upper explosion limit / Up-	-	
per flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 4,5 (20 °C) Concentration: 100 %
Viscosity		
Viscosity, kinematic	:	> 7 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	23 hPa
Vapour pressure Density	:	23 hPa ca. 1,08 g/cm3 (20 °C)
	:	ca. 1,08 g/cm3 (20 °C)

Revision Date: 08.02.2024 Date of last issue: 08.03.2023 Print Date 08.02.2024

Version 3.0

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data	available
-------------------------------	-----------

10.5 Incompatible materials

lo data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

2-octyl-2H-isothiazole-3-one (OIT):			
Acute oral toxicity	: Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008		
Acute inhalation toxicity	: Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008		
Acute dermal toxicity	: Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008		

Sikament[®]-400/30

Print Date 08.02.2024

Revision Date: 08.02.2024 Date of last issue: 08.03.2023 Version 3.0

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)): Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract. Skin corrosion/irritation Not classified due to lack of data. Serious eye damage/eye irritation Not classified due to lack of data. Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. **Respiratory sensitisation** Not classified due to lack of data. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Not classified due to lack of data. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure Not classified due to lack of data. **STOT - repeated exposure** Not classified due to lack of data. Aspiration toxicity Not classified due to lack of data. 11.2 Information on other hazards **Endocrine disrupting properties Product:** Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 08.02.2024 Date of last issue: 08.03.2023 Version 3.0



SECTION 12: Ecological information

12.1 Toxicity

Components:

2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of	
Country PL 000000602926		11	1

Sikament®-400/30

Revision Date: 08.02.2024 Date of last issue: 08.03.2023 Version 3.0



mation

unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	16 10 02 aqueous liquid wastes other than those mentioned in 16 10 01

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

_

Jika ®
Print Date 08.02.2024

Revision Date: 08.02.2024
Date of last issue: 08.03.2023

Version 3.0

IATA (Cargo)	: Not regulated as a da	ngerous good
IATA (Passenger)	: Not regulated as a da	ngerous good
14.5 Environmental hazards Not regulated as a dangerou	s good	
14.6 Special precautions for use Not applicable	er	
14.7 Maritime transport in bulk Not applicable for product as	-	ents
SECTION 15: Regulatory info	ormation	
15.1 Safety, health and environ International Chemical Weap Schedules of Toxic Chemica	oons Convention (CWC)	tion specific for the substance or mixture : Not applicable
REACH Information:		gulation, and/or
REACH - Restrictions on the the market and use of certair mixtures and articles (Annex	n dangerous substances,	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
REACH - Candidate List of S Concern for Authorisation (A		: None of the components are listed (=> 0.1 %).
REACH - List of substances (Annex XIV)	subject to authorisation	: Not applicable
Regulation (EC) No 1005/200 plete the ozone layer	09 on substances that de-	: Not applicable
Regulation (EU) 2019/1021 o tants (recast)	on persistent organic pollu-	: Not applicable
Regulation (EU) No 649/2012 ment and the Council concer of dangerous chemicals		: Not applicable

Sikament[®]-400/30

Print Date 08.02.2024

Revision Date: 08.02.2024 Date of last issue: 08.03.2023 Version 3.0

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	: Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties	S
	Directive 2010/75/EU of 24 November 2010 on industri emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,18% w/w	

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Sikament[®]-400/30



Revision Date: 08.02.2024 Date of last issue: 08.03.2023 Version 3.0

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301: Toxic if swallowed.H310: Fatal in contact with skin.H311: Toxic in contact with skin.H314: Causes severe skin burns and eye damage.H317: May cause an allergic skin reaction.H318: Causes serious eye damage.H330: Fatal if inhaled.H400: Very toxic to aquatic life.H410: Very toxic to aquatic life with long lasting effects	S.			
Full text of other abbreviations				
Acute Tox. : Acute toxicity				
Aquatic Acute : Short-term (acute) aquatic hazard				
Aquatic Chronic : Long-term (chronic) aquatic hazard				
Eye Dam. : Serious eye damage				
Skin Corr. : Skin corrosion				
Skin Sens. : Skin sensitisation				
ADR : European Agreement concerning the Internation	nal Carriage of			
Dangerous Goods by Road	Ū.			
CAS : Chemical Abstracts Service				
DNEL : Derived no-effect level				
EC50 : Half maximal effective concentration				
GHS : Globally Harmonized System				
IATA : International Air Transport Association				
IMDG : International Maritime Code for Dangerous Goo	ods			



Revision Date: 08.02.2024 Date of last issue: 08.03.2023

LD50	 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN