

Version 1.2

Print Date 28.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikalastic[®]-851 R Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealing system, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	·

1.4 Emergency telephone number

112

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Eye irritation, Category 2	H319: Causes serious eye irritation.			
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.			
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)				
Hazard pictograms	:			
Signal word	:	Warning		
Hazard statements	:	H319 H373	Causes serious eye irritation. May cause damage to organs through prolonged	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Revision Date: 28.03.2025 Date of last issue: 19.07.2023		Version 1.2	Print Date 28.03.2025
	H411	or repeated exposure. Toxic to aquatic life with le	ong lasting effects.
Precautionary statements	: Preventio	on:	
	P260 P273 P280	Do not breathe mist Avoid release to the Wear eye protection	environment.
	Respons	e:	
	P314	Get medical advice/ well.	attention if you feel un-
	P337 + P	313 If eye irritation persis attention.	sts: Get medical advice/
	P391	Collect spillage.	

Hazardous components which must be listed on the label:

diethylmethylbenzenediamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sikalastic [®] -851 R Part B



Version 1.2

Print Date 28.03.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
diethylmethylbenzenediamine	68479-98-1 270-877-4 01-2119486805-25- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H312 Eye Irrit. 2; H319 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20
		Acute toxicity esti- mate Acute oral toxicity: 738 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®]-851 R Part B



Revision Date: 28.03.2025 Date of last issue: 19.07.2023		Version 1.2	Print Date 28.03.2025
Symptoms	:	Excessive lachrymation See Section 11 for more detailed information or and symptoms.	health effects
Risks	:	irritant effects	
		Causes serious eye irritation. May cause damage to organs through prolonge exposure.	d or repeated
4.3 Indication of any immediate I	med	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/o ide/sand/foam/alcohol resistant foam/chemical p extinction.	
Suitable extinguishing media 5.2 Special hazards arising from		ide/sand/foam/alcohol resistant foam/chemical period	
		ide/sand/foam/alcohol resistant foam/chemical period	bowder for
5.2 Special hazards arising from Specific hazards during fire-	the :	ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture Do not allow run-off from fire fighting to enter dr courses.	bowder for
5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod-	the :	ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture Do not allow run-off from fire fighting to enter dr courses.	bowder for
 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- ucts 	the :	ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture Do not allow run-off from fire fighting to enter dr courses. No hazardous combustion products are known	bowder for ains or water

SECTION 6: Accidental release measures

6.1 Personal precautions, protec	tive	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.	
Country PL 00000122702		1	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikalastic[®]-851 R Part B



Revision Date: 28.03.2025	Version 1.2	Print Date 28.03.2025
Date of last issue: 19.07.2023		

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	g	
Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	incl	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Version 1.2

Print Date 28.03.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	No special measures required.
Environmental exposure contr	ols

General advice	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid grey
Odour	:	slight

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®]-851 R Part B



Revision Date: 28.03.2025 Date of last issue: 19.07.2023			Print Date 28.03.2025
Melting point/ range / Freez- ing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or o	~ ~ r	alasiya limits	
Upper explosion limit / Up- per flammability limit	-		
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 101 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	8 (20 °C)	
Viscosity Viscosity, dynamic	:	ca. 2.170 mPa.s	
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,03 g/cm3 (20 °C)	
Relative vapour density	:	No data available	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikalastic[®]-851 R Part B

: No data available



Print Date 28.03.2025

9.2 Other information	
No data available	
SECTION 10: Stability and	reactivity
I0.1 Reactivity	
No dangerous reaction kno	own under conditions of normal use.
10.2 Chemical stability The product is chemically s	stable.
10.3 Possibility of hazardous	reactions
Hazardous reactions	: Stable under recommended storage conditions.
10.4 Conditions to avoid	
Conditions to avoid	: No data available
10.5 Incompatible materials	
Materials to avoid	: No data available
10.6 Hazardous decompositio	on products
No decomposition if stored	d and applied as directed.

Version 1.2

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Revision Date: 28.03.2025

Date of last issue: 19.07.2023

Particle characteristics

Not classified based on available information.

Components:

diethylmethylbenzenediamine:

Acute oral toxicity	:	LD50 Oral (Rat): 738 mg/kg
		Acute toxicity estimate: 738 mg/kg Method: Calculation method
Acute dermal toxicity	:	LD50 Dermal (Rat): 2.500 mg/kg

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®]-851 R Part B

Jika®

Revision Date: 28.03.2025 Date of last issue: 19.07.2023 Version 1.2

Print Date 28.03.2025

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available Country PL 000000133703



Version 1.2

Print Date 28.03.2025

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Assessment	 The substance/mixture does not contain components conserved to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 levels of 0.1% or higher.
------------	---

12.7 Other adverse effects

Additional ecological infor- :	An environmental hazard cannot be excluded in the event of
mation	unprofessional handling or disposal.
	Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: UN 3082	
IMDG	: UN 3082	
Country PL 000000133703		10 / 15

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®]-851 R Part B



Revision Date: 28.03.2025 Date of last issue: 19.07.2023		Version 1.2	Print Date 28.03.2025
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADR		ENVIRONMENTALLY HAZARDOUS N.O.S. (diethylmethylbenzenediamine)	SUBSTANCE, LIQUID,
IMDG		ENVIRONMENTALLY HAZARDOUS N.O.S. (diethylmethylbenzenediamine)	SUBSTANCE, LIQUID,
ΙΑΤΑ		Environmentally hazardous substance (diethylmethylbenzenediamine)	, liquid, n.o.s.
14.3 Transport hazard class(es)			
		Class Subsidiary risks	
ADR		9	
IMDG		9	
IATA		9	
14.4 Packing group	•	5	
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	:	III M6 90 9 (-)	
IMDG Packing group Labels EmS Code	:	III 9 F-A, S-F	
IATA (Cargo) Packing instruction (cargo	:	964	
aircraft) Packing instruction (LQ) Packing group Labels	:	Y964 III Miscellaneous	
IATA (Passenger) Packing instruction (passen- ger aircraft)	:	964	
Packing instruction (LQ) Packing group	:	Y964 III	
Labels 14.5 Environmental hazards	•	Miscellaneous	
ADR Environmentally hazardous IMDG	:	yes	
Country PL 000000133703			11 / 15

Revision Date: 28.03.2025

Date of last issue: 19.07.2023

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®]-851 R Part B



Print Date 28.03.2025

Bate el last 18846. 18.01.2020							
Marine pollutant	: yes						
IATA (Passenger) Environmentally hazardous	: yes						
IATA (Cargo) Environmentally hazardous	: yes						
14.6 Special precautions for use	er						
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.							
14.7 Maritime transport in bulk a	according to IMO instru	ruments					
Not applicable for product as	supplied.						
SECTION 15: Regulatory info	rmation						
		islation specific for the substance or mixture					
International Chemical Weap Schedules of Toxic Chemical) : Not applicable					
REACH Information:	 registered by our registered by us, a 	ne regulation, and/or					
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex	dangerous substances,						
		Number on list 75					
REACH - Candidate List of S Concern for Authorisation (Ar		 None of the components are listed (=> 0.1 %). 					
REACH - List of substances s (Annex XIV)	subject to authorisation	: Not applicable					
Regulation (EU) No 2024/590 plete the ozone layer) on substances that de-	e- : Not applicable					

Version 1.2

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikalastic[®]-851 R Part B



Revision Date: 28.03.2025 Date of last issue: 19.07.2023 Version 1.2

Print Date 28.03.2025

Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals	
Seveso III: Directive 2012/18/EU jor-accident hazards involving da E2	of the European Parliament and of the Council on the control of ma- angerous substances. ENVIRONMENTAL HAZARDS
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
	Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020. item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family. Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)



Version 1.2

Print Date 28.03.2025

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

H302 H312 H319 H373	: : :	Harmful if swallowed. Harmful in contact with skin. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.		
H400 H410	:	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox. Aquatic Acute Aquatic Chronic Eye Irrit. STOT RE ADR	:	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Eye irritation Specific target organ toxicity - repeated exposure European Agreement concerning the International Carriage of Dangerous Goods by Road		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®]-851 R Part B



Revision Date: 28.03.2025 Date of last issue: 19.07.2023 Version 1.2

Print Date 28.03.2025

CAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given once, which causes the death of 50% (one half) of a	
LC50 : Median lethal concentration (concentrations of the c air that kills 50% of the test animals during the obser period)	
MARPOL : International Convention for the Prevention of Pollut Ships, 1973 as modified by the Protocol of 1978	ion from
OEL : Occupational Exposure Limit	
PBT : Persistent, bioaccumulative and toxic	
PNEC : Predicted no effect concentration	
REACH : Regulation (EC) No 1907/2006 of the European Par and of the Council of 18 December 2006 concerning istration, Evaluation, Authorisation and Restriction or cals (REACH), establishing a European Chemicals /	g the Reg- f Chemi-
SVHC : Substances of Very High Concern	. ,
vPvB : Very persistent and very bioaccumulative	

Further information

Classification of the mixture:		Classification procedure:
Eye Irrit. 2	H319	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN