

Revision Date: 21.03.2025 Date of last issue: 26.01.2024 Version 3.0

Print Date 28.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikagard®-177 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Corrosion protection, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com
responsible for the 000	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Acute toxicity, Category 4	H312: Harmful in contact with skin.
Skin corrosion, Sub-category 1A	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - repeated exposure, Category 2, Blood, Liver, Kid- ney, Heart, Adrenal gland	H373: May cause damage to organs through pro- longed or repeated exposure.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting ef- fects.

Sikagard[®]-177 Part B



Revision Date: 21.03.2025 Date of last issue: 26.01.2024

2.2 Label elements

Version 3.0

Print Date 28.03.2025

Labelling (REGULATION (EC) Hazard pictograms :	No 1272/2008)	
Signal word :	Danger	
Hazard statements :	H314 (H317 I H373 I	+ H332 Harmful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause damage to organs (Blood, Liver, Kid- ney, Heart, Adrenal gland) through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.
Precautionary statements :	Prevention: P260 P273 P280	Do not breathe mist or vapours. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
	Response: P303 + P361	+ P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water.
	P304 + P340 P305 + P351	

Hazardous components which must be listed on the label:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine) 3-aminomethyl-3,5,5-trimethylcyclohexylamine Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with bisphenol A diglycidyl ether homopolymer

Fatty acids, tall-oil, maleated, compds. with triethanolamine

maleic anhydride

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Revision Date: 21.03.2025 Date of last issue: 26.01.2024 Version 3.0

Print Date 28.03.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
benzyl alcohol	100-51-6 202-859-9 01-2119492630-38- XXXX	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 40 - < 60
		Acute toxicity esti- mate	
		Acute oral toxicity: 1.200 mg/kg	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-177 Part B



Revision Date: 21.03.2025 Date of last issue: 26.01.2024 Version 3.0

Print Date 28.03.2025

2,2'-dimethyl-4,4'-	6864-37-5	STOT RE 2; H373	>= 20 - < 25
methylenebis(cyclohexylamine)	229-962-1 01-2119497829-12- XXXX	(Blood, Liver, Kidney, Heart, Adrenal gland) Acute Tox. 4; H302	
	^^^^	Acute Tox. 4, H302 Acute Tox. 2; H330	
		Acute Tox. 3; H311	
		Skin Corr. 1A; H314	
		Eye Dam. 1; H318	
		Aquatic Chronic 2; H411	
		Acute toxicity esti- mate	
		Acute oral toxicity: 320 mg/kg	
		Acute inhalation tox-	
		icity (dust/mist): 0,42	
		mg/l	
		Acute dermal toxicity:	
3-aminomethyl-3,5,5-	2855-13-2	201 mg/kg Acute Tox. 4; H302	>= 10 - < 20
trimethylcyclohexylamine	220-666-8	Skin Corr. 1B; H314	>= 10 - < 20
	01-2119514687-32-	Eye Dam. 1; H318	
	XXXX	Skin Sens. 1A; H317	
		specific concentration	
		limit	
		Skin Sens. 1A; H317	
		>= 0,001 %	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity: 1.030 mg/kg	
Cyclohexanemethanamine, 5-	68609-08-5	Skin Corr. 1B; H314	>= 10 - < 20
amino-1,3,3-trimethyl-, reaction	Not Assigned	Eye Dam. 1; H318	
products with bisphenol A diglyc-		Skin Sens. 1A; H317	
idyl ether homopolymer		Aquatic Chronic 3; H412	
salicylic acid	69-72-7	Acute Tox. 4; H302	>= 1 - < 2,5
-	200-712-3	Eye Dam. 1; H318	, -
	01-2119486984-17-	Repr. 2; H361d	
	XXXX		
		Acute toxicity esti- mate	
		male	
		Acute oral toxicity:	
		891 mg/kg	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Jika®

Revision Date: 21.03.2025 Date of last issue: 26.01.2024

Sikagard[®]-177 Part B

Version 3.0

Print Date 28.03.2025

Fatty acids, tall-oil, maleated, compds. with triethanolamine	100684-20-6 309-692-1 01-2119972936-19- XXXX	Skin Sens. 1; H317	>= 0,5 - < 1
maleic anhydride	108-31-6 203-571-6 01-2119472428-31- XXXX	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1A; H317 STOT RE 1; H372 (Inhalation, Respira- tory system) EUH071 specific concentration limit Skin Sens. 1A; H317 >= 0,001 %	< 0,001

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.
In case of eye contact	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Sikagard[®]-177 Part B



Print Date 28.03.2025

Revision Date: 21.03.2025 Date of last issue: 26.01.2024 Version 3.0

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	 Gastrointestinal discomfort Respiratory disorder Allergic reactions Headache Dermatitis Skin disorders See Section 11 for more detailed information on health effects and symptoms.
Risks	: Health injuries may be delayed. corrosive effects sensitising effects
	Harmful if swallowed, in contact with skin or if inhaled. May cause an allergic skin reaction. Causes serious eye damage.
	May cause damage to organs through prolonged or repeated exposure. Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.
SECTION 6: Accidental releas	se r	neasures

6.1 Personal precautions, protective equipment and emergency procedures

	Personal precautions	-	Use personal protective equipment.
-			



Revision Date: 21.03.2025 Date of last issue: 26.01.2024		Version 3.0	Print Date 28.03.2025
	Deny acces	s to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions		n into surface water or sanita ct contaminates rivers and l authorities.	
6.3 Methods and material for cor	ainment and c	leaning up	
Methods for cleaning up	acid binder,	h inert absorbent material (universal binder, sawdust). able, closed containers for	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor-	:	No decomposition if stored and applied as directed.



Revision Date: 21.03.2025 Date of last issue: 26.01.2024 Version 3.0

Print Date 28.03.2025

age stability

7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
100-51-6	NDS	240 mg/m3	PL OEL
108-31-6	NDS	0,5 mg/m3	PL OEL
Further infor	mation: Skin		
	NDSch	1 mg/m3	PL OEL
	100-51-6 108-31-6	of exposure) 100-51-6 NDS 108-31-6 NDS Further information: Skin	of exposure) ters * 100-51-6 NDS 240 mg/m3 108-31-6 NDS 0,5 mg/m3 Further information: Skin 5

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.

Sikagard[®]-177 Part B



Revision Date: 21.03.2025 Date of last issue: 26.01.2024 Version 3.0

Print Date 28.03.2025

organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid colourless
Odour	:	amine-like
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper/lower flammability or o Upper explosion limit / Up- per flammability limit	•	
Upper explosion limit / Up-	•	No data available
Upper explosion limit / Up- per flammability limit Lower explosion limit /	:	No data available No data available
Upper explosion limit / Up- per flammability limit Lower explosion limit / Lower flammability limit	:	No data available No data available > 101 °C Method: closed cup

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard®-177 Part B



Revision Date: 21.03.2025 Date of last issue: 26.01.2024	Version 3.0	Print Date 28.03.2025
рН	Not applicable substance/mixture is non-soluble (in water)	
Viscosity Viscosity, kinematic	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	insoluble	
Partition coefficient: n- octanol/water	No data available	
Vapour pressure	0,07 hPa	
Density	ca. 1 g/cm3 (20 °C)	
Relative vapour density	No data available	
Particle characteristics	No data available	
9.2 Other information No data available		

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials



Revision Date: 21.03.2025 Date of last issue: 26.01.2024 Version 3.0

Print Date 28.03.2025

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

Components:

benzyl alcohol:

Acute oral toxicity	:	Acute toxicity estimate: 1.200 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LD50 Oral (Rat): 1.200 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 4,178 mg/l Exposure time: 4 h Test atmosphere: dust/mist
2,2'-dimethyl-4,4'-methylene	bis	(cyclohexylamine):
Acute oral toxicity	:	LD50 Oral (Rat): 320 - 460 mg/kg
		Acute toxicity estimate: 320 mg/kg Method: Calculation method
Acute inhalation toxicity	:	LC50 (Rat): 0,42 mg/l Exposure time: 4 h Test atmosphere: dust/mist
		Acute toxicity estimate: 0,42 mg/l Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	LD50 Dermal (Rabbit): 201 - 400 mg/kg
		Acute toxicity estimate: 201 mg/kg Method: Calculation method
3-aminomethyl-3,5,5-trimeth	ylc	yclohexylamine:
Acute oral toxicity	:	Acute toxicity estimate: 1.030 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LD50 Oral (Rat): 1.030 mg/kg

Sikagard[®]-177 Part B



vision Date: 21.03.2025 te of last issue: 26.01.2024		Version 3.0	Print Date 28.03.202
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg	
		LD50 (Rabbit): > 2.000 - 5.000 mg/kg	
salicylic acid:			
Acute oral toxicity	:	LD50 Oral (Rat): 891 mg/kg	
		Acute toxicity estimate: 891 mg/kg Method: Calculation method	
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg	
maleic anhydride:			
Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory trac	xt.
Skin corrosion/irritation Causes severe burns.			
Serious eye damage/eye i		on	
Causes serious eye damage			
Respiratory or skin sensit	isatio	on and a second s	
Skin sensitisation	opati	an	
May cause an allergic skin r	eactio	JII.	
Respiratory sensitisation Not classified based on ava	ilable	information.	
Germ cell mutagenicity Not classified based on ava	ilahla	information	
Carcinogenicity	liable		
Not classified based on ava	ilable	information.	
Reproductive toxicity			
Not classified based on ava	ilable	information.	
STOT - single exposure			
Not classified based on ava	ilable	information.	
STOT - repeated exposure			
May cause damage to organ peated exposure.	ns (Bl	ood, Liver, Kidney, Heart, Adrenal gland) throu	igh prolonged or re-
Aspiration toxicity			
Not classified based on ava	lahla	information	



Revision Date: 21.03.2025 Date of last issue: 26.01.2024 Version 3.0

Print Date 28.03.2025

11.2 Information on other hazards

Endocrine disrupting pro	perties
Product:	
Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:		
benzyl alcohol:		
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
3-aminomethyl-3,5,5-trimeth	ylc	yclohexylamine:
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h
		NOEC (Desmodesmus subspicatus (green algae)): 1,5 mg/l Exposure time: 72 h
12.2 Persistence and degradabili	ity	
No data available		
12.3 Bioaccumulative potential		
No data available		

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:



Print Date 28.03.2025

Revision Date: 21.03.2025 Date of last issue: 26.01.2024	Version 3.0	Print Date 2
Assessment	: This substance/mixture contains no control to be either persistent, bioaccumulativery persistent and very bioaccumulation 0.1% or higher	ve and toxic (PBT), or

12.6 Endocrine disrupting properties

Product: Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
2.7 Other adverse effects	

12

<u>i louuci.</u>		
Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 01 11* waste paint and varnish containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances



Revision Date: 21.03.2025 Date of last issue: 26.01.2024 Version 3.0

Print Date 28.03.2025

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 2735
IMDG	:	UN 2735
ΙΑΤΑ	:	UN 2735
14.2 UN proper shipping name		
ADR	:	AMINES, LIQUID, CORROSIVE, N.O.S. (2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine), 3- aminomethyl-3,5,5-trimethylcyclohexylamine)
IMDG	:	AMINES, LIQUID, CORROSIVE, N.O.S. (2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine), 3- aminomethyl-3,5,5-trimethylcyclohexylamine)
ΙΑΤΑ	:	Amines, liquid, corrosive, n.o.s. (2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine), 3- aminomethyl-3,5,5-trimethylcyclohexylamine)
14.3 Transport hazard class(es)		
		Class Subsidiary risks
ADR	:	8
IMDG	:	8
ΙΑΤΑ	:	8
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	:	II C7 80 8 (E)
IMDG Packing group Labels EmS Code	:	II 8 F-A, S-B
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels IATA (Passenger)	:	855 Y840 II Corrosive

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-177 Part B



Revision Date: 21.03.2025 Date of last issue: 26.01.2024		V	ersion 3.0	Print Date 28.03.2025
Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels		851 Y840 II Corrosive		
14.5 Environmental hazards				
ADR Environmentally hazardous	:	no		
IMDG Marine pollutant	:	no		
IATA (Passenger) Environmentally hazardous	:	no		
IATA (Cargo) Environmentally hazardous	:	no		
14.6 Special precautions for use	r			

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- a: All substances contained in our Products are
 - registered by our upstream suppliers, and/or
 - registered by us, and/or
 - excluded from the regulation, and/or
 - exempted from the registration.

EACH - Restrictions on the manufacture, placing on e market and use of certain dangerous substances, ixtures and articles (Annex XVII)		Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		Number on list 75
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).

Sikagard[®]-177 Part B



Revision Date: 21.03.2025 Date of last issue: 26.01.2024	Version 3.0		Print Date 28.03.2025
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable	
Regulation (EU) No 2024/590 on s plete the ozone layer	substances that de- :	Not applicable	
Regulation (EU) 2019/1021 on per tants (recast)	rsistent organic pollu- :	Not applicable	
Regulation (EU) No 649/2012 of the ment and the Council concerning to of dangerous chemicals		Not applicable	
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dan		and of the Council on the	ne control of ma-
Volatile organic compounds :	Law on the incentive tax for (VOCV) Volatile organic compound	0 1	
	Directive 2010/75/EU of 24 livestock rearing emissions and control) Volatile organic compound	s (integrated pollution pr	revention

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration,



Revision Date: 21.03.2025 Date of last issue: 26.01.2024 Version 3.0

Print Date 28.03.2025

Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302 :	Harmful if swallowed.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-177 Part B



Revision Date: 21.03.2025 Date of last issue: 26.01.2024		Version 3.0	Print Date 28.03.2025		
H319		Causes serious eye irritation.			
H330	:	Fatal if inhaled.			
H334	:	May cause allergy or asthma symptoms or breathing difficul-			
11354	•	ties if inhaled.			
H361d		Suspected of damaging the unborn child.			
H372	:	Causes damage to organs through prolonged	or repeated		
1072	•	exposure.	orrepeated		
H373		May cause damage to organs through prolong	ed or repeated		
1070	•	exposure.			
H411		Toxic to aquatic life with long lasting effects.			
H412	÷	Harmful to aquatic life with long lasting effects.			
Full text of other abbreviation	ons				
Acute Tox.					
Aquatic Chronic	:	Acute toxicity Long-term (chronic) aquatic hazard			
Eye Dam.	:	Serious eye damage			
Eye Dam. Eye Irrit.	:	Eye irritation			
Repr.	:	Reproductive toxicity			
Resp. Sens.	:	Respiratory sensitisation			
Skin Corr.	:	Skin corrosion			
Skin Sens.	:	Skin sensitisation			
STOT RE	:	Specific target organ toxicity - repeated exposit	Ire		
PLOEL	:	Ordinance of the Minister of Family, Labour an			
	•	of 12 June 2018 concerning the highest allowa			
		tions and levels of the agents harmful for healt			
		place (Dz.U 2018 pos 1286, with later amendn			
PL OEL / NDS		Maximal Admissible Concentration	ionio)		
PL OEL / NDSch		Maximal Admissible Temporary Concentration			
ADR		European Agreement concerning the Internatio			
	-	Dangerous Goods by Road	ge ei		
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Go	ods		
LD50	:	Median lethal dosis (the amount of a material,	given all at		
		once, which causes the death of 50% (one hal	f) of a group of		
		test animals)			
LC50	:	Median lethal concentration (concentrations of			
		air that kills 50% of the test animals during the	observation		
		period)			
MARPOL	÷	International Convention for the Prevention of			
		Ships, 1973 as modified by the Protocol of 197	8		
OEL	÷	Occupational Exposure Limit			
PBT	÷	Persistent, bioaccumulative and toxic			
	÷	Predicted no effect concentration	n Parliament		
REACH	•	: Regulation (EC) No 1907/2006 of the European Parliament			
		and of the Council of 18 December 2006 conce			
		istration, Evaluation, Authorisation and Restric cals (REACH), establishing a European Chem			
SVHC		Substances of Very High Concern	icais Ayericy		
vPvB	:	Very persistent and very bioaccumulative			
	•	very persistent and very bloaccumulative			

Sikagard®-177 Part B

Revision Date: 21.03.2025 Date of last issue: 26.01.2024 Version 3.0

Further information

Classification of the m	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Acute Tox. 4	H332	Calculation method
Acute Tox. 4	H312	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN

