

Revision Date: 04.08.2023 Date of last issue: - Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaTop[®] Seal-107 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	LE	
Signal word	:	Danger	
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.



Revision Date: 04.08.2023 Date of last issue: -		Version 2.0	Print Date (
Precautionary statements	: P101	If medical advice is need container or label at han	•
	P102	Keep out of reach of chil	
	Prevention	:	
	P271	Use only outdoors or in a ea.	a well-ventilated ar-
	P280	Wear protective gloves/ protection.	eye protection/ face
	Response:		
	P305 + P35	1 + P338 + P310 IF IN EYE with water for several mi tact lenses, if present an tinue rinsing. Immediatel CENTER/ doctor.	nutes. Remove con- d easy to do. Con-

Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Disposal: P501

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 04.08.2023 Date of last issue: - Version 2.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

eemperione			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Ger	neral advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
lf in	haled	:	Move to fresh air. Consult a physician after significant exposure.
In c	ase of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In c	ase of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
lf sv	vallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most	t important symptoms and	d e	ffects, both acute and delayed
Syn	nptoms	:	Cough Respiratory disorder

Excessive lachrymation



Revision Date: 04.08.2023 Date of last issue: -		Version 2.0	Print Date 05.02.2
		Erythema Dermatitis See Section 11 for more detailed information o and symptoms.	n health effects
Risks	:	irritant effects	
		Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
4.3 Indication of any immediate Treatment	meo :	dical attention and special treatment needed Treat symptomatically.	
SECTION 5: Firefighting mea	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	
5.2 Special hazards arising from	n the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
-	:	In the event of fire, wear self-contained breathin	ng apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	se i	neasures	
6.1 Personal precautions, protect	ctiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Try to prevent the material from entering drains courses. No special environmental precautions required	
6.3 Methods and material for co	ntai	nment and cleaning up	
Methods for cleaning up	:	Pick up and arrange disposal without creating of Keep in suitable, closed containers for disposal	

Revision Date: 04.08.2023 Date of last issue: - Version 2.0



6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling	3	
	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	NDS (respirable	1 mg/m3	PL OEL
		fraction)	-	
	Further informa	ation: Respirable fra	action - the fraction	n of aerosol
	that penetrates into the respiratory tract, which poses a threat to			
	the health of the deposit in the area of gas exchange, determined			
	in accordance with standard PN-EN 481.			

SikaTop[®] Seal-107 Part B



Revision Date: 04.08.2023 Date of last issue: -

		NDS (inhalable fraction)	2 mg/m3	PL OEL
	penetrating the respirator	nation: Inhalable fra nrough the nose and ry tract poses a threa h standard PN-EN 4	d mouth, which a at to health, dete	after deposit in
		NDS (respirable fraction)	0,1 mg/m3 (Silica)	PL OEL
Cement (chromium reduced)	65997-15-1	NDS (inhalable fraction)	6 mg/m3	PL OEL
		NDS (respirable fraction)	2 mg/m3	PL OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls



Revision Date: 04.08.2023 Date of last issue: -	Version 2.0	Print Date 05.02.2024
General advice	: Try to prevent the material from enterin courses. No special environmental precautions r	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties					
Physical state	:	solid			
Appearance	:	powder			
Colour	:	grey			
Odour	:	odourless			
Melting point/range / Freezing point	:	No data available			
Boiling point/boiling range	:	No data available			
Flammability (solid, gas)	:	No data available			
Upper/lower flammability or e	exp	losive limits			
Upper explosion limit / Up- per flammability limit	:	No data available			
Lower explosion limit / Lower flammability limit	:	No data available			
Flash point	:	Not applicable			
Auto-ignition temperature	:	No data available			
Decomposition temperature	:	No data available			
рН	:	> 11 Concentration: 500 g/l			
Viscosity Viscosity, kinematic	:	Not applicable			
Solubility(ies)		No doto oveilable			
Water solubility	:	No data available			



Revision Date: 04.08.2023 Date of last issue: -		Version 2.0	Print Date 05.02.2024
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	ca. 1,10 kg/m3	
Bulk density	:	ca. 1,100 kg/m3	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SikaTop[®] Seal-107 Part B



Revision Date: 04.08.2023 Date of last issue: - Version 2.0

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity Not classified due to lack of data.

Reproductive toxicity Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SikaTop[®] Seal-107 Part B



Revision Date: 04.08.2023 Date of last issue: - Version 2.0

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product	

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

|--|

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 Product
 : The generation of waste should be avoided or minimized wherever possible.

 Empty containers or liners may retain some product residues.

 This material and its container must be disposed of in a safe way.

 Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

 Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional



Revision Date: 04.08.2023 Date of last issue: -	Version 2.0 Print Date 05.			
	local authority requirements. Avoid dispersal of spilled material and soil, waterways, drains and sewers.	d runoff and contact with		
European Waste Catalogue	: 17 09 04 mixed construction and den than those mentioned in 17 09 01, 17			

SECTION 14: Transport information

14.1 UN number or ID number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					
14.6 Special precautions for user					

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

SikaTop[®] Seal-107 Part B

Print Date 05.02.2024

Revision Date: 04.08.2023 Date of last issue: - Version 2.0

REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea d/or gula	am suppliers, and/or ation, and/or		
REACH - Restrictions on the the market and use of certai mixtures and articles (Anne)	n dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75		
REACH - Candidate List of S Concern for Authorisation (A		:	None of the components are listed (=> 0.1 %).		
REACH - List of substances (Annex XIV)	subject to authorisation	:	Not applicable		
Regulation (EC) No 1005/20 plete the ozone layer	09 on substances that de-	:	Not applicable		
Regulation (EU) 2019/1021 tants (recast)	on persistent organic pollu-	:	Not applicable		
Regulation (EC) No 649/201 ment and the Council conce of dangerous chemicals		:	Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV)					

Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and

SikaTop[®] Seal-107 Part B

Print Date 05.02.2024

Revision Date: 04.08.2023 Date of last issue: - Version 2.0

repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

SikaTop[®] Seal-107 Part B

Print Date 05.02.2024

Revision Date: 04.08.2023 Date of last issue: - Version 2.0

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
PL OEL	:	Ordinance of the Minister of Family, Labour and Social Policy
		of 12 June 2018 concerning the highest allowable concentra- tions and levels of the agents harmful for health in the work- place (Dz.U 2018 pos 1286, with later amendments)
PL OEL / NDS	:	Maximal Admissible Concentration
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	÷	International Air Transport Association
	÷	International Maritime Code for Dangerous Goods
LD50	•	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation
MARPOL		period) International Convention for the Prevention of Pollution from
	•	Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Classification of the mixtu	re:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

SikaTop[®] Seal-107 Part B



Revision Date: 04.08.2023 Date of last issue: - Version 2.0

STOT SE 3

H335

Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN