Sika[®]-Betonlöser



Revision Date: 08.04.2023 Date of last issue: - Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®]-Betonlöser

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special system, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	F	
Signal word	:	Danger	
Hazard statements	:	H290 H302 H314	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage.

Sika®-Betonlöser

Revision Date: 08.04.2023 Date of last issue: - Version 2.0



Precautionary statements	: Prevention:	
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
	Response:	
	P301 + P330	+ P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303 + P361	+ P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water.
	P304 + P340	+ P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Im- mediately call a POISON CENTER/ doctor.
	P305 + P351	+ P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
	P390	Absorb spillage to prevent material damage.

Hazardous components which must be listed on the label:

phosphoric acid

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Jika ®
Print Date 05.02.2024

Revision Date: 08.04.2023 Date of last issue: -

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		, ,
phosphoric acid	7664-38-2 231-633-2 01-2119485924-24- XXXX	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 	>= 40 - < 60
Alashala CO 16 otherwiteted	07042 01 0	588 - 625 mg/kg	> 1 425
Alcohols, C9-16, ethoxylated	97043-91-9 Not Assigned	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.

Sika®-Betonlöser



 Revision Date: 08.04.2023
 Version 2.0
 Print Date 05.02.2

 Date of last issue:

In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and e	ffects, both acute and delayed
Symptoms :	Gastrointestinal discomfort Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks :	Health injuries may be delayed. corrosive effects
	Harmful if swallowed. Causes serious eye damage. Causes severe burns.
4.3 Indication of any immediate med	lical attention and special treatment needed
Treatment :	Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.



Revision Date: 08.04.2023 Date of last issue: - Version 2.0

Keep in suitable, closed containers for disposal.

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ctive equipment and emergency procedures
Personal precautions	: Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ntainment and cleaning up
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling	
	Advice on safe handling :	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion	Normal measures for preventive fire protection.
	Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, incl	uding any incompatibilities
	Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- : age stability	No decomposition if stored and applied as directed.

Sika[®]-Betonlöser

Version 2.0

7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
phosphoric acid	7664-38-2	TWA	1 mg/m3	2000/39/EC
	Further information: Indicative			
	STEL 2 mg/m3 2000/39/EC			
		NDS	1 mg/m3	PL OEL
		NDSch	2 mg/m3	PL OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.

Sika[®]-Betonlöser

Revision Date: 08.04.2023 Date of last issue: -



Version 2.0

organic vapor filter (Type A)

A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

SECTION 9: Physical and chemical properties

Information on basic physical	an	d chemical propertie
Physical state Colour	:	liquid colourless
Odour	:	characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flommobility or	- v n	locivo limito
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit		
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 1,5

9.1 Information on basic physical and chemical properties

Sika®-Betonlöser



Revision Date: 08.04.2023 Date of last issue: -	Version 2.0		Print Date 05.02.20	
	Concentration: 5 %			
Viscosity Viscosity, kinematic	: > 20,5 mm2/s (40 °	C)		
Solubility(ies) Water solubility	: soluble			
Partition coefficient: n- octanol/water	: No data available			
Vapour pressure	: Not applicable			
Density	: ca. 1,3 g/cm3 (20 °(C)		
Relative vapour density	: No data available			
Particle characteristics	: No data available			
9.2 Other information No data available				

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid	: No data	available
--------------------	-----------	-----------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Print Date 05.02.2024

Revision Date: 08.04.2023 Date of last issue: - Version 2.0

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.	
Components:	
phosphoric acid:	
Acute oral toxicity	: Acute toxicity estimate: 588 - 625 mg/kg Method: Expert judgement
Acute dermal toxicity	: LD50 Dermal (Rabbit): 2.740 mg/kg
Skin corrosion/irritation Causes severe burns.	
Serious eye damage/eye i Causes serious eye damage	
Respiratory or skin sensit	sation
Skin sensitisation Not classified based on ava	lable information.
Respiratory sensitisation Not classified based on ava	lable information.
Germ cell mutagenicity Not classified based on ava	lable information.
Carcinogenicity Not classified based on ava	lable information.
Reproductive toxicity Not classified based on ava	lable information.
STOT - single exposure Not classified based on ava	lable information.
STOT - repeated exposure Not classified based on ava	
Aspiration toxicity Not classified based on ava	lable information.
.2 Information on other haza	rds
Endocrine disrupting prop	erties
Product: Assessment	: The substance/mixture does not contain components consid-

Sika[®]-Betonlöser

Print Date 05.02.2024

Revision Date: 08.04.2023 Date of last issue: - Version 2.0

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

2

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

: The generation of waste should be avoided or minimized
wherever possible.
Empty containers or liners may retain some product residues.
This material and its container must be disposed of in a safe

Sika[®]-Betonlöser

Jika ®
Print Date 05.02.2024

Revision Date: 08.04.2023 Date of last issue: -	Version 2.0	Print Date 05.02.20

		way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	06 01 04* phosphoric and phosphorous acid
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

ADR	:	UN 1805		
IMDG	:	UN 1805		
ΙΑΤΑ	:	UN 1805		
14.2 UN proper shipping name				
ADR	:	PHOSPHORIC ACID	SOLUTION	
IMDG	:	PHOSPHORIC ACID	SOLUTION	
ΙΑΤΑ	:	Phosphoric acid, solu	tion	
14.3 Transport hazard class(es)				
		Class	Subsidiary risks	
ADR	:	8		
IMDG	:	8		
ΙΑΤΑ	:	8		
14.4 Packing group				
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code IMDG Packing group Labels EmS Code		III C1 80 8 (E) III 8 F-A, S-B		

14.1 UN number or ID number

Sika[®]-Betonlöser

Revision Date: 08.04.2023 Date of last issue: -

IATA (Cargo)

Print Date 05.02.2024

Version 2.0

Packing instruction (cargo aircraft)	:	856
Packing instruction (LQ) Packing group Labels	::	Y841 III Corrosive
IATA (Passenger) Packing instruction (passen- ger aircraft)	:	852
Packing instruction (LQ)	:	Y841
Packing group Labels	:	III Corrosive
5 Environmental hazards		

14.5 Environmental hazards

ADR Environmentally hazardous	:	no
IMDG Marine pollutant	:	no
IATA (Passenger) Environmentally hazardous	:	no
IATA (Cargo) Environmentally hazardous	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Sika[®]-Betonlöser



Revision Date: 08.04.2023 Date of last issue: - Version 2.0

Regulation (EC) No 1005/2009 on substances that de- : Not applicable plete the ozone layer					
Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)					
Regulation (EC) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals					
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	am suppliers, and/or ation, and/or		

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Sika[®]-Betonlöser

Version 2.0



Revision Date: 08.04.2023 Date of last issue: -

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H290 :	May be corrosive to metals.
H302 :	Harmful if swallowed.
H314 :	Causes severe skin burns and eye damage.
H318 :	Causes serious eye damage.

Revision Date: 08.04.2023 Date of last issue: - Version 2.0



Full t	ext of	other	abbreviations
--------	--------	-------	---------------

	10113	
Acute Tox.	:	Acute toxicity
Eye Dam.	:	Serious eye damage
Met. Corr.	:	Corrosive to metals
Skin Corr.	:	Skin corrosion
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
PL OEL	:	Poland. Occupational exposure limits for airborne toxic sub- stances
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
PL OEL / NDS	:	Maximal Admissible Concentration
PL OEL / NDSch	:	Maximal Admissible Temporary Concentration
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative
Further information		
Classification of the mixtur	re:	Classification procedure:
Met. Corr. 1	H2	90 Calculation method
Acute Tox. 4	H3	02 Calculation method
Skin Corr. 1B	H3	14 Calculation method
Eye Dam. 1	H3	18 Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Sika®-Betonlöser

Revision Date: 08.04.2023 Date of last issue: - Version 2.0



Changes as compared to previous version !

PL / EN