

Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®] BC 6 Part C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L B	
Signal word	:	Danger	
Hazard statements	:	H315	Causes skin irritation.

Sika[®] Ucrete[®] BC 6 Part C



Revision Date: 24.01.2025 Date of last issue: -	N	/ersion 1.0	Print Date 24.01.2025
	H318 Ca	ay cause an allergic skin reaction. auses serious eye damage. ay cause respiratory irritation.	
Precautionary statements :	Prevention:		
	P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after har Wear protective gloves/ eye pro protection.	
	Response:		
	P304 + P340 +	P312 IF INHALED: Remove pe air and keep comfortable for br POISON CENTER/ doctor if yo	eathing. Call a
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	se cautiously Remove con- ⁄ to do. Con-
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sika [®] Ucrete [®] BC 6 Part C



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponento					
Chemical name	CAS-No.	Classification	Concentration		
	EC-No.		(% w/w)		
	Registration number		· · ·		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25		
	266-043-4	Eye Dam. 1; H318			
		Skin Sens. 1; H317			
		STOT SE 3; H335			
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 5 - < 10		
	215-137-3	Eye Dam. 1; H318			
	01-2119475151-45-	STOT SE 3; H335			
	XXXX	(Respiratory system)			
Substances with a workplace exposure limit :					
Quartz (SiO2)	14808-60-7		>= 60 - < 80		
	238-878-4				

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Sika® Ucrete® BC 6 Part C



Print Date 24.01.2025

Revision Date: 24.01.2025 Version 1.0 Date of last issue: -

4.2 Most important symptoms and	d effects, both acute and delayed
Symptoms	 Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. irritant effects sensitising effects
4.3 Indication of any immediate m	edical attention and special treatment needed
Treatment	: Treat symptomatically.
SECTION 5: Firefighting meas	ures
5.1 Extinguishing media	
Suitable extinguishing media	: In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from t	he substance or mixture
Hazardous combustion prod-	: No hazardous combustion products are known

	ucts	•	
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
	Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	tective	equipment and emergency procedures
Personal precautions	:	Use personal protective equipment.

:	Use personal protective equipment.
	Avoid breathing dust.
	Deny access to unprotected persons.
	:

Sika® Ucrete® BC 6 Part C



Revision Date: 24.01.2025 Date of last issue: -		Version 1.0	Print Date 24.01.2025
6.2 Environmental precautions Environmental precautions	:	Do not flush into surface water or sanita	ary sewer system.
6.3 Methods and material for c	ontai	nment and cleaning up	
Methods for cleaning up	:	Pick up and arrange disposal without content of the set	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sika [®] Ucrete [®] BC 6 Part C



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *			
Quartz (SiO2)	14808-60-7	NDS (respirable fraction)	1 mg/m3	PL OEL			
	Further inform	Further information: Respirable fraction - the fraction of aerosol					
		that penetrates into the respiratory tract, which poses a threat to					
	the health of t	the health of the deposit in the area of gas exchange, determined					
	in accordance	in accordance with standard PN-EN 481.					
		NDS (inhalable fraction)	2 mg/m3	PL OEL			
	Further inform	ation: Inhalable frac	tion - the fraction	of aerosol			
	penetrating th	penetrating through the nose and mouth, which after deposit in					
		the respiratory tract poses a threat to health, determined in ac-					
		standard PN-EN 48					
		NDS (respirable fraction)	0,1 mg/m3 (Silica)	PL OEL			
Cement, portland, chemicals	65997-15-1	NDS (inhalable fraction)	6 mg/m3	PL OEL			
		NDS (respirable fraction)	2 mg/m3	PL OEL			
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU			
	Further inform	Further information: Indicative					
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU			
		NDS (inhalable fraction)	2 mg/m3	PL OEL			
		NDS (respirable fraction)	1 mg/m3	PL OEL			
		NDSch (inhalable fraction)	6 mg/m3	PL OEL			
		NDSch (respirable fraction)	4 mg/m3	PL OEL			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling
uptry PL_00000724010		

Sika[®] Ucrete[®] BC 6 Part C



Revision Date: 24.01.2025 Date of last issue: -		Version 1.0	Print Date 24.01.2025	
		chemical products. Reference number EN 374. F facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves Contaminated gloves should be removed.		
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	:	In case of inadequate ventilation wear respiratory Respirator selection must be based on known or exposure levels, the hazards of the product and ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieve exhaust extraction or by general ventilation. (EN ods for determining inhalation exposure). This ap ticular to the mixing / stirring area. In case this is to keep the concentrations under the occupational limits then respiration protection measures must	anticipated the safe work- s ed by local 689 - Meth- oplies in par- not sufficent al exposure	

Environmental exposure controls

General advice	: Do not flush into surface water or sanitar	v sewer svstem.
	Be not had had banded hater of bandar	<i>y</i> comor oyotonn

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	: : :	solid powder grey
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Upper/lower flammability or explosive limits

Upper explosion limit / Up- : No data available

Sika® Ucrete® BC 6 Part C



Revision Date: 24.01.2025 Date of last issue: -	Version 1.0	Print Date 24.01.2025
per flammability limit		
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: > 11 Concentration: 50 %	
Viscosity Viscosity, kinematic	: Not applicable	
Solubility(ies) Water solubility	: dispersible	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: No data available	
Bulk density	: 1.800 - 2.400 kg/m3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available



Revision Date: 24.01.2025 Date of last issue: -	Version 1.0	Print Date 24.01.2025				
SECTION 10: Stability and react	ivity					
10.1 Reactivity No dangerous reaction known u	nder conditions of normal use.					
10.2 Chemical stability The product is chemically stable						
10.3 Possibility of hazardous reactions						
Hazardous reactions	No hazards to be specially mentioned.					
10.4 Conditions to avoid						
Conditions to avoid	No data available					
10.5 Incompatible materials Materials to avoid	No data available					
10.6 Hazardous decomposition pro	ducts					
	No hazardous decomposition products are kr	iown.				

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® Ucrete® BC 6 Part C



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

Jika®

Print Date 24.01.2025

Sika[®] Ucrete[®] BC 6 Part C

Revision Date: 24.01.2025

Date of last issue: -

	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
2.7 Other adverse effects	
Product:	
Additional ecological infor- mation	: There is no data available for this product.
13.1 Waste treatment methods	
Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed
	waste disposal contractor.

Version 1.0

at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

Sika® Ucrete® BC 6 Part C



Revision Date: 24.01.2025 Date of last issue: -	Versio	า 1.0	Print Date 24.01.2025		
14.4 Packing group					
ADR	: Not regulated as a d	angerous good			
IMDG	: Not regulated as a d	angerous good			
IATA (Cargo)	: Not regulated as a d	angerous good			
IATA (Passenger)	: Not regulated as a d	angerous good			
14.5 Environmental hazards Not regulated as a dangerous	s good				
14.6 Special precautions for use Not applicable	er				
14.7 Maritime transport in bulk a Not applicable for product as	-	nents			
SECTION 15: Regulatory info	rmation				
International Chemical Weap	 5.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors REACH Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. 				
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex	dangerous substances,	lowing entrie	of restriction for the fol- es should be considered: ist 47: Cement, port- cals		
REACH - Candidate List of S Concern for Authorisation (Ar		: None of the (=> 0.1 %).	components are listed		
REACH - List of substances s (Annex XIV)	subject to authorisation	: Not applicab	le		
Regulation (EC) on substanc laver	es that deplete the ozone	: Not applicab	le		

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)



Revision Date: 24.01.2025 Date of last issue: -

Sika[®] Ucrete[®] BC 6 Part C

Version 1.0

Print Date 24.01.2025

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® Ucrete® BC 6 Part C



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315 H317 H318 H335	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.				
Full text of other abbreviations					
Eye Dam. Skin Irrit. Skin Sens. STOT SE 2017/164/EU	Serious eye damage Skin irritation Skin sensitisation Specific target organ toxicity - single exposure Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values				
	Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentra- tions and levels of the agents harmful for health in the work- place (Dz.U 2018 pos 1286, with later amendments) Short term exposure limit Limit Value - eight hours				

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] BC 6 Part C



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

PL OEL / NDS	:	Maximal Admissible Concentration
PL OEL / NDSch	:	Maximal Admissible Temporary Concentration
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
2000	•	air that kills 50% of the test animals during the observation
		period)
MARPOL		International Convention for the Prevention of Pollution from
	•	Ships, 1973 as modified by the Protocol of 1978
OEL		Occupational Exposure Limit
PBT		Persistent, bioaccumulative and toxic
PNEC		Predicted no effect concentration
REACH		Regulation (EC) No 1907/2006 of the European Parliament
	•	and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB		Very persistent and very bioaccumulative
	•	

Further information

Classification of t	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN