Sika® Ucrete® (Formerly Ucrete) Part B

Revision Date: 24.01.2025	
Date of last issue: -	

Version 1.0

Print Date 24.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®] (Formerly Ucrete) Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Acute toxicity, Category 4	72/2008) H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® (Formerly Ucrete) Part B


Labelling (REGULATION (EC) No 1272/2008)

Revision Date: 24.01.2025 Date of last issue: -

Hazard pictograms

2.2 Label elements

Version 1.0



Signal word	: Da	anger	
Hazard statements	H3 H3 H3 H3 H3 H3	317 M 319 C 332 H 334 M 335 M 351 S 373 M	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breath- ng difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	P2 P2 P2	revention: 201 260 264 280	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P3	esponse: 304 + P340 342 + P311	+ P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues 4,4'-methylenediphenyl diisocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] (Formerly Ucrete) Part B



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit StoT SE 3; H335 >= 5 %	>= 60 - < 80

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] (Formerly Ucrete) Part B



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

e of last issue: -			
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	>= 40 - < 60
		specific concentration limit Eye Irrit. 2; H319 >= 5 %	
		specific concentration limit STOT SE 3; H335 >= 5 %	
		specific concentration limit Skin Irrit. 2; H315 >= 5 %	
		specific concentration limit Resp. Sens. 1; H334 >= 0,1 %	
		Acute toxicity esti- mate	
For evolution of obbraviations of		Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] (Formerly Ucrete) Part B



Revision Date: 24.01.2025 Date of last issue: -	Version 1.0	Print Date 24.01.2025
If inhaled	Move to fresh air. Consult a physician after significant expose	ure.
In case of skin contact	 Take off contaminated clothing and shoes Wash off with soap and plenty of water. If symptoms persist, call a physician. 	immediately.
In case of eye contact	 Immediately flush eye(s) with plenty of wat Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist 	
If swallowed	 Do not induce vomiting without medical ad Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncon 	
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms	 Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information and symptoms. 	on on health effects
Risks	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prol exposure if inhaled. irritant effects sensitising effects 	
4.3 Indication of any immediate m	edical attention and special treatment need	ded
Treatment	Treat symptomatically.	



Sika® Ucrete® (Formerly Ucrete) Part B

Revision Date: 24.01.2025	
Date of last issue: -	

Version 1.0

Print Date 24.01.2025

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox-
		ide/sand/foam/alcohol resistant foam/chemical powder for
		extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- :	No hazardous combustion products are known
ucts	

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use personal protective equipment. Deny access to unprotected persons. 6.2 Environmental precautions Environmental precautions Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid formation of aerosol.
		Avoid exceeding the given occupational exposure limits (see
		section 8).
		Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.



Revision Date: 24.01.2025 Date of last issue: -		Version 1.0 Print Date 24.01.2025				
		Persons with a history of skin sensitisa ma, allergies, chronic or recurrent resp not be employed in any process in whit used. Smoking, eating and drinking should be plication area. Provide sufficient air exchange and/or Follow standard hygiene measures wh products	iratory disease should ch this mixture is being e prohibited in the ap- exhaust in work rooms.			
Advice on protection against fire and explosion	:	Normal measures for preventive fire pr	otection.			
Hygiene measures	:	Handle in accordance with good indust practice. When using do not eat or drin smoke. Wash hands before breaks and	k. When using do not			
7.2 Conditions for safe storage,	inc	luding any incompatibilities				
Requirements for storage areas and containers	:	Keep container tightly closed in a dry a place. Containers which are opened m sealed and kept upright to prevent leak ance with local regulations.	ust be carefully re-			
Further information on stor- age stability	:	No decomposition if stored and applied	as directed.			
7.3 Specific end use(s)						
Specific use(s)	:	Cleaning with aprotic polar solvents mu Consult most current local Product Dat use.				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
4,4'-methylenediphenyl diisocyanate	101-68-8	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	nt	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

Sika® Ucrete® (Formerly Ucrete) Part B



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1	Information on basic physical	an	d chemical properties
	Physical state Colour	:	liquid brown
	Odour	:	musty
	Melting point/ range / Freez- ing point	:	No data available
	Boiling point/boiling range	:	No data available
	Flammability (solid, gas)	:	No data available
	Upper/lower flammability or e	exp	losive limits
	Upper explosion limit / Up- per flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	> 200 °C Method: closed cup
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	substance/mixture reacts with water
	Viscosity		
	Viscosity, dynamic	:	89 mPa.s
	Viscosity, kinematic	:	No data available
	Solubility(ies)		
	Water solubility	:	No data available

: No data available

Partition coefficient: n-



Revision Date: 24.01.2025 Date of last issue: -	Version 1.0	Print Date 24.01.2025
octanol/water		
Vapour pressure	: 0,01 hPa	
Density	: 1,23 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		
 10.1 Reactivity No dangerous reaction know 10.2 Chemical stability The product is chemically st 	n under conditions of normal use. able.	
10.3 Possibility of hazardous r Hazardous reactions	actions : No hazards to be specially mentioned.	
10.4 Conditions to avoid Conditions to avoid	: No data available	
10.5 Incompatible materials Materials to avoid	: No data available	
10.6 Hazardous decompositior	products	
	: No hazardous decomposition products	are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

Components:

Diphenylmethanediisocyan Acute oral toxicity	nate, :	isomeres and homologues: LD50 Oral (Rat): > 10.000 mg/kg	
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg	
4,4'-methylenediphenyl dii	socv	anate:	
Acute oral toxicity	:		
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement	
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method	
Skin corrosion/irritation Causes skin irritation.			
Serious eye damage/eye ir Causes serious eye irritation		on	
Respiratory or skin sensiti	isatic	n	
Skin sensitisation May cause an allergic skin re	eactio	on.	
Respiratory sensitisation May cause allergy or asthma	a sym	ptoms or breathing difficulties if inhaled.	
Germ cell mutagenicity Not classified due to lack of data.			
Carcinogenicity Suspected of causing cance	r.		
Reproductive toxicity Not classified due to lack of	data.		
STOT - single exposure May cause respiratory irritati	ion.		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] (Formerly Ucrete) Part B



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

12.6 Endocrine disrupting properties

Product:

Assessment

nent	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to
		REACH Article 57(f) or Commission Delegated regulation
		(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
		levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] (Formerly Ucrete) Part B



Revision Date: 24.01.2025 Version 1.0 Print Date 24.01.2025 Date of last issue: -ADR Not regulated as a dangerous good IMDG Not regulated as a dangerous good t IATA Not regulated as a dangerous good 14.4 Packing group ADR Not regulated as a dangerous good 5 IMDG ÷ Not regulated as a dangerous good IATA (Cargo) Not regulated as a dangerous good 2 IATA (Passenger) Not regulated as a dangerous good : 14.5 Environmental hazards Not regulated as a dangerous good 14.6 Special precautions for user Not applicable 14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied. **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 56: Diphenylmethanediisocyanate, isomeres and homologues, 4,4'-methylenediphenyl diisocyanate

Number on list 74: Diphenylmethanediisocyanate, isomeres and homologues, 4,4'-methylenediphenyl diisocyanate

Number on list 75:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] (Formerly Ucrete) Part B



Revision Date: 24.01.2025 Date of last issue: -	Version 1.0		Print Date 24.01.2025	
REACH - Candidate List of Subst Concern for Authorisation (Article		None of the compone (=> 0.1 %).	ents are listed	
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable		
Regulation (EC) on substances th layer	nat deplete the ozone :	Not applicable		
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- :	Not applicable		
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals				
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive tax f (VOCV) no VOC duties	or volatile organic com	pounds	

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315

: Causes skin irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] (Formerly Ucrete) Part B



Revision Date: 24.01.2025 Date of last issue: -	Version 1.0	Print Date 24.01.2025
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
		athing difficul
H334	 May cause allergy or asthma symptoms or bre ties if inhaled. 	eatning difficul-
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
H373	 May cause damage to organs through prolong exposure if inhaled. 	ged or repeated
Full text of other abbreviation	S	
Acute Tox.	Acute toxicity	
Carc.		
	Carcinogenicity	
Eye Irrit.	Eye irritation	
Resp. Sens.	Respiratory sensitisation	
Skin Irrit.	Skin irritation	
Skin Sens.	Skin sensitisation	
STOT RE	 Specific target organ toxicity - repeated expos 	
STOT SE	 Specific target organ toxicity - single exposure)
PL OEL	: Ordinance of the Minister of Family, Labour ar	nd Social Policy
	of 12 June 2018 concerning the highest allow	able concentra-
	tions and levels of the agents harmful for heal	
	place (Dz.U 2018 pos 1286, with later amend	
PL OEL / NDS	Maximal Admissible Concentration	,
PL OEL / NDSch	Maximal Admissible Temporary Concentration	
ADR	European Agreement concerning the Internati	
ADIX	Dangerous Goods by Road	onal Carnage of
CAS	Chemical Abstracts Service	
CAS		
DNEL	Derived no-effect level	
EC50	Half maximal effective concentration	
GHS	Globally Harmonized System	
IATA	International Air Transport Association	_
IMDG	: International Maritime Code for Dangerous Go	
LD50	: Median lethal dosis (the amount of a material,	
	once, which causes the death of 50% (one ha	If) of a group of
1.050	test animals)	6 (1) 1) 1)
LC50	Median lethal concentration (concentrations o	
	air that kills 50% of the test animals during the	observation
	period)	
MARPOL	: International Convention for the Prevention of	
	Ships, 1973 as modified by the Protocol of 19	78
OEL	Occupational Exposure Limit	
PBT	Persistent, bioaccumulative and toxic	
PNEC	Predicted no effect concentration	
REACH	Regulation (EC) No 1907/2006 of the Europea	an Parliament
	and of the Council of 18 December 2006 conc	erning the Reg-
	istration, Evaluation, Authorisation and Restric	
	cals (REACH), establishing a European Chem	nicals Agency
SVHC	: Substances of Very High Concern	
vPvB	Very persistent and very bioaccumulative	
	-	



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Classification procedure:

Print Date 24.01.2025

Further information

Classification of the mixture:

Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL / EN