Revision Date: 30.06.2023 Date of last issue: 08.03.2023 Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Sika [®] Remover-208
REACH Registration Number	:	01-2119471843-32-XXXX
Substance name	:	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics
EC-No.	:	927-241-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Detergent, Pretreatment agent, Post treatr	nent agent
-------------	--	------------

1.3 Details of the supplier of the safety data sheet

: Sika Poland Spółka z o.o.
Karczunkowska 89
02-871 Warszawa
: +48 22 27 28 700
: +48 22 27 28 800
: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	2/2008)
Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Revision Date: 30.06.2023 Date of last issue: 08.03.2023



Version 3.0

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H226 H304 H336 H412	Flammable liquid and vapour. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting ef- fects.
Supplemental Hazard Statements	-	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P261 P273	Avoid breathing mist or vapours. Avoid release to the environment.
		Response:	
		P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
		P331 P370 + P378	Do NOT induce vomiting. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Additional Labelling

The data sheet for medical personnel is available at the here provided emergency address.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 30.06.2023 Date of last issue: 08.03.2023 Version 3.0



SECTION 3: Composition/information on ingredients

3.1 Substances

EC-No.		:	927-241-2

Chemical nature : Detergent

Components

Chemical name	CAS-No.	Concentration (%	M-Factor, SCL, ATE
	EC-No.	w/w)	
Hydrocarbons, C9-C10, n- alkanes, isoalkanes, cy- clics, <2% aromatics	Not Assigned 927-241-2	100	

Regulation (EC) No.	:	30 % and more: Aliphatic hydrocarbons
648/2004, as amended		less than 5 %: Aromatic hydrocarbons

SECTION 4: First aid measures

4.1 Description of first aid measures	S			
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled :	Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.			
In case of eye contact :	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.			
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.			
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms :	Aspiration may cause pulmonary oedema and pneumonitis. Erythema Loss of balance Vertigo			



Revision Date: 30.06.2023 Date of last issue: 08.03.2023		Version 3.0	Print Date 15.11.20
		See Section 11 for more detailed information c and symptoms.	on health effects
Risks	:	Risk of serious damage to the lungs (by aspira	tion).
		May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Repeated exposure may cause skin dryness o	r cracking.
4.3 Indication of any immediate I	mee	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	:	Water High volume water jet	
5.2 Special hazards arising from	the	e substance or mixture	
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may scat fire.	ter and spread
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	1
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breath	ing apparatus.
Further information	:	Use water spray to cool unopened containers.	

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Remove all sources of ignition.
	Deny access to unprotected persons.
	Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains.
		If the product contaminates rivers and lakes or drains inform

Revision Date: 30.06.2023 Date of last issue: 08.03.2023 Version 3.0



respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	: Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, in	ncluding any incompatibilities
Requirements for storage areas and containers	: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	: No decomposition if stored and applied as directed.
7.3 Specific end use(s)	
Specific use(s)	: Consult most current local Product Data Sheet prior to any use.

Print Date 15.11.2023

Revision Date: 30.06.2023 Date of last issue: 08.03.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Hydrocarbons, C9-C10, n-alkanes, isoal-	Not Assigned	NDS	300 mg/m3	PL OEL
kanes, cyclics, <2% aromatics			-	
		NDSch	900 mg/m3	PL OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Hydrocarbons, C9-C10, n-alkanes, isoalkanes,	Workers	Skin contact		300 mg/m3 300 mg/kg
cyclics, <2% aromatics				000 mg/ng
	Workers	Inhalation		1500 mg/m3
	Consumers	Skin contact		300 mg/m3
				300 mg/kg
	Consumers	Inhalation		900 mg/m3
	Consumers	Ingestion		300 mg/m3
		-		300 mg/kg

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sika[®] Remover-208

Revision Date: 30.06.2023 Date of last issue: 08.03.2023



Version 3.0

exposure levels, the hazards of the product and the safe working limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	: Prevent product from entering drains.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid colourless
Odour	:	hydrocarbon-like
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	110 - 190 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e		
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit		
Upper explosion limit / Up-	:	
Upper explosion limit / Up- per flammability limit Lower explosion limit /	:	7 %(V)
Upper explosion limit / Up- per flammability limit Lower explosion limit / Lower flammability limit	:	7 %(V) 0,6 %(V) 24 °C

Revision Date: 30.06.2023 Date of last issue: 08.03.2023



рН	: Not applicable
Viscosity Viscosity, kinematic	: 0,8 mm2/s (40 °C)
Solubility(ies) Water solubility	: insoluble
Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: 4 hPa
Density	: ca. 0,757 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

Version 3.0

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
		Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid	:	Strong oxidizing agents
--------------------	---	-------------------------

Revision Date: 30.06.2023 Date of last issue: 08.03.2023 Version 3.0



10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 4.951 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Components:

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Assessment : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

Revision Date: 30.06.2023 Date of last issue: 08.03.2023 Version 3.0



STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

This product does not contain any tensides according to the definition in the EU Detergents Regulation (EU/648/2004) (>0,2%).

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 30.06.2023 Date of last issue: 08.03.2023 Version 3.0



12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	07 07 04* other organic solvents, washing liquids and mother liquors
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR:UN 3295IMDG:UN 3295IATA:UN 32954DR::ADR::IMDG::IMDG::IATA:IATA: <th></th> <th></th> <th></th> <th></th> <th></th>					
IATA:UN 329514.2 UN proper shipping name.ADR:HYDROCARBONS, LIQUID, N.O.S.IMDG:HYDROCARBONS, LIQUID, N.O.S.IATA:Hydrocarbons, liquid, n.o.s.14.3 Transport hazard class(es)ClassSubsidiary risks		ADR	:	UN 3295	
14.2 UN proper shipping name HYDROCARBONS, LIQUID, N.O.S. ADR HYDROCARBONS, LIQUID, N.O.S. IMDG HYDROCARBONS, LIQUID, N.O.S. IATA Hydrocarbons, liquid, n.o.s. 14.3 Transport hazard class(es) Class Subsidiary risks		IMDG	:	UN 3295	
ADR : HYDROCARBONS, LIQUID, N.O.S. IMDG : HYDROCARBONS, LIQUID, N.O.S. IATA : Hydrocarbons, liquid, n.o.s. 14.3 Transport hazard class(es) Class Subsidiary risks		ΙΑΤΑ	:	UN 3295	
IMDG:HYDROCARBONS, LIQUID, N.O.S.IATA:Hydrocarbons, liquid, n.o.s.14.3 Transport hazard class(es)ClassSubsidiary risks	14.2 UN proper shipping name				
IATA : Hydrocarbons, liquid, n.o.s. 14.3 Transport hazard class(es) Class Subsidiary risks		ADR	:	HYDROCARBONS, L	IQUID, N.O.S.
14.3 Transport hazard class(es) Class Subsidiary risks		IMDG	:	HYDROCARBONS, LIQUID, N.O.S.	
Class Subsidiary risks		ΙΑΤΑ	:	Hydrocarbons, liquid, n.o.s.	
	14.3 Transport hazard class(es)				
ADR : 3				Class	Subsidiary risks
		ADR	:	3	

Revision Date: 30.06.2023 Date of last issue: 08.03.2023 Version 3.0



:	3		
:	3		
:	III		
:	F1		
:	30		
÷	3 (D/E)		
·	(D/E)		
÷	 3		
÷	F-E, S-D		
•	, • _		
	366		
•	000		
:	Y344		
:			
:	Flammable Liquids		
:	355		
	Y344		
÷	1044 		
:	Flammable Liquids		
14.5 Environmental hazards			
:	no		
•	no		
•			

IATA (Passenger)

Environmentally hazardous : no IATA (Cargo)

Environmentally hazardous : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Revision Date: 30.06.2023 Date of last issue: 08.03.2023 Version 3.0



SECTION 15: Regulatory information

15.1 Safety, health and environment REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	specific for the substance or mixture Conditions of restriction for the fol- lowing entries should be considered: Number on list 40, 3					
International Chemical Weapons Schedules of Toxic Chemicals an	· · · ·	:	Not applicable			
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).			
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable			
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable			
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable			
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable			
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.					
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS						
Volatile organic compounds :	 Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 100% w/w 					
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 100% w/w					

Revision Date: 30.06.2023 Date of last issue: 08.03.2023 Version 3.0



Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item

Revision Date: 30.06.2023 Date of last issue: 08.03.2023 Version 3.0



1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance by the supplier.

SECTION 16: Other information

Full text of other abbreviations

PL OEL	:	Poland. Occupational exposure limits for airborne toxic sub- stances
PL OEL / NDS PL OEL / NDSch ADR	::	Maximal Admissible Concentration Maximal Admissible Temporary Concentration European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS DNEL EC50	:	Chemical Abstracts Service Derived no-effect level Half maximal effective concentration
GHS IATA	:	Globally Harmonized System International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Sika® Remover-208

Revision Date: 30.06.2023 Date of last issue: 08.03.2023 Version 3.0



PL/EN