Print Date 11.03.2024

Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaForce®-301 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317 H319	May cause an allergic skin reaction. Causes serious eye irritation.

SikaForce[®]-301 Part B

Print Date 11.03.2024

Revision Date: 13.02.2024					
Date of last issue: 10.08.2023					

Version 2.0

		armful if inhaled. ay cause respiratory irritation.
Precautionary statements :	Prevention:	
	P261 P280	Avoid breathing mist or vapours. Wear protective gloves/ eye protection/ face protection.
	Response:	
	P304 + P340 +	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
	P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
	P337 + P313	If eye irritation persists: Get medical advice/ attention.
	P362 + P364	Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

Hexamethylene-1,6-diisocyanate homopolymer

Additional Labelling

EUH204 Contains isocyanates. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 13.02.2024 Date of last issue: 10.08.2023



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Hexamethylene-1,6-diisocyanate	28182-81-2	Acute Tox. 4; H332	>= 60 - < 80
homopolymer	931-274-8	Skin Sens. 1; H317	
Contains:	01-2119485796-17-	STOT SE 3; H335	
hexamethylene-di-isocyanate <= 0,3 %	XXXX	(Respiratory system)	
0,0 /0		Acute toxicity esti-	
		mate	
		Acute inhalation tox- icity (dust/mist): 1,5 mg/l	
calcium oxide	1305-78-8	Skin Irrit. 2; H315	>= 1 - < 2,5
	215-138-9	Eye Dam. 1; H318	
	01-2119475325-36-	STOT SE 3; H335	
	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

SikaForce[®]-301 Part B

Print Date 11.03.2024

Revision Date: 13.02.2024 Date of last issue: 10.08.2023	Version 2.0	Print Date 11.03.20
Symptoms	: Cough Respiratory disorder Allergic reactions Excessive lachrymation Headache See Section 11 for more detailed information and symptoms.	on health effects
Risks	: irritant effects sensitising effects	
	May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause respiratory irritation.	
4.3 Indication of any immediate	nedical attention and special treatment neede	d
Treatment SECTION 5: Firefighting mea	: Treat symptomatically.	
SECTION 5: Firefighting mean		
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	 Sures In case of fire, use water/water spray/water juide/sand/foam/alcohol resistant foam/chemic extinction. 	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	 Sures In case of fire, use water/water spray/water juide/sand/foam/alcohol resistant foam/chemic extinction. the substance or mixture 	
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- 	 Sures In case of fire, use water/water spray/water juide/sand/foam/alcohol resistant foam/chemic extinction. the substance or mixture Carbon oxides Nitrogen oxides (NOx) 	al powder for
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 	 Sures In case of fire, use water/water spray/water juide/sand/foam/alcohol resistant foam/chemic extinction. the substance or mixture Carbon oxides Nitrogen oxides (NOx) Hydrogen cyanide (hydrocyanic acid) 	al powder for
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- 	 Sures In case of fire, use water/water spray/water juide/sand/foam/alcohol resistant foam/chemic extinction. the substance or mixture Carbon oxides Nitrogen oxides (NOx) Hydrogen cyanide (hydrocyanic acid) No hazardous combustion products are know 	al powder for vn

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.		
6.2 Environmental precautions				
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.		



Version 2.0

If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice	e on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products
	e on protection against d explosion	:	Normal measures for preventive fire protection.
Hygie	ne measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Condit	ions for safe storage,	incl	uding any incompatibilities
	rements for storage and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Storaç	ge class (TRGS 510)	:	10,Combustible liquids
Furthe age st	er information on stor- ability	:	No decomposition if stored and applied as directed.
7.3 Specifi	c end use(s)		
-	ïc use(s)	:	Consult most current local Product Data Sheet prior to any use.
	40000045740		



Version 2.0

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Hexamethylene-1,6-diisocyanate homo- polymer	28182-81-2	NDS	0,04 mg/m3	PL OEL
	Further inform	ation: Skin		
		NDSch	0,08 mg/m3	PL OEL
calcium oxide	1305-78-8	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further inform	ation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		NDS (inhalable fraction)	2 mg/m3	PL OEL
		NDS (respirable fraction)	1 mg/m3	PL OEL
		NDSch (inhalable fraction)	6 mg/m3	PL OEL
		NDSch (respirable fraction)	4 mg/m3	PL OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	: Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Numera DI 100000045740	6

SikaForce®-301 Part B

Revision Date: 13.02.2024 Date of last issue: 10.08.2023



Version 2.0

limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas. Environmental exposure controls	Environmental exposure c	
General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform	•	: Do not flush into surface water or sanitary sewer system.

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Appearance	:	paste
Colour	:	white
Odour	:	No data available
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)		No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Up- per flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available

SikaForce[®]-301 Part B



Revision Date: 13.02.2024 Date of last issue: 10.08.2023		Version 2.0	Print Date 11.03.20
Auto-ignition temperature	: No d	ata available	
Decomposition temperature	: No d	ata available	
рН		applicable tance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, dynamic	: ca.5	5.000 mPa.s (20 °C)	
Viscosity, kinematic	: No d	ata available	
Solubility(ies) Water solubility	: No d	ata available	
Partition coefficient: n- octanol/water	: No d	ata available	
Vapour pressure	: 0,01	hPa	
Density	: ca.1	,21 g/cm3 (20 °C)	
Relative vapour density	: No d	ata available	
Particle characteristics	: No d	ata available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid



Revision Date: 13.02.2024 Date of last issue: 10.08.2023	Version 2.0	Print Date 11.03.2024
Conditions to avoid	: Avoid moisture.	
10.5 Incompatible materials		
Materials to avoid	: Alkalis Oxidizing agents Acids	
	No data available	
10.6 Hazardous decomposition No decomposition if stored	•	
SECTION 11: Toxicologica	I information	
11.1 Information on hazard c	asses as defined in Regulation (EC) N	lo 1272/2008
Acute toxicity		

Harmful if inhaled.

Components:

Hexamethylene-1,6-diisocyanate homopolymer:

Acute oral toxicity	:	LD50 Oral (Rat): > 2.500 mg/kg		
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method		
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg		
Skin corrosion/irritation Not classified due to lack of data. Serious eye damage/eye irritation Causes serious eye irritation.				
Respiratory or skin sensitis	atio	on		
Skin sensitisation May cause an allergic skin reaction. Respiratory sensitisation				
Not classified due to lack of data.				
Germ cell mutagenicity Not classified due to lack of data.				

SikaForce[®]-301 Part B

Revision Date: 13.02.2024 Date of last issue: 10.08.2023

Version 2.0



Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components consid-

Revision Date: 13.02.2024 Date of last issue: 10.08.2023



Version 2.0

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2	2 UN proper shipping name			
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3	3 Transport hazard class(es)			
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
0				

Revision Date: 13.02.2024 Date of last issue: 10.08.2023 Print Date 11.03.2024

Version 2.0

14.4 Packing group

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	5.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors					
	REACH Information:	All substances containe - registered by our upst - registered by us, and/ - excluded from the reg - exempted from the re	trea ′or julat	m suppliers, and/or tion, and/or		
	REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3		
	REACH - Candidate List of Substa Concern for Authorisation (Article	, ,	:	None of the components are listed (=> 0.1 %).		
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable		
	Regulation (EC) No 1005/2009 or plete the ozone layer	substances that de-	:	Not applicable		
	Regulation (EU) 2019/1021 on petants (recast)	rsistent organic pollu-	:	Not applicable		

SikaForce[®]-301 Part B

Print Date 11.03.2024

Revision Date: 13.02.2024 Date of last issue: 10.08.2023 Version 2.0

Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

> Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

SikaForce[®]-301 Part B

Version 2.0



Revision Date: 13.02.2024 Date of last issue: 10.08.2023

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
Full text of other abbreviatio	ons	
Acute Tox.	:	Acute toxicity
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a
PL OEL	:	fourth list of indicative occupational exposure limit values Ordinance of the Minister of Family, Labour and Social Policy
		of 12 June 2018 concerning the highest allowable concentra- tions and levels of the agents harmful for health in the work-
		place (Dz.U 2018 pos 1286, with later amendments)
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours

Revision Date: 13.02.2024 Date of last issue: 10.08.2023



Version 2.0

:	Maximal Admissible Concentration Maximal Admissible Temporary Concentration European Agreement concerning the International Carriage of Dangerous Goods by Road
:	Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System
:	International Air Transport Association
:	International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
:	Occupational Exposure Limit
:	Persistent, bioaccumulative and toxic
:	Predicted no effect concentration
:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
:	Substances of Very High Concern Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H332	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN