

Revision Date: 11.03.2024 Date of last issue: - Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaPaver[®] HC-200

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : C	oncrete admixtures
-----------------	--------------------

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

5

Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

	_	•	
Hazard	pic	tograms	

		L B	
Signal word	:	Danger	
Hazard statements	:	H318 C	auses serious eye damage.
Precautionary statements	:	Prevention: P280	Wear eye protection/ face protection.
		Response:	
		P305 + P351 +	- P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con-

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: - Version 1.0

tinue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

docusate sodium

Additional Labelling

EUH208 Contains triisobutyl phosphate. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
docusate sodium	577-11-7	Skin Irrit. 2; H315	>= 3 - < 5
	209-406-4	Eye Dam. 1; H318	
	01-2119491296-29-		
	XXXX		
triisobutyl phosphate	126-71-6	Skin Sens. 1B; H317	< 1
	204-798-3		
	01-2119957118-32-		
	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.	
If inhaled	: Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. 	
In case of eye contact	: Small amounts splashed into eyes can cause irreversible	tis-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaPaver[®] HC-200



Revision Date: 11.03.2024	Version 1.0	Print Date 11.03
Date of last issue: -		
	sue damage and blindness. In the case of contact with eyes, rinse i of water and seek medical advice.	immediately with plenty
	Continue rinsing eyes during transport Remove contact lenses.	to hospital.
	Keep eye wide open while rinsing.	
If swallowed	: Do not induce vomiting without medica Rinse mouth with water.	
	Do not give milk or alcoholic beverages Never give anything by mouth to an un	
4.2 Most important symptoms a	nd effects, both acute and delayed	
Symptoms	: Excessive lachrymation	
	See Section 11 for more detailed inforr and symptoms.	nation on health effects
Risks	: No known significant effects or hazards	S.
	Causes serious eye damage.	
4.3 Indication of any immediate		reeded
4.3 Indication of any immediate Treatment	nedical attention and special treatment r	needed
		needed
	nedical attention and special treatment r : Treat symptomatically.	needed
Treatment SECTION 5: Firefighting mea	nedical attention and special treatment r : Treat symptomatically.	needed
Treatment SECTION 5: Firefighting mea	medical attention and special treatment r : Treat symptomatically.	vater jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media	 medical attention and special treatment in a symptomatically. sures In case of fire, use water/water spray/wide/sand/foam/alcohol resistant foam/c extinction. 	vater jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	 medical attention and special treatment in a symptomatically. sures In case of fire, use water/water spray/wide/sand/foam/alcohol resistant foam/c extinction. 	vater jet/carbon diox- hemical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod-	 medical attention and special treatment in a symptomatically. Treat symptomatically. sures In case of fire, use water/water spray/wide/sand/foam/alcohol resistant foam/c extinction. the substance or mixture 	vater jet/carbon diox- hemical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	 medical attention and special treatment in the substance or mixture No hazardous combustion products are 	vater jet/carbon diox- hemical powder for e known

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
----------------------	---	---

Print Date 11.03.2024

Revision Date: 11.03.2024	Version 1.0
Date of last issue: -	

6.2 Environmental precautions

Environmental precautions

: Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
2 Conditions for sofe stores	inc	luding any incompatibilities

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: -

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment	nt
Eye/face protection	 Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	: No special measures required.
Environmental exposure con	rols
General advice	: Try to prevent the material from entering drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid white
Odour	:	No data available
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: - Version 1.0

Upper/lower flammability or explosive limits				
Upper explosion limit / Up- per flammability limit	:	No data available		
Lower explosion limit / Lower flammability limit	:	No data available		
Flash point	:	Not applicable		
Auto-ignition temperature	:	No data available		
Decomposition temperature	:	No data available		
рН	:	ca. 7,5 (20 °C)		
Viscosity Viscosity, kinematic	:	No data available		
Solubility(ies)				
Water solubility	:	No data available		
Partition coefficient: n- octanol/water	:	No data available		
Vapour pressure	:	23 hPa		
Density	:	ca. 1,005 g/cm3 (20 °C)		
Relative vapour density	:	No data available		
Particle characteristics	:	No data available		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

Revision Date: 11.03.2024 Date of last issue: -

Version 1.0

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous	reactio	ons
Hazardous reactions	:	Stable under recommended storage conditions.
10.4 Conditions to avoid		
Conditions to avoid	:	No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: - Version 1.0

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

Components:

triisobutyl phosphate:

Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 11 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	IC50 (Desmodesmus subspicatus (green algae)): 34,1 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

1

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.



Revision Date: 11.03.2024 Date of last issue: -	Version 1.0	Print Date 11.03.20
	This material and its container must be way. Dispose of surplus and non-recyclable waste disposal contractor. Disposal of this product, solutions and a at all times comply with the requirement protection and waste disposal legislation local authority requirements. Avoid dispersal of spilled material and the soil, waterways, drains and sewers.	products via a licensed any by-products should ts of environmental m and any regional
European Waste Catalogue	: 16 10 02 aqueous liquid wastes other in 16 10 01	than those mentioned

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		
Not regulated as a dangerous	; go	od
44.0 On a stal was a sufficient for use		

14.6 Special precautions for user Not applicable

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: -

Version 1.0

SECTION 15: Regulatory information

Interna	y, health and environme ational Chemical Weapon ules of Toxic Chemicals	s Convention (CWC)	ition :	specific for the substance or mixture Not applicable
REAC	H Information:	All substances contain - registered by our up - registered by us, and - excluded from the re- - exempted from the re-	strea d/or egula	am suppliers, and/or ation, and/or
	H - Candidate List of Sub rn for Authorisation (Artic		:	None of the components are listed (=> 0.1 %).
REAC (Anne:	H - List of substances su x XIV)	bject to authorisation	:	Not applicable
	ation (EC) No 1005/2009 he ozone layer	on substances that de-	:	Not applicable
	ation (EU) 2019/1021 on recast)	persistent organic pollu-	:	Not applicable
ment a	ation (EU) No 649/2012 c and the Council concernir gerous chemicals		:	Not applicable
	o III: Directive 2012/18/E ident hazards involving c		men	t and of the Council on the control of ma-
Volatil	e organic compounds	: Law on the incentive (VOCV) no VOC duties	tax f	or volatile organic compounds
			poll oun	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaPaver[®] HC-200

Version 1.0



Revision Date: 11.03.2024 Date of last issue: -

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. 2005 Nr. 259, item 2173 with later amendments).

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaPaver[®] HC-200



Revision Date: 11.03.2024 Date of last issue: - Version 1.0

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450 with later amendments).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

Full text of H-Statemer	าเร	
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
Full text of other abbre	eviations	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency

Jika ®
Print Date 11.03.2024

Revision Date: 11.03.2024
Date of last issue: -

Version 1.0

SVHC vPvB	Substances of Very High Concern Very persistent and very bioaccumulative
Further information	

Classification of the mixture:Classification procedure:Eye Dam. 1H318Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN