

Revision Date: 24.01.2025	Version 1.0	Print Date 24.01.2025
Date of last issue: -		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®] UD 100 AS (Formerly Ucrete UD 100 AS) Part C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin irritation, Category 2	H315: Causes skin irritation.		
Serious eye damage, Category 1	H318: Causes serious eye damage.		
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	LE	
Signal word	:	Danger	
Hazard statements	:	H315	Causes skin irritation.



Sika[®] Ucrete[®] UD 100 AS (Formerly Ucrete UD 100 AS) Part C

Revision Date: 24.01.2025 Date of last issue: -		Version 1.0	Print Date 24.01.2025
		ay cause an allergic skin reaction. auses serious eye damage.	
Precautionary statements :	Prevention:		
	P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after han Wear protective gloves/ eye pro protection.	
	Response:		
	P305 + P351 +	 P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor. 	Remove con- to do. Con-
	P333 + P313	If skin irritation or rash occurs: (advice/ attention.	Get medical
	P362 + P364	Take off contaminated clothing before reuse.	and wash it

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		STOT SE 3; H335	



Sika® Ucrete® UD 100 AS (Formerly Ucrete UD 100 AS) Part C

Revision Date: 24.01.2025 Date of last issue: -

Version 1.0

Print Date 24.01.2025

I	1		
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 1 - < 2,5
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
White mineral oil (petroleum)	8042-47-5	Asp. Tox. 1; H304	>= 1 - < 2,5
	232-455-8		
	01-2119487078-27-		
	XXXX		
Substances with a workplace exp	osure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		
Quartz (SiO2)	14808-60-7		>= 25 - < 40
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Allergic reactions Excessive lachrymation



Sika[®] Ucrete[®] UD 100 AS (Formerly Ucrete UD 100 AS) Part C

Revision Date: 24.01.2025 Date of last issue: -	Version 1.0	Print Date 24.01.2025
	Erythema Dermatitis See Section 11 for more detailed informati and symptoms.	on on health effects
Risks :	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
	irritant effects sensitising effects	
4.3 Indication of any immediate me	edical attention and special treatment need	ded
Treatment :	Treat symptomatically.	
SECTION 5: Firefighting measu	res	
5.1 Extinguishing media		
Suitable extinguishing media :	In case of fire, use water/water spray/wate ide/sand/foam/alcohol resistant foam/chemextinction.	
5.2 Special hazards arising from th	e substance or mixture	
Hazardous combustion prod- : ucts	No hazardous combustion products are kn	IOWN
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained bre	eathing apparatus.
Further information :	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protectiv	ve equipment and emergency procedures	
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions :	Do not flush into surface water or sanitary	sewer system.
6.3 Methods and material for conta	inment and cleaning up	
Methods for cleaning up :	Pick up and arrange disposal without creat	ting dust.



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any

use.



Sika® Ucrete® UD 100 AS (Formerly Ucrete UD 100 AS) Part C

Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *				
Quartz (SiO2)	14808-60-7	NDS (respirable	1 mg/m3	PL OEL				
		fraction)						
	Further information: Respirable fraction - the fraction of aerosol							
	that penetrate	that penetrates into the respiratory tract, which poses a threat to						
	the health of	the deposit in the are	a of gas exchang	e, determined				
	in accordance	e with standard PN-E	N 481.					
		NDS (inhalable	2 mg/m3	PL OEL				
		fraction)	Ŭ					
	Further inform	nation: Inhalable frac	tion - the fraction	of aerosol				
	penetrating th	nrough the nose and	mouth, which afte	er deposit in				
		y tract poses a threa						
		n standard PN-EN 48						
		NDS (respirable	0,1 mg/m3	PL OEL				
		fraction)	(Silica)	-				
Quartz (SiO2)	14808-60-7	NDS (respirable	0,1 mg/m3	PL OEL				
		fraction)	(Silica)					
Cement, portland, chemicals	65997-15-1	NDS (inhalable	6 mg/m3	PL OEL				
		fraction)						
		NDS (respirable	2 mg/m3	PL OEL				
		fraction)						
calcium dihydroxide	1305-62-0	TWA (Respirable	1 mg/m3	2017/164/EU				
		fraction)						
	Further inform	nation: Indicative						
		STEL (Respirable	4 mg/m3	2017/164/EU				
		fraction)						
		NDS (inhalable	2 mg/m3	PL OEL				
		fraction)						
		NDS (respirable	1 mg/m3	PL OEL				
		fraction)						
		NDSch (inhalable fraction)	6 mg/m3	PL OEL				
		NDSch (respirable	4 mg/m3	PL OEL				
		fraction)	-					
White mineral oil (petroleum)	8042-47-5	NDS (inhalable	5 mg/m3	PL OEL				
		fraction)						

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.



Sika® Ucrete® UD 100 AS (Formerly Ucrete UD 100 AS) Part C

/ision Date: 24.01.2025 e of last issue: -		Version 1.0	Print Date 24.01.2025
Personal protective equipm	ent		
Eye/face protection	:	Safety glasses with side-shields confor Eye wash bottle with pure water	ming to EN166
Hand protection	:	Chemical-resistant, impervious gloves proved standard must be worn at all tin chemical products. Reference number facturer specifications. Recommended: Butyl rubber/nitrile rub Contaminated gloves should be remov	nes when handling EN 374. Follow manu- ber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes a long-sleeved working clothing, long troi and protective boots are additionally rea and stirring work.	users). Rubber aprons
Respiratory protection	:	In case of inadequate ventilation wear Respirator selection must be based on exposure levels, the hazards of the pro- ing limits of the selected respirator. Ensure adequate ventilation. This can exhaust extraction or by general ventilation ods for determining inhalation exposure ticular to the mixing / stirring area. In ca to keep the concentrations under the o limits then respiration protection measure	known or anticipated oduct and the safe work- be achieved by local ation. (EN 689 - Meth- e). This applies in par- ase this is not sufficent ccupational exposure

General advice

: Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	: solid : coarse powder : beige
Odour	: odourless
Melting point/ range / Freez- ing point	: No data available
Boiling point/boiling range	: No data available
Flammability (solid, gas)	: No data available



Sika® Ucrete® UD 100 AS (Formerly Ucrete UD 100 AS) Part C

Revision Date: 24.01.2025	Version 1.0	Print Date 24.01.2025
Date of last issue: -		

Upper/lower flammability or explosive limits

Upper explosion limit / Upper flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	No data available
Density Relative vapour density	:	No data available No data available

9.2 Other information

No data available



Sika® Ucrete® UD 100 AS (Formerly Ucrete UD 100 AS) Part C

Revision Date: 24.01.2025 Date of last issue: -	Version 1.0	Print Date 24.01.2025	
SECTION 10: Stability and r	eactivity		
10.1 Reactivity No dangerous reaction know	vn under conditions of normal use.		
10.2 Chemical stability The product is chemically st	able.		
10.3 Possibility of hazardous r Hazardous reactions	eactions : No hazards to be specially mentioned.		
10.4 Conditions to avoid Conditions to avoid	: No data available		
10.5 Incompatible materials Materials to avoid	: No data available		
10.6 Hazardous decomposition products			
	: No hazardous decomposition products a	are known.	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

White mineral oil (petroleum):			
Acute oral toxicity :	: LD50 Oral (Rat): > 5.000 mg/kg		
Acute inhalation toxicity :	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist		
Acute dermal toxicity :	: LD50 Dermal (Rabbit): > 2.000 mg/kg		
Skin corrosion/irritation			

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Sika® Ucrete® UD 100 AS (Formerly Ucrete UD 100 AS)

Revision Date: 24.01.2025 Version 1.0 Print Date 24.01.2025 Date of last issue: -

Respiratory or skin sensitisation

Skin sensitisation

Part C

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:		
White mineral oil (petroleur	n):	
Toxicity to fish		Leuciscus idus (Golden orfe)): > 1.000 mg/l xposure time: 96 h
Toxicity to algae/aquatic plants	1	IOEC (Pseudokirchneriella subcapitata (green algae)): >= 00 mg/l xposure time: 72 h





Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with



Sika® Ucrete® UD 100 AS (Formerly Ucrete UD 100 AS) Part C

Revision Date: 24.01.2025
Date of last issue: -

Version 1.0

Print Date 24.01.2025

soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

Sika[®] Ucrete[®] UD 100 AS (Formerly Ucrete UD 100 AS) Part C



Revision Date: 24.01.2025 Date of last issue: -	Version 1.0)	Print Date 24.01.2025					
 registered by our upstream suppliers, and/or registered by us, and/or excluded from the regulation, and/or exempted from the registration. 								
REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII)	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement, port- land, chemicals					
REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).					
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable					
Regulation (EC) on substances th layer	at deplete the ozone :	:	Not applicable					
Regulation (EU) 2019/1021 on persistent organic pollu tants (recast)			Not applicable					
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals								
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable								
Volatile organic compounds :	 Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w 							

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)



Sika[®] Ucrete[®] UD 100 AS (Formerly Ucrete UD 100 AS) Part C

Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)



Revision Date: 24.01.2025	Version 1.0
Date of last issue: -	

Print Date 24.01.2025

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	าร	
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a
		fourth list of indicative occupational exposure limit values
PL OEL	:	Ordinance of the Minister of Family, Labour and Social Policy
		of 12 June 2018 concerning the highest allowable concentra-
		tions and levels of the agents harmful for health in the work-
		place (Dz.U 2018 pos 1286, with later amendments)
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
PL OEL / NDS	:	Maximal Admissible Concentration
PL OEL / NDSch	:	Maximal Admissible Temporary Concentration
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS		Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
2200	•	once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	÷	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
		· · · · · · · · · · · · · · · · · · ·



Sika[®] Ucrete[®] UD 100 AS (Formerly Ucrete UD 100 AS) Part C

Revision Date: 24.01.2025 Date of last issue: -		Version 1.0	Print Date 24.01.2025
OEL PBT PNEC REACH	:	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the Euro and of the Council of 18 December 2006 of istration, Evaluation, Authorisation and Re	concerning the Reg- striction of Chemi-
SVHC	:	cals (REACH), establishing a European C Substances of Very High Concern	nemicals Agency
vPvB	:	Very persistent and very bioaccumulative	
Further information			
Classification of the mixtu	ıre:	Classification p	rocedure:

Classification of the	Classification procedu		
Skin Irrit. 2	H315	Calculation method	
Eye Dam. 1	H318	Calculation method	
Skin Sens. 1	H317	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN