Version 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name

: Sarnafil T Prep

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Pretreatment agent, For professional users only.

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

### 1.4 Emergency telephone number

112

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H225 H319 H336	Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

# Sarnafil T Prep



Revision Date: 26.09.2023 Date of last issue: 08.03.2023		V	ersion 2.0	Print Date 05.02.202
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause or cracking.	skin dryness
Precautionary statements	:	Prevention:		
		P210	Keep away from heat, hot surfa open flames and other ignition s smoking.	
		P233	Keep container tightly closed.	
		P261	Avoid breathing mist or vapours	8.
		P280	Wear protective gloves/ protect eye protection/ face protection.	
		Response:		
		P303 + P361 +	P353 IF ON SKIN (or hair): Tak ately all contaminated clothing. with water.	
		P370 + P378	In case of fire: Use dry sand, dr alcohol-resistant foam to exting	-

### Hazardous components which must be listed on the label:

1-methoxy-2-propanol

### Additional Labelling

The data sheet for medical personnel is available at the here provided emergency address.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Print Date 05.02.2024

Revision Date: 26.09.2023 Date of last issue: 08.03.2023

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		, ,
1-methoxy-2-propanol	107-98-2	Flam. Liq. 3; H226	>= 40 - < 60
Contains:	203-539-1	STOT SE 3; H336	
2-methoxypropanol <= 0,3 %	01-2119457435-35-	(Central nervous	
	XXXX	system)	
butanone	78-93-3	Flam. Liq. 2; H225	>= 40 - < 60
	201-159-0	Eye Irrit. 2; H319	
	01-2119457290-43-	STOT SE 3; H336	
	XXXX	(Central nervous	
		system)	
		EUH066	

For explanation of abbreviations see section 16.

Regulation (EC) No. 648/2004, as amended : Product is subject to the Detergents Regulation

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person</li> </ul>

### 4.2 Most important symptoms and effects, both acute and delayed



:	Excessive lachrymation Erythema Loss of balance Vertigo See Section 11 for more detailed inform and symptoms.	ation on health effects
:	irritant effects	
	Causes serious eye irritation. May cause drowsiness or dizziness. Repeated exposure may cause skin dry	ness or cracking.
e me	dical attention and special treatment no	eeded
:	Treat symptomatically.	
•	: : e me	Erythema Loss of balance Vertigo See Section 11 for more detailed inform and symptoms. : irritant effects Causes serious eye irritation. May cause drowsiness or dizziness. Repeated exposure may cause skin dry

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	Water

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

## 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures			
Personal precautions	:	Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.	

### 6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains.
Country PL 000000121979		

Revision Date: 26.09.2023
Date of last issue: 08.03.2023

If the product contaminates rivers and lakes or drains inform respective authorities.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
Conditions for safe storage, i	ncl	uding any incompatibilities
Requirements for storage areas and containers	:	Store in cool place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any
	Advice on protection against fire and explosion Hygiene measures Conditions for safe storage, i Requirements for storage areas and containers Further information on stor- age stability Specific end use(s)	Advice on protection against : fire and explosion Hygiene measures : Conditions for safe storage, incl Requirements for storage : areas and containers Further information on stor- : age stability Specific end use(s)

# Sarnafil T Prep

Print Date 05.02.2024

Revision Date: 26.09.2023 Date of last issue: 08.03.2023 Version 2.0

use.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parame-	Basis *	
		of exposure)	ters *		
1-methoxy-2-propanol	107-98-2	TWA	100 ppm	2000/39/EC	
			375 mg/m3		
	Further info	rmation: Identifies the	possibility of signi	ificant uptake	
	through the	skin, Indicative		-	
		STEL	150 ppm	2000/39/EC	
			568 mg/m3		
		NDS	180 mg/m3	PL OEL	
	Further information: Skin				
		NDSch	360 mg/m3	PL OEL	
butanone	78-93-3	TWA	200 ppm 600 mg/m3	2000/39/EC	
	Further info	mation: Indicative	eee mg,me		
		STEL	300 ppm	2000/39/EC	
			900 mg/m3		
		NDS	450 mg/m3	PL OEL	
	Further info	Further information: Skin			
		NDSch	900 mg/m3	PL OEL	

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### 8.2 Exposure controls

### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons

# Sarnafil T Prep



Revision Date: 26.09.2023 Date of last issue: 08.03.2023	Version 2.0	Print Date 05.02.20
	and protective boots are additionaly record and stirring work.	ommended for mixing
Respiratory protection :	In case of inadequate ventilation wear re Respirator selection must be based on k exposure levels, the hazards of the prod- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < Ensure adequate ventilation. This can be exhaust extraction or by general ventilat ods for determining inhalation exposure) ticular to the mixing / stirring area. In case to keep the concentrations under the occ- limits then respiration protection measure	Anown or anticipated duct and the safe work- a 10000 ppm e achieved by local tion. (EN 689 - Meth- ). This applies in par- se this is not sufficent cupational exposure
Environmental exposure contr	ols	
General advice :	Prevent product from entering drains. If the product contaminates rivers and la respective authorities.	ikes or drains inform

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid yellow			
Odour	:	solvent-like			
Melting point/range / Freezing point	:	No data available			
Boiling point/boiling range	:	ca. 79 °C			
Flammability (solid, gas)	:	No data available			
Upper/lower flammability or explosive limits					
Upper explosion limit / Upper flammability limit	:	Upper flammability limit 13,8 %(V)			
Lower explosion limit / Lower flammability limit	:	Lower flammability limit 1,5 %(V)			
Flash point	:	-4 °C Method: closed cup			

# Sarnafil T Prep



Revision Date: 26.09.2023 Date of last issue: 08.03.2023		Version 2.0	Print Date 05.02.2024
Auto-ignition temperature	:	270 °C	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
<b>Viscosity</b> Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)	
<b>Solubility(ies)</b> Water solubility	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	ca. 105 hPa (20 °C)	
Density	:	ca. 0,80 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### **10.2 Chemical stability**

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
---------------------	---	--

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

# Sarnafil T Prep



Revision Date: 26.09.2023 Date of last issue: 08.03.2023	Version 2.0		Print Date 05.02.202
Conditions to avoid	: Heat, flames and sparks.		
10.5 Incompatible materials			
Materials to avoid	: No data available		
<b>10.6 Hazardous decomposition</b> No decomposition if stored a			
SECTION 11: Toxicological	ormation		
11.1 Information on hazard class	es as defined in Regulation	(EC) No 1272/2008	
Acute toxicity Not classified due to lack of Components:	a.		
1-methoxy-2-propanol:			
Acute oral toxicity	: LD50 Oral (Rat): > 5.000	mg/kg	
Acute inhalation toxicity	: LC50: 7,5 mg/l Exposure time: 4 h Test atmosphere: dust/mi	st	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 9	5.000 mg/kg	
butanone:			
Acute oral toxicity	: LD50 Oral (Rat): 3.300 m	g/kg	
Acute inhalation toxicity	: LC50 (Rat): 36 mg/l Exposure time: 4 h Test atmosphere: vapour		
Acute dermal toxicity	: LD50 Dermal (Rabbit): >	5.000 mg/kg	
Skin corrosion/irritation Repeated exposure may cau	skin dryness or cracking.		
Serious eye damage/eye ir Causes serious eye irritatior	ation		
Respiratory or skin sensiti	tion		
Skin sensitisation Not classified due to lack of	a.		
<b>Respiratory sensitisation</b> Not classified due to lack of	a.		

Revision Date: 26.09.2023 Date of last issue: 08.03.2023 Version 2.0



### Germ cell mutagenicity

Not classified due to lack of data.

### Carcinogenicity

Not classified due to lack of data.

### **Reproductive toxicity**

Not classified due to lack of data.

### STOT - single exposure

May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified due to lack of data.

### Aspiration toxicity

Not classified due to lack of data.

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

### Components:

### 1-methoxy-2-propanol:

Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h

### 12.2 Persistence and degradability

This product does not contain any tensides according to the definition in the EU Detergents Regulation (EU/648/2004) (>0,2%).

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

Revision Date: 26.09.2023 Date of last issue: 08.03.2023 Version 2.0



### 12.5 Results of PBT and vPvB assessment

### Product:

mation

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

Product:	
Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Product: Additional ecological infor-	: There is no data available for this product.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residu This material and its container must be disposed of in a sa way. Dispose of surplus and non-recyclable products via a licen waste disposal contractor. Disposal of this product, solutions and any by-products sho at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact v soil, waterways, drains and sewers.	afe nsed ould I
European Waste Catalogue	07 07 04* other organic solvents, washing liquids and mot liquors	ther
Contaminated packaging	15 01 10* packaging containing residues of or contaminate by dangerous substances	əd

Revision Date: 26.09.2023 Date of last issue: 08.03.2023 Version 2.0



## **SECTION 14: Transport information**

14.1 UN number or ID number				
ADR	:	UN 1993		
IMDG	:	UN 1993		
ΙΑΤΑ	:	UN 1993		
14.2 UN proper shipping name				
ADR	:	FLAMMABLE LIQUID, N.O.S. (1-methoxy-2-propanol, butanone)		
IMDG	:	FLAMMABLE LIQUID, N.O.S. (1-methoxy-2-propanol, butanone)		
ΙΑΤΑ	:	Flammable liquid, n.o.s. (1-methoxy-2-propanol, butanone)		

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 3	
IMDG	: 3	
ΙΑΤΑ	: 3	

## 14.4 Packing group

ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	:	II F1 33 3 (D/E)
<b>IMDG</b> Packing group Labels EmS Code	:	ll 3 F-E, <u>S-E</u>
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	364 Y341 II Flammable Liquids
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	: : : :	353 Y341 II Flammable Liquids

### 14.5 Environmental hazards

Revision Date: 26.09.2023 Date of last issue: 08.03.2023 Version 2.0



<b>ADR</b> Environmentally hazardous	:	no
IMDG Marine pollutant	:	no
IATA (Passenger) Environmentally hazardous	:	no
IATA (Cargo) Environmentally hazardous	:	no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the folthe market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 75, 3 REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-: Not applicable plete the ozone layer

# Sarnafil T Prep

Revision Date: 26.09.2023

Date of last issue: 08.03.2023

Print Date 05.02.2024

		2	^
v	ersion	۷.	υ

Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals	•	:	Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving dat P5c	•		and of the Council on the control of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV)	x fo	or volatile organic compounds

•	(VOCV) Volatile organic compounds (VOC) content: 99,7% w/		
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 99,7% w/w		

### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Print Date 05.02.2024

Revision Date: 26.09.2023 Date of last issue: 08.03.2023 Version 2.0

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

Full text of H-Statements		
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
Full text of other abbreviation		
Eye Irrit.	Eye irritation	
Flam. Liq.	Flammable liquids	
STOT SE	Specific target organ toxicity - single exposure	
2000/39/EC	Europe. Commission Directive 2000/39/EC establishing a fir	rst
PL OEL	list of indicative occupational exposure limit values Ordinance of the Minister of Family, Labour and Social Polic of 12 June 2018 concerning the highest allowable concentra	

# Sarnafil T Prep

Print Date 05.02.2024

Revision Date: 26.09.2023			
Date of last issue: 08.03.2023			

2000/39/EC / TWA 2000/39/EC / STEL PL OEL / NDS PL OEL / NDSch ADR CAS DNEL EC50 GHS IATA IMDG LD50		tions and levels of the agents harmful for health in the work- place (Dz.U 2018 pos 1286, with later amendments) Limit Value - eight hours Short term exposure limit Maximal Admissible Concentration Maximal Admissible Temporary Concentration European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative

### **Further information**

Classification of the mixture:		Classification procedure:
Flam. Liq. 2	H225	Based on product data or assessment
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN

# Sarnafil T Prep

Revision Date: 26.09.2023 Date of last issue: 08.03.2023 Version 2.0

