

Revision Date: 10.05.2023 Date of last issue: - Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaGard®-6250 S

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Surfaces protection

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Skin irritation, Category 2	H315: Causes skin irritation.
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

1

SikaGard[®]-6250 S



Revision Date: 10.05.2023 Date of last issue: -	· · · · · · · · · · · · · · · · · · ·	/ersion 1.0	Print Date 10.05.20
Hazard statements	H222 H229 H315 H336 H411	Extremely flammable aero Pressurised container: Ma Causes skin irritation. May cause drowsiness or Toxic to aquatic life with lo	ay burst if heated. dizziness.
Precautionary statements	Prevention:		
,	P210	Keep away from heat, hot open flames and other igr smoking.	• •
	P211	Do not spray on an open tion source.	flame or other igni-
	P251 P273	Do not pierce or burn, ever Avoid release to the envir	
	Response:		
	P391	Collect spillage.	
	Storage:		
	P410 + P412	Protect from sunlight. Do peratures exceeding 50 °C	•

Hazardous components which must be listed on the label:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Print Date 10.05.2023

Revision Date: 10.05.2023 Date of last issue: -

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)	
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n- hexane	Not Assigned 921-024-6 01-2119475514-35- XXXX	Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 25 - < 40	
Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, <2% aromatics	Not Assigned 919-857-5 01-2119463258-33- XXXX [corresponding group CAS 64742-48- 9]	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304	>= 10 - < 20	
isobutane	75-28-5 200-857-2 01-2119485395-27- XXXX	Flam. Gas 1A; H220	>= 5 - < 10	
Aromatic hydrocarbons, C9; Al- kylbenzenes; C9-aromatics	128601-23-0 918-668-5 01-2119455851-35- XXXX	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system) STOT SE 3; H335 (Respiratory system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 1 - < 2,5	
Substances with a workplace exposure limit :				
butane	106-97-8 203-448-7 01-2119474691-32- XXXX	Flam. Gas 1A; H220	>= 10 - < 20	
propane	74-98-6 200-827-9 01-2119486944-21- XXXX	Flam. Gas 1A; H220	>= 10 - < 20	

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.



Revision Date: 10.05.2023	Version 1.0	Print Date 10.05.2023
Date of last issue: -		

If inhaled	: Move to fresh air.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Symptoms	 and effects, both acute and delayed Erythema Dermatitis Loss of balance Vertigo See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects

Causes skin irritation. May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically
rieauneni	 Theat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Water spray jet Dry powder Foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known

Print Date 10.05.2023

Revision Date: 10.05.2023Version 1.0Print Date 10.0Date of last issue: -

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Do not spray on a naked flame or any incandescent material. Take precautionary measures against electrostatic discharges.

SikaGard®-6250 S



Revision Date: 10.05.2023 Date of last issue: -		Version 1.0	Print Date 10.05.202
Hygiene measures	:	Handle in accordance with good industria practice. When using do not eat or drink. smoke. Wash hands before breaks and a	When using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	BEWARE: Aerosol is pressurized. Keep a exposure and temperatures over 50 °C. D or throw into fire even after use. Do not sp red-hot objects. Store in original containent tightly closed in a dry and well-ventilated precautions. Store in accordance with loc	Do not open by force pray on flames or r. Keep container place. Observe label
Further information on stor- age stability	:	No decomposition if stored and applied as	s directed.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data S use.	Sheet prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Hydrocarbons, C6-C7, n-alkanes, isoal- kanes, cyclics, <5% n-hexane	Not Assigned	NDS	500 mg/m3	PL OEL
		NDSch	1.500 mg/m3	PL OEL
butane	106-97-8	NDS	1.900 mg/m3	PL OEL
		NDSch	3.000 mg/m3	PL OEL
propane	74-98-6	NDS	1.800 mg/m3	PL OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment					
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.			



Revision Date: 10.05.2023 Date of last issue: -	Version 1.0	Print Date 10.0
	Suitable for short time use or protection Butyl rubber/nitrile rubber gloves (> 0 Contaminated gloves should be remon Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	,1 mm)
Skin and body protection	: Protective clothing (e.g. Safety shoes long-sleeved working clothing, long tr	
Respiratory protection	 In case of inadequate ventilation weak Respirator selection must be based of exposure levels, the hazards of the pring limits of the selected respirator. organic vapor (Type A) and particulat A1: < 1000 ppm; A2: < 5000 ppm; A3 P1: Inert material; P2, P3: hazardous Ensure adequate ventilation, especial When workers are facing concentration limit they must use appropriate certified 	n known or anticipated roduct and the safe work- e filter : < 10000 ppm substances Ily in confined areas. ons above the exposure

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	aerosol various				
Odour	:	hydrocarbon-like				
Melting point/range / Freezing point	:	No data available				
Boiling point/boiling range	:	ca44 °C				
Flammability (solid, gas)	:	No data available				
Upper/lower flammability or explosive limits						

Upper explosion limit / Up-	:	Upper flammability limit
per flammability limit		10,9 %(V)

SikaGard®-6250 S



Revision Date: 10.05.2023 Date of last issue: -		Version 1.0	Print Da
Lower explosion limit / Lower flammability limit	:	Lower flammability limit 0,6 %(V)	
Flash point	:	ca97 °C Method: closed cup	
Auto-ignition temperature	:	> 200 °C	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-polar/aprotic	
Viscosity Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	4.000 hPa (20 °C)	
Density	:	ca. 0,668 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

SikaGard®-6250 S



evision Date: 10.05.2023 ate of last issue: -		Version 1.0	Print Date 10.05.20
Hazardous reactions	:	Stable under recommended storage conditions.	
0.4 Conditions to avoid			
Conditions to avoid	:	Heat, flames and sparks.	
0.5 Incompatible materials			
Materials to avoid	:	No data available	
0.6 Hazardous decomposition No decomposition if stored	-		
SECTION 11: Toxicological	infor	mation	
1.1 Information on hazard cla	sses a	as defined in Regulation (EC) No 1272/2008	
Acute toxicity Not classified based on ava			
Components:			
Hydrocarbons, C9-C11, n- Acute oral toxicity	alkano :	es, isoalkanes, cyclics, <2% aromatics: LD50 Oral (Rat): > 5.000 mg/kg	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): 3.160 mg/kg	
Skin corrosion/irritation Causes skin irritation.			
Serious eye damage/eye i			
Not classified based on ava			
Respiratory or skin sensit	isatio	n	
Skin sensitisation			
Not classified based on ava	ilable i	information.	
Respiratory sensitisation Not classified based on ava	ilahle i	information	
Germ cell mutagenicity Not classified based on ava			
Carcinogenicity Not classified based on ava	ilable i	information.	
Reproductive toxicity Not classified based on ava	ilable i	information.	
STOT - single exposure May cause drowsiness or d	izzines	S6	

Revision Date: 10.05.2023 Date of last issue: - Version 1.0



STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
aquatic invertebrates		Exposure time: 48 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

Sika ®
Print Date 10.05.2023

Revision Date: 10.05.2023	Version 1.0	Print Date 10.05.202
Date of last issue: -		

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

/u0	
:	The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1950	
IMDG	:	UN 1950	
ΙΑΤΑ	:	UN 1950	
14.2 UN proper shipping name			
ADR	:	AEROSOLS	
IMDG	:	AEROSOLS (naphtha (petroleum)))
ΙΑΤΑ	:	Aerosols, flammable	
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADR	:	2	2.1
IMDG	:	2.1	

Sika ®
Print Date 10.05.2023

.

IATA:2.114.4 Packing group:Not assigned by regulationADR:Not assigned by regulationClassification Code:5FLabels::Unnel restriction code:0Remarks:Transport according to chapter 3.4 (LQ) possibleIMDC:Not assigned by regulationLabels::Packing group:Not assigned by regulationLabels::Packing instruction (cargo::Packing instruction (LQ)::Packing instruction (LQ)::Packing instruction (passen- ager aircraft)::Packing instruction (LQ)::Packing instruction (LQ):Packing instruction (LQ):
ADR Packing group : Not assigned by regulation Classification Code : 5F Labels : 2.1 Tunnel restriction code : (D) Remarks : Transport according to chapter 3.4 (LQ) possible IMDG . . Packing group : Not assigned by regulation Labels : 2.1 EmS Code : F-D, S-U IATA (Cargo) . Y203 Packing instruction (cargo : 203 aircraft) . . Packing group : Not assigned by regulation Labels : Flammable Gas IATA (Passenger) . . Packing instruction (passen- : 203 ger aircraft) . . Packing instruction (passen- : 203 ger aircraft) . . Packing instruction (passen- : 203 ger aircraft) . . Packing instruction (LQ) : Y203
Packing group:Not assigned by regulationClassification Code:5FLabels:2.1Tunnel restriction code:(D)Remarks:Transport according to chapter 3.4 (LQ) possibleIMDGPacking group:Not assigned by regulationLabels:2.1EmS Code:2.1EmS Code:F-D, S-UIATA (Cargo):Packing instruction (LQ):Y203Packing group:Not assigned by regulationLabels::Packing group:X03aircraft):Flammable GasIATA (Passenger):Packing instruction (passen- ger aircraft):Packing instruction (LQ):Y203Packing
Packing group:Not assigned by regulationLabels:2.1EmS Code:F-D, S-UIATA (Cargo)Packing instruction (cargo:Packing instruction (LQ):Y203Packing group:Not assigned by regulationLabels:Flammable GasIATA (Passenger)Packing instruction (LQ):Packing instruction (passen- ger aircraft):Packing instruction (LQ):Packing instruction (LQ):Y203Packing instruction (passen- ger aircraft):Packing instruction (LQ):Packing instruction (LQ):Y203Packing instruction (LQ):Y203Packing group:Not assigned by regulation
Packing instruction (cargo:203aircraft)Packing instruction (LQ):Y203Packing group:Not assigned by regulationLabels:Flammable GasIATA (Passenger)Packing instruction (passen-:203ger aircraft)Packing instruction (LQ):Y203Y203Packing group:Not assigned by regulation
Packing instruction (passen-203ger aircraft)Packing instruction (LQ):Packing group:Not assigned by regulation
14.5 Environmental hazards
ADR Environmentally hazardous : yes
IMDG Marine pollutant : yes
IATA (Passenger) Environmentally hazardous : yes
IATA (Cargo) Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Revision Date: 10.05.2023 Date of last issue: - Version 1.0

SECTION 15: Regulatory information

15.1 Safety, health and environme REACH - Restrictions on the mathe market and use of certain date mixtures and articles (Annex XV	anufacture, placing on angerous substances,	tion :	specific for the substance or mixture Not applicable
•	International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors		Not applicable
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		None of the components are listed (=> 0.1 %).
REACH - List of substances sub (Annex XIV)	REACH - List of substances subject to authorisation (Annex XIV)		Not applicable
Regulation (EC) No 1005/2009 plete the ozone layer	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals		:	Not applicable
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.		
Seveso III: Directive 2012/18/EL jor-accident hazards involving d P3a			t and of the Council on the control of ma- S
E2	ENVIRONMENTAL HAZARDS		
34	(including jet fuels), (c heating oils and gas o alternative fuels servir) ga il blo ng th flam	asolines and naphthas, (b) kerosenes is oils (including diesel fuels, home ending streams),(d) heavy fuel oils (e) he same purposes and with similar mability and environmental hazards o in points (a) to (d)

Print Date 10.05.2023

Revision Date: 10.05.2023	
Date of last issue: -	

Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 88,2% w/w
Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 88,2% w/w

Version 1.0

Other regulations:

75/324/EEC

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. 2005 Nr. 259, item 2173 with later amendments).

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaGard®_6250 S

SikaGard[®]-6250 S

Print Date 10.05.2023

Revision Date: 10.05.2023 Date of last issue: - Version 1.0

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450 with later amendments).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H220 H225 H226 H304 H315 H335 H336 H411	· · · · · · · · · · · · · · · · · · ·	Extremely flammable gas. Highly flammable liquid and vapour. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ns	
Aquatic Chronic Asp. Tox. Flam. Gas Flam. Liq. Skin Irrit. STOT SE PL OEL		Long-term (chronic) aquatic hazard Aspiration hazard Flammable gases Flammable liquids Skin irritation Specific target organ toxicity - single exposure Poland. Occupational exposure limits for airborne toxic sub- stances

Sika ®
Print Date 10.05.2023

Revision Date: 10.05.2023 Date of last issue: - Version 1.0

PL OEL / NDS	: Maximal Admissible Concentration
PL OEL / NDSch	: Maximal Admissible Temporary Concentration
ADR	: European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
IATA	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50	: Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL	: International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Calculation method
Skin Irrit. 2	H315	Calculation method
STOT SE 3	H336	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN