Revision Date: 30.01.2024 Date of last issue: 08.03.2023 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikagard[®]-177 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Corrosion protection
1100000	

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin irritation, Category 2	H315: Causes skin irritation.					
Eye irritation, Category 2	H319: Causes serious eye irritation.					
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.					
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.					

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H315 H317	Causes skin irritation. May cause an allergic skin reaction.

Sikagard[®]-177 Part A



Revision Date: 30.01.2024 Date of last issue: 08.03.2023	١	Version 2.0		
	H319 H411	Causes serious eye irritation. Toxic to aquatic life with long		
Precautionary statements	: Prevention:			
	P261 P264 P273 P280	Avoid breathing mist or vapor Wash skin thoroughly after ha Avoid release to the environn Wear protective gloves/ eye p protection.	andling. nent.	
	Response:			
	P333 + P313	If skin irritation or rash occurs advice/ attention.	: Get medical	
	P391	Collect spillage.		

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane Phenol, methylstyrenated bis-[4-(2,3-epoxypropoxy)phenyl]methane

2.3 Other hazards

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sikagard®-177 Part A

Revision Date: 30.01.2024 Date of last issue: 08.03.2023





Version 2.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315	>= 40 - < 60
Phenol, methylstyrenated	68512-30-1 700-960-7 270-966-8 01-2119555274-38- XXXX	>= 5 % Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 10 - < 20
bis-[4-(2,3- epoxypropoxy)phenyl]methane	Not Assigned 701-263-0 01-2119454392-40- XXXX	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 10 - < 20
benzyl alcohol	100-51-6 202-859-9 01-2119492630-38- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 5 - < 10
		Acute toxicity esti- mate	
		Acute oral toxicity: 1.620 mg/kg Acute inhalation tox- icity (dust/mist): 4,178 mg/l	

Sikagard[®]-177 Part A

Revision Date: 30.01.2024 Date of last issue: 08.03.2023 Version 2.0



reaction mass of ethylbenzene	Not Assigned	Flam. Liq. 3; H226	>= 1 - < 2,5
and xylene	905-588-0	Acute Tox. 4; H332	
-	01-2119488216-32-	Acute Tox. 4; H312	
	XXXX	Skin Irrit. 2; H315	
		Eye Irrit. 2; H319	
		STOT SE 3; H335	
		(Respiratory system)	
		STOT RE 2; H373	
		Asp. Tox. 1; H304	
		Aquatic Chronic 3;	
		H412	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General advice Move out of dangerous area. 5 Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled ÷ Move to fresh air. Consult a physician after significant exposure. In case of skin contact Take off contaminated clothing and shoes immediately. 2 Wash off with soap and plenty of water. If symptoms persist, call a physician. In case of eye contact Immediately flush eye(s) with plenty of water. 1 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Do not induce vomiting without medical advice. 2 Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms Allergic reactions : **Excessive lachrymation** Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms. Risks irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction.

Print Date 05.02.2024

Revision Date: 30.01.2024 Date of last issue: 08.03.2023 Version 2.0

Treatment	:	Treat symptomatically.
SECTION 5: Firefighting meas	sur	es
5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Use personal protective equipment. Deny access to unprotected persons. 6.2 Environmental precautions Do not flush into surface water or sanitary sewer system. **Environmental precautions** : If the product contaminates rivers and lakes or drains inform respective authorities. 6.3 Methods and material for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, Methods for cleaning up : acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Sikagard®-177 Part A

Revision Date: 30.01.2024 Date of last issue: 08.03.2023 Version 2.0



6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
benzyl alcohol	100-51-6	NDS	240 mg/m3	PL OEL

Sikagard[®]-177 Part A



Revision Date: 30.01.2024 Date of last issue: 08.03.2023

reaction mass of ethylbenzene and xy- lene	Not Assigned	TWA	50 ppm 221 mg/m3	2000/39/EC	
	Further information: Identifies the possibility of significant uptake				
	through the skin, Indicative				
		STEL	100 ppm	2000/39/EC	
			442 mg/m3		
		NDS	100 mg/m3	PL OEL	
	Further information: Skin				
		NDSch	200 mg/m3	PL OEL	

Version 2.0

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	ent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

Sikagard®-177 Part A

Print Date 05.02.2024

Revision Date: 30.01.2024				
Date of last issue: 08.03.2023				

Version 2.0

General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 I	nformation on basic physical	and	d chemical properties
	Physical state Colour	:	liquid colourless
	Odour	:	epoxy-like
	Melting point/range / Freezing point	:	No data available
	Boiling point/boiling range	:	No data available
	Flammability (solid, gas)	:	No data available
	Upper/lower flammability or e	axe	losive limits
	Upper explosion limit / Upper explosion limit / Upper flammability limit	•	
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	ca. 65 °C Method: closed cup
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	Not applicable substance/mixture is non-soluble (in water)
	Viscosity		
	Viscosity, dynamic	:	ca. 5.000 mPa.s (20 °C)
	Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
	Solubility(ies)		
	Water solubility	:	insoluble

Sikagard[®]-177 Part A

Revision Date: 30.01.2024 Date of last issue: 08.03.2023



Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: 0,07 hPa
Density	: ca. 1,14 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

Version 2.0

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid	: No data available	Э
Materials to avoid	 No data available 	÷.
materiale to avera		-

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Revision Date: 30.01.2024 Date of last issue: 08.03.2023

Version 2.0



Components:

bis-[4-(2,3-epoxipropoxi)phe	eny	l]propane:				
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg				
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg				
benzyl alcohol:						
Acute oral toxicity	:	LD50 Oral (Rat): 1.620 mg/kg				
		Acute toxicity estimate: 1.620 mg/kg Method: Calculation method				
Acute inhalation toxicity	:	LC50 (Rat): > 4,178 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
		Acute toxicity estimate: 4,178 mg/l Test atmosphere: dust/mist Method: Calculation method				
reaction mass of ethylbenzene and xylene:						
-		$L_{\rm DE0}$ (Det): 2.522 mg/kg				

Acute oral toxicity : LD50 Oral (Rat): 3.523 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Revision Date: 30.01.2024 Date of last issue: 08.03.2023 Version 2.0



Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h
bis-[4-(2,3-epoxypropoxy)ph	en	yl]methane:
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 1,8 mg/l Exposure time: 72 h
benzyl alcohol:		
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
reaction mass of ethylbenze	ne	and xylene:
Toxicity to fish (Chronic tox- icity)	:	NOEC: > 1,3 mg/l Exposure time: 56 d

Species: Oncorhynchus mykiss (rainbow trout)

Sikagard[®]-177 Part A

Print Date 05.02.2024

Revision Date: 30.01.2024 Date of last issue: 08.03.2023 Version 2.0

Toxicity to daphnia and other	:	NOEC: 1,17 mg/l
aquatic invertebrates (Chron-		Exposure time: 7 d
ic toxicity)		Species: Daphnia (water flea)

2

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

mation

Assessment

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB)..

12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product: Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 Product
 : The generation of waste should be avoided or minimized wherever possible.

 Empty containers or liners may retain some product residues.

 This material and its container must be disposed of in a safe way.

 Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

 Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.



Revision Date: 30.01.2024 Date of last issue: 08.03.2023	Version 2.0	Print Date 05.02.20
	Avoid dispersal of spilled material an soil, waterways, drains and sewers.	nd runoff and contact with
European Waste Catalogue	: 08 01 11* waste paint and varnish c vents or other dangerous substances	
Contaminated packaging	: 15 01 10* packaging containing resident by dangerous substances	dues of or contaminated

SECTION 14: Transport information

ADR : UN 3082 IMDG : UN 3082 IATA : UN 3082 1ATA : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin) IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin) IATA : Environmentally hazardous substance, liquid, n.o.s. (epoxy resin) IATA : Environmentally hazardous substance, liquid, n.o.s. (epoxy resin) IMDG : 9 IMDG : 9 IMDG : 9 IATA : 9 IATA : 9 IATA : 9 IATA : 90 Labels : 9 Labels				
IMDG : UN 3082 IATA : UN 3082 14.2 UN proper shipping name UN 3082 ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin) IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin) IATA : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin) IATA : Environmentally hazardous substance, liquid, n.o.s. (epoxy resin) IATA : Environmentally hazardous substance, liquid, n.o.s. (epoxy resin) IATA : Subsidiary risks ADR : 9 IMDG : 9 IMDG : 9 IATA : 90 IATA : 90 IABels : 9 Turnel restriction code : 10 IABels : 9 <th>14.1 UN number or ID number</th> <th></th> <th></th> <th></th>	14.1 UN number or ID number			
IATA:UN 308214.2 UN proper shipping nameADR:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin)IMDG:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin)IATA:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin)IATA:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin)IATA:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin)IATA:Environmentally hazardous substance, liquid, n.o.s. (epoxy resin)14.3 Transport hazard class(es):ClassSubsidiary risksSubsidiary risksADR:9IATA:9IATA:9IATA:9IATA:90Labels:Packing group:III :Labels:Packing group:Packing group:IADG:Packing group:IADB:Packing group:IADB:Packing group:IADB:Packing group:IADB:Packing group:IADB:IADB:IADB:IADB:IADB:IADB:IADB:IADB:IADB:IADB:IADB:IADB <th< th=""><th>ADR</th><th>:</th><th>UN 3082</th><th></th></th<>	ADR	:	UN 3082	
14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin) IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin) IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin) IATA : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin) IATA : Environmentally hazardous substance, liquid, n.o.s. (epoxy resin) 14.3 Transport hazard class(es) : Class Subsidiary risks ADR : ADR : 9 IATA : 90 Labels : 9 Tunnel restriction code : 9 Tunnel restriction code : 9 Packing group : III Labels : 9	IMDG	:	UN 3082	
ADR::ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin)IMDG::ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin)IATA::ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin)IATA::Environmentally hazardous substance, liquid, n.o.s. (epoxy resin)IATA::ClassSubsidiary risksADR::QIATA::9IATA::9IATA::9IATA::9IATA::9IATA::9IATA::9IATA::9IATA::9IATA::9IATA::9IATA::IIIClassification Code::M6Hazard Identification Number::9IADB::9Tunnel restriction code::9IMDG::9Packing group::IIILabels::9	ΙΑΤΑ	:	UN 3082	
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (epoxy resin) IATA : Environmentally hazardous substance, liquid, n.o.s. (epoxy resin) 14.3 Transport hazard class(es) Class Subsidiary risks ADR : 9 IMDG : 9 IATA : 9 IABR : : Packing group : III Classification Code : 9	14.2 UN proper shipping name			
IATAN.O.S. (epoxy resin)IATA:Environmentally hazardous substance, liquid, n.o.s. (epoxy resin)14.3 Transport hazard class(es):ClassSubsidiary risksADR:9:IMDG:9:IATA:9:IMDG:9:IATA:9IATA:9IATA:9IATA:9IATA:90Labels:IADR:Packing group:IIILabels:IMDG:Packing group:IMDG:Packing group:IMDG:Packing group:IMDGPacking group:IADSPacking group:IADSPacking group:IADS:::	ADR	:	N.O.S.	Y HAZARDOUS SUBSTANCE, LIQUID,
14.3 Transport hazard class(es) Class Subsidiary risks ADR : 9 IMDG : 9 IATA : 9 14.4 Packing group : 9 ADR : 9 Packing group : III Classification Code : M6 Hazard Identification Number : 9 Tunnel restriction code : (-) IMDG : : Packing group : ! Labels : 9 Tunnel restriction code : 9 Tunnel restriction code : 9 Packing group : !!! Labels : 9 Packing group : !!! Labels : 9	IMDG	:	N.O.S.	Y HAZARDOUS SUBSTANCE, LIQUID,
ADR:ClassSubsidiary risksADR:9IMDG:9IATA:9IATA:914.4 Packing group:9Classification Code:M6Hazard Identification Number:90Labels:9Tunnel restriction code:9IMDG:(-)IMDG:9Packing group:111Labels:9Tunnel restriction code:9:91000: <th>ΙΑΤΑ</th> <th>:</th> <th colspan="2"></th>	ΙΑΤΑ	:		
ADR:9IMDG:9IATA:9IATA:9T4.4 Packing group:IIIClassification Code:M6Hazard Identification Number:90Labels:9Tunnel restriction code:IMDG:Packing group:IIILabels:Packing group:IIILabels:9Tunnel restriction code:IIILabels9	14.3 Transport hazard class(es)			
IMDG : 9 IATA : 9 14.4 Packing group ADR Packing group : III Classification Code : M6 Hazard Identification Number : 90 Labels : 9 Tunnel restriction code : 0 HDG Packing group : III Labels : 9			Class	Subsidiary risks
IATA : 9 14.4 Packing group ADR Packing group : III Classification Code : M6 Hazard Identification Number : 90 Labels : 9 Tunnel restriction code : 0 HDG Packing group : III Labels : 9	ADR	:	9	
ADR Packing group : III Classification Code : M6 Hazard Identification Number : 90 Labels : 9 Tunnel restriction code : (-) IMDG . . Packing group : III Labels : 9 Tunnel restriction code : 9 HADG . . Packing group : III Labels : 9	IMDG	:	9	
ADR Packing group : III Classification Code : M6 Hazard Identification Number : 90 Labels : 9 Tunnel restriction code : (-) IMDG . . Packing group : III Labels : 9	ΙΑΤΑ	:	9	
Packing group:IIIClassification Code:M6Hazard Identification Number:90Labels:9Tunnel restriction code:(-)IMDGIIIPacking group:IIILabels:9	14.4 Packing group			
Packing group : III Labels : 9	Packing group Classification Code Hazard Identification Number Labels	: : : : : : : : : : : : : : : : : : : :	M6 90 9	
IATA (Cargo)	Packing group Labels EmS Code	:	111	

Revision Date: 30.01.2024

Version 2.0



Date of last issue: 08.03.2023		Version 2.0	Print Date 05.
Packing instruction (cargo aircraft)	:	964	
Packing instruction (LQ)	:	Y964	
Packing group	:	III	
Labels	:	Miscellaneous	
IATA (Passenger)			
Packing instruction (passen- ger aircraft)	:	964	
Packing instruction (LQ)	:	Y964	
Packing group	:		
Labels	:	Miscellaneous	
14.5 Environmental hazards			
ADR			
Environmentally hazardous	:	yes	
IMDG			
Marine pollutant	:	yes	
IATA (Passenger)			
Environmentally hazardous	:	yes	
IATA (Cargo)			
Environmentally hazardous	:	yes	
-		-	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the fol-2 lowing entries should be considered: Number on list 75, 3

Sikagard[®]-177 Part A



Revision Date: 30.01.2024 Date of last issue: 08.03.2023	Version 2.	.0		Print Date 05.02.202	
REACH - Candidate List of Substa Concern for Authorisation (Article		:	Phenol, methylstyrena	ated	
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable		
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable		
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable		
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS					
Volatile organic compounds :	Law on the incentive ta: (VOCV) Volatile organic compo				
	Directive 2010/75/EU o emissions (integrated p Volatile organic compo	ollu	ution prevention and co	ntrol)	

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Sikagard[®]-177 Part A

Version 2.0



Revision Date: 30.01.2024 Date of last issue: 08.03.2023

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Sikagard®-177 Part A

Revision Date: 30.01.2024 Date of last issue: 08.03.2023 Version 2.0



SECTION 16: Other information

Full text of H-Statements

H226	:	Flammable liquid and vapour.
H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H312	:	Harmful in contact with skin.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H373	:	May cause damage to organs through prolonged or repeated
		exposure if inhaled.
H411	:	Toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.
Full text of other abbreviatio	ns	
Acute Tox.		Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Aqualle Chronic Asp. Tox.	:	Aspiration hazard
•	:	
Eye Irrit.	÷	Eye irritation
Flam. Liq.	:	Flammable liquids
Skin Irrit.	÷	Skin irritation
Skin Sens.	÷	Skin sensitisation
STOT RE	÷	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first
		list of indicative occupational exposure limit values
PL OEL	:	Ordinance of the Minister of Family, Labour and Social Policy
		of 12 June 2018 concerning the highest allowable concentra-
		tions and levels of the agents harmful for health in the work-
		place (Dz.U 2018 pos 1286, with later amendments)
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
PL OEL / NDS	:	Maximal Admissible Concentration
PL OEL / NDSch	:	Maximal Admissible Temporary Concentration
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	•	International Convention for the Prevention of Pollution from
	•	

Revision Date: 30.01.2024 Date of last issue: 08.03.2023



Version 2.0

		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of the	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN