

Revision Date: 01.03.2024 Date of last issue: - Version 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-210 PurCem Part C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	La Carlo	
Signal word	:	Danger	
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

Sikafloor[®]-210 PurCem Part C



Revision Date: 01.03.2024 Date of last issue: -	V	Print Date 11.03.2	
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-ve	entilated ar-
	P280	Wear protective gloves/ eye pro protection.	tection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rinst with water for several minutes. F tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sikafloor®-210 PurCem Part C



Revision Date: 01.03.2024 Date of last issue: - Version 1.1

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			-
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 1 - < 2,5
-	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		
Quartz (SiO2)	14808-60-7		>= 5 - < 10
· · ·	238-878-4		
		•	•

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages.

	•	0	•	,		
Sikaf	oor®	-210	Pur	Cem	Part	С

Version 1.1



Revision Date: 01.03.2024 Date of last issue: -

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

:	Cough Respiratory disorder
	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
:	irritant effects
	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
med	dical attention and special treatment needed
:	Treat symptomatically.
	In case of fire, use water/water spray/water jet/carbon diox-
	ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
the	e substance or mixture
:	No hazardous combustion products are known
:	In the event of fire, wear self-contained breathing apparatus.
:	Standard procedure for chemical fires.
se r	neasures
	the

Personal precautions	:	Use personal protective equipment.
		Avoid breathing dust.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water	
---------------------------	---	---	--

Sikafloor [®] -210 PurCe	m Part C



Revision Date: 01.03.2024 Date of last issue: - Version 1.1

courses.

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
2 Conditions for safe storage	inc	luding any incompatibilities

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	NDS (respirable fraction)	0,1 mg/m3 (Silica)	PL OEL

Sikafloor®-210 PurCem Part C



Revision Date: 01.03.2024 Date of last issue: -

Cement (chromium reduced)	65997-15-1	NDS (inhalable fraction)	6 mg/m3	PL OEL				
		NDS (respirable fraction)	2 mg/m3	PL OEL				
Quartz (SiO2)	14808-60-7	NDS (respirable fraction)	1 mg/m3	PL OEL				
	Further inform	nation: Respirable fra	action - the frac	tion of aerosol				
	that penetrate	es into the respiratory	y tract, which p	oses a threat to				
		the deposit in the are e with standard PN-E		inge, determined				
		NDS (inhalable fraction)	2 mg/m3	PL OEL				
	Further inforr	Further information: Inhalable fraction - the fraction of aerosol						
	penetrating t	penetrating through the nose and mouth, which after deposit in						
	the respirator	the respiratory tract poses a threat to health, determined in ac-						
	cordance wit	cordance with standard PN-EN 481.						
		NDS (respirable fraction)	0,1 mg/m3 (Silica)	PL OEL				
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU				
	Further inforr	Further information: Indicative						
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU				
		NDS (inhalable fraction)	2 mg/m3	PL OEL				
		NDS (respirable fraction)	1 mg/m3	PL OEL				
		NDSch (inhalable fraction)	6 mg/m3	PL OEL				
		NDSch (respirable fraction)	4 mg/m3	PL OEL				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment

Eye/face protection	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.	
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.	
Skin and body protection	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	S
Respiratory protection	In case of inadequate ventilation wear respiratory protection.	

Print Date 11.03.2024

Revision Date: 01.03.2024 Date of last issue: - Version 1.1

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.


•	
General advice	: Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour		solid powder white
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available

Sikafloor[®]-210 PurCem Part C



9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available



Print Date 11.03.2024

Revision Date: 01.03.2024 Date of last issue: - Version 1.1

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

1

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

Sikafloor[®]-210 PurCem Part C



Revision Date: 01.03.2024 Date of last issue: - Version 1.1

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
		levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Sikafloor®-210 PurCem Part C



Revision Date: 01.03.2024 Date of last issue: -	Version 1.1	Print Date 11.03.2
	Disposal of this product, solutions and ar at all times comply with the requirements protection and waste disposal legislation local authority requirements. Avoid dispersal of spilled material and ru soil, waterways, drains and sewers.	of environmental and any regional
European Waste Catalogue	: 16 03 03* inorganic wastes containing d	angerous substances
Contaminated packaging	: 15 01 10* packaging containing residues by dangerous substances	of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2	UN proper shipping name				
	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3	14.3 Transport hazard class(es)				
	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group					
	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	IATA (Cargo)	:	Not regulated as a dangerous good		
	IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards					
	Not regulated as a dangerous good				
14.6 Special precautions for user					

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Print Date 11.03.2024

Revision Date: 01.03.2024 Date of last issue: - Version 1.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture : Not applicable International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-: the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Cement (chromium reduced) (Number on list 47) REACH - Candidate List of Substances of Very High None of the components are listed 5 Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable tants (recast) Regulation (EU) No 649/2012 of the European Parlia-Not applicable 2 ment and the Council concerning the export and import of dangerous chemicals Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds 2 Law on the incentive tax for volatile organic compounds (VOCV)

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of

no VOC duties

Sikafloor[®]-210 PurCem Part C

Print



Revision Date: 01.03.2024 Date of last issue: - Version 1.1

2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. 2005 Nr. 259, item 2173 with later amendments).

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Sikafloor[®]-210 PurCem Part C

Print Date 11.03.2024

Revision Date: 01.03.2024 Date of last issue: - Version 1.1

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450 with later amendments).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

Full text of H-Statements		
H315	: C	Causes skin irritation.
H318	: C	Causes serious eye damage.
H335		May cause respiratory irritation.
Full text of other abbreviatio	าร	
Eye Dam.	: S	Serious eye damage
Skin Irrit.		Skin irritation
STOT SE	: S	Specific target organ toxicity - single exposure
2017/164/EU		urope. Commission Directive 2017/164/EU establishing a
		ourth list of indicative occupational exposure limit values
PL OEL		Ordinance of the Minister of Family, Labour and Social Policy
		f 12 June 2018 concerning the highest allowable concentra-
		ons and levels of the agents harmful for health in the work-
		lace (Dz.U 2018 pos 1286, with later amendments)
2017/164/EU / STEL		Short term exposure limit
2017/164/EU / TWA		imit Value - eight hours
PL OEL / NDS		Naximal Admissible Concentration
PL OEL / NDSch	: N	Naximal Admissible Temporary Concentration
ADR		uropean Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	: C	Chemical Abstracts Service
DNEL	: D	Derived no-effect level
EC50	: H	lalf maximal effective concentration
GHS	: G	Blobally Harmonized System
ΙΑΤΑ	: Ir	nternational Air Transport Association
IMDG		nternational Maritime Code for Dangerous Goods
LD50		ledian lethal dosis (the amount of a material, given all at
		nce, which causes the death of 50% (one half) of a group of
		est animals)
LC50		Iedian lethal concentration (concentrations of the chemical in
		ir that kills 50% of the test animals during the observation
	р	eriod)



Revision Date: 01.03.2024	
Date of last issue: -	

Version 1.1

MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	 Substances of Very High Concern Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN