

Revision Date: 13.09.2023 Date of last issue: 08.03.2023 Version 2.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikafloor<sup>®</sup> Marine VEM

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

#### 1.4 Emergency telephone number

112

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Serious eye damage, Category 1	H318: Causes serious eye damage.		

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)				
Hazard pictograms	:		!	
Signal word	:	Danger		
Hazard statements	:	H317 H318	May cause an allergic skin reaction. Causes serious eye damage.	
Precautionary statements	:	<b>Prevention:</b> P261 P280	Avoid breathing dust. Wear protective gloves/ eye protection/ face	

# Sikafloor<sup>®</sup> Marine VEM

Revision Date: 13.09.2023 Date of last issue: 08.03.2023



Version 2.1

#### protection.

Res	ponse:	

Reepence.	
P305 + P351 + F	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

#### Hazardous components which must be listed on the label:

Cement, portland, chemicals

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

# Components

oomponents			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335	>= 5 - < 10
2,2-dimethylpropane-1,3-diol	126-30-7 204-781-0 01-2119480396-30- XXXX	Eye Dam. 1; H318	>= 1 - < 2,5



Revision Date: 13.09.2023 Date of last issue: 08.03.2023 Version 2.1

sodium nitrite	7632-00-0 231-555-9 01-2119471836-27- XXXX	Ox. Sol. 2; H272 Acute Tox. 3; H301 Eye Irrit. 2; H319 Aquatic Acute 1; H400	>= 0,25 - < 0,5
Substances with a workplace expos	sure limit :		
Quartz (SiO2)	14808-60-7 238-878-4		>= 25 - < 40

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

4.1 Description of first aid measures		
General advice	<ul> <li>Move out of dangerous area.</li> <li>Consult a physician.</li> <li>Show this safety data sheet to the doctor in attendance.</li> </ul>	
If inhaled	: Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>	
In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> </ul>	
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>	
4.2 Most important symptoms and	d effects, both acute and delayed	
Symptoms	: Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.	
Risks	: irritant effects sensitising effects	
	May cause an allergic skin reaction. Causes serious eye damage.	



Revision Date: 13.09.2023 Date of last issue: 08.03.2023 Version 2.1

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

### **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures		
Personal precautions	: Use personal protective equipment. Avoid breathing dust.	
	Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sanitary sewer system.	
·		
6.3 Methods and material for con	tainment and cleaning up	
Methods for cleaning up	: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.	
	Reep in suitable, closed containers for disposal.	
6.4 Reference to other sections		
For personal protection see section 8.		
SECTION 7: Handling and storage		
7.1 Precautions for safe handling		
Advice on safe handling	: Do not breathe vapours/dust.	
	Avoid exceeding the given occupational exposure limits (see	

section 8).

Do not get in eyes, on skin, or on clothing.

# Sikafloor<sup>®</sup> Marine VEM

Print Date 05.02.2024

Revision Date: 13.09.2023
Date of last issue: 08.03.2023

		For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
Quartz (SiO2)	14808-60-7	NDS (respirable fraction)	1 mg/m3	PL OEL		
Further information: Respirable fraction that penetrates into the respiratory tract the health of the deposit in the area of g in accordance with standard PN-EN 481				es a threat to		
		NDS (inhalable 2 mg/m3 PL OEL fraction)				
	Further information: Inhalable fraction - the fraction of aerosc penetrating through the nose and mouth, which after deposit the respiratory tract poses a threat to health, determined in a cordance with standard PN-EN 481.					
		NDS (respirable fraction)	0,1 mg/m3 (Silica)	PL OEL		
Cement, portland, chemicals	65997-15-1	NDS (inhalable	6 mg/m3	PL OEL		



Revision Date: 13.09.2023 Date of last issue: 08.03.2023 Version 2.1

		 		fraction)		
				NDS (respirable	2 mg/m3	PL OEL
				fraction)		

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

### **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	solid	
Appearance	:	powder	
Country PL_00000611454			6/15

Revision Date: 13.09.2023 Date of last issue: 08.03.2023



Date of last issue: 08.03.2023		Version 2.1	Print Date 05.02.2024
5410 01 1431 13340. 00.03.2023			
Colour	:	grey	
Odour	:	characteristic	
Melting point/range / Freezing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	losive limits	
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	> 10 (20 °C) Concentration: 50 %	
Viscosity			
Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	ca. 0,92 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
(Country PL_00000611/5/			7/15

Version 2.1

# Sikafloor<sup>®</sup> Marine VEM

Print Date 05.02.2024

Revision Date: 13.09.2023 Date of last issue: 08.03.2023 Version 2.1

Particle characteristics : No data available

### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### **10.2 Chemical stability**

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Components:

#### 2,2-dimethylpropane-1,3-diol:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Causes serious eye damage.

Revision Date: 13.09.2023 Date of last issue: 08.03.2023

Version 2.1



### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified due to lack of data.

# Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

### STOT - single exposure

Not classified due to lack of data.

# STOT - repeated exposure

Not classified due to lack of data.

### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

# Product:



Revision Date: 13.09.2023 Date of last issue: 08.03.2023	Version 2.1	Print Date 05.02.20
Assessment	<ul> <li>This substance/mixture contains no competito be either persistent, bioaccumulative and very persistent and very bioaccumulative (0.1% or higher</li> </ul>	nd toxic (PBT), or
12.6 Endocrine disrupting propert	ies	
Product:		
Assessment	<ul> <li>The substance/mixture does not contain c ered to have endocrine disrupting properti REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulatio levels of 0.1% or higher.</li> </ul>	es according to pated regulation
12.7 Other adverse effects		
Product: Additional ecological infor- mation	: There is no data available for this product.	

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

-			
	Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
	European Waste Catalogue	:	17 01 06* mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing dangerous substances
	Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR

: Not regulated as a dangerous good

Revision Date: 13.09.2023 Date of last issue: 08.03.2023



Version 2.1

IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

# 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

**REACH Information:** 

- All substances contained in our Products are - registered by our upstream suppliers, and/or
  - registered by us, and/or
  - excluded from the regulation, and/or
  - exempted from the registration.

REACH - Restrictions on the manufacture, placing on	:	Conditions of restriction for the fol-
the market and use of certain dangerous substances,		lowing entries should be considered:
mixtures and articles (Annex XVII)		Number on list 75

REACH - Candidate List of Substances of Very High : None of the components are listed Country PL 000000611454

# Sikafloor<sup>®</sup> Marine VEM



Revision Date: 13.09.2023 Date of last issue: 08.03.2023	Version 2.1		Print Date 05.02.2024
Concern for Authorisation (Article	9 59).	(=> 0.1 %).	
REACH - List of substances subj (Annex XIV)	ect to authorisation :	Not applicable	
Regulation (EC) No 1005/2009 o plete the ozone layer	n substances that de- :	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- :	Not applicable	
Regulation (EC) No 649/2012 of ment and the Council concerning of dangerous chemicals		Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		and of the Council on	the control of ma-
Volatile organic compounds :	Law on the incentive tax for (VOCV) Volatile organic compound no VOC duties		

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

# Sikafloor<sup>®</sup> Marine VEM



Revision Date: 13.09.2023 Date of last issue: 08.03.2023 Version 2.1

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H272	: May intensify fire; oxidizer.
H301	: Toxic if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.

Revision Date: 13.09.2023 Date of last issue: 08.03.2023 Version 2.1



H400 :	Very toxic to aquatic life.		
Full text of other abbreviations			
Acute Tox.	Acute toxicity		
Aquatic Acute :	Short-term (acute) aquatic hazard		
Eye Dam. :	Serious eye damage		
Eye Irrit.	Eye irritation		
Ox. Sol.	Oxidizing solids		
Skin Irrit.	Skin irritation		
Skin Sens. :	Skin sensitisation		
STOT SE :	Specific target organ toxicity - single exposure		
PL OEL :	Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentra- tions and levels of the agents harmful for health in the work- place (Dz.U 2018 pos 1286, with later amendments)		
PL OEL / NDS :	Maximal Admissible Concentration		
ADR :	European Agreement concerning the International Carriage of		
	Dangerous Goods by Road		
CAS :	Chemical Abstracts Service		
DNEL :	Derived no-effect level		
EC50 :	Half maximal effective concentration		
GHS :	Globally Harmonized System		
IATA :	International Air Transport Association		
IMDG :	International Maritime Code for Dangerous Goods		
LD50 :	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)		
LC50 :	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MARPOL :	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL :	Occupational Exposure Limit		
PBT :	Persistent, bioaccumulative and toxic		
PNEC :	Predicted no effect concentration		
REACH :	Regulation (EC) No 1907/2006 of the European Parliament		
	and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency		
SVHC :	Substances of Very High Concern		
vPvB :	Very persistent and very bioaccumulative		
Further information			
Classification of the mixture:	Classification procedure:		

Classification of the mixture:		Classification procedure:
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

# Sikafloor<sup>®</sup> Marine VEM

Revision Date: 13.09.2023 Date of last issue: 08.03.2023 Version 2.1



Changes as compared to previous version !

PL/EN