# Print Date 28.02.2023

Revision Date: 28.02.2023 Date of last issue: 04.06.2019 Version 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaGrind®-202 GPL

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Additive for cementous products

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

#### 1.4 Emergency telephone number

112

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2	H319: Causes serious eye irritation.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H319	Causes serious eye irritation.
Precautionary statements	:	<b>Prevention:</b> P264 P280	Wash skin thoroughly after handling. Wear eye protection/ face protection.
		<b>Response:</b> P305 + P351 + I	P338 IF IN EYES: Rinse cautiously with wa-

# SikaGrind<sup>®</sup>-202 GPL

Print

Revision Date: 28.02.2023 Date of last issue: 04.06.2019 Version 2.0

ter for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

P337 + P313

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

# Components

Componente			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		· · ·
ethanediol	107-21-1	Acute Tox. 4; H302	>= 5 - < 10
	203-473-3	STOT RE 2; H373	
	01-2119456816-28-	(Kidney, Liver)	
	XXXX		
2,2'-iminodiethanol	111-42-2	Acute Tox. 4; H302	>= 1 - < 2,5
	203-868-0	Skin Irrit. 2; H315	
	01-2119488930-28-	Eye Dam. 1; H318	
	XXXX	STOT RE 2; H373	
		Repr. 2; H361fd	

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately.
Country PL 100000016534	



# SikaGrind<sup>®</sup>-202 GPL



Revision Date: 28.02.2023 Date of last issue: 04.06.2019		Version 2.0	Print Date 28.02
		Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	
4.2 Most important symptoms a	and e	effects, both acute and delayed	
Symptoms	:	Excessive lachrymation See Section 11 for more detailed information of and symptoms.	n health effects
Risks	:	irritant effects	
	:	Causes serious eye irritation.	
	: e meo :		
<b>4.3 Indication of any immediate</b> Treatment	:	Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically.	
4.3 Indication of any immediate Treatment SECTION 5: Firefighting mea	:	Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically.	
4.3 Indication of any immediate Treatment SECTION 5: Firefighting mea	asur	Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically.	
<ul> <li>4.3 Indication of any immediate Treatment</li> <li>SECTION 5: Firefighting means</li> <li>5.1 Extinguishing media Suitable extinguishing media</li> </ul>	asur	Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	
<ul> <li>4.3 Indication of any immediate Treatment</li> <li>SECTION 5: Firefighting means 5.1 Extinguishing media Suitable extinguishing media</li> <li>5.2 Special hazards arising from</li> </ul>	asur a : m the	Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	
<ul> <li>4.3 Indication of any immediate Treatment</li> <li>SECTION 5: Firefighting media</li> <li>5.1 Extinguishing media Suitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion products</li> </ul>	asur a : m the	Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction. e substance or mixture	
<ul> <li>4.3 Indication of any immediate Treatment</li> <li>SECTION 5: Firefighting means</li> <li>5.1 Extinguishing media Suitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion products</li> <li>5.3 Advice for firefighters</li> </ul>	: asur a : m the	Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction. e substance or mixture	powder for

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

# Revision Date: 28.02.2023 Date of last issue: 04.06.2019

Print Date 28.02.2023

Version 2.0

#### 6.2 Environmental precautions

respective authorities. No special environmental precautions required.	Environmental precautions	:	I contraction of the second
---	---------------------------	---	---

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	luding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.



# 7.3 Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
ethanediol	107-21-1	STEL	40 ppm 104 mg/m3	2000/39/EC
	Further inform through the sl	nation: Identifies the kin, Indicative	possibility of signi	ficant uptake
		TWA	20 ppm 52 mg/m3	2000/39/EC
		NDS	15 mg/m3	PL OEL
	Further inform	nation: Skin		
		NDSch	50 mg/m3	PL OEL
2,2'-iminodiethanol	111-42-2	NDS	9 mg/m3	PL OEL
	Further inform	nation: Skin		

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local

# SikaGrind<sup>®</sup>-202 GPL

Revision Date: 28.02.2023	
Date of last issue: 04.06.2019	



Version 2.0

exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposur	e controls
General advice	<ul> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> <li>No special environmental precautions required.</li> </ul>

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid light orange, dark brown
Odour	:	No data available
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

# Upper/lower flammability or explosive limits

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature		No data available
Decomposition temperature		No data available
рН	:	ca. 8,1 - 10,1 (20 °C)
Viscosity Viscosity, kinematic	:	No data available

# Revision Date: 28.02.2023 Date of last issue: 04.06.2019



<b>Solubility(ies)</b> Water solubility	: No data available
Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: 23 hPa
Density	: ca. 1,112 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

Version 2.0

# 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

# 10.4 Conditions to avoid

Conditions to avoid : No data available

# **10.5 Incompatible materials**

Materials to avoid : No data available

# **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

# SikaGrind<sup>®</sup>-202 GPL

Revision Date: 28.02.2023 Date of last issue: 04.06.2019 Version 2.0



# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

# Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

# Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

# **Reproductive toxicity**

Not classified based on available information.

# STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

# 11.2 Information on other hazards

# **Endocrine disrupting properties**

# Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SikaGrind<sup>®</sup>-202 GPL

Revision Date: 28.02.2023 Date of last issue: 04.06.2019 Version 2.0



# **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### 2,2'-iminodiethanol:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 75 mg/l Exposure time: 72 h

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product: Additional ecological infor- mation	:	There is no data available for this product.

# **SECTION 13: Disposal considerations**

÷

#### 13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.

# SikaGrind<sup>®</sup>-202 GPL

Revision Date: 28.02.2023 Date of last issue: 04.06.2019



Version 2.0

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)			
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	4 Packing group		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good
<b>14.5 Environmental hazards</b> Not regulated as a dangerous good			

# 14.6 Special precautions for user

Not applicable

# 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Revision Date: 28.02.2023 Date of last issue: 04.06.2019 Version 2.0

# **SECTION 15: Regulatory information**

<b>15.1 Safety, health and environmen</b> REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	nufacture, placing on ngerous substances,	ion :	<b>specific for the substance or mixture</b> Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
International Chemical Weapons Schedules of Toxic Chemicals ar	, , , , , , , , , , , , , , , , , , ,	:	Not applicable	
REACH - Candidate List of Subst Concern for Authorisation (Article	, ,	:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea /or gula	am suppliers, and/or ition, and/or	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds	
			4 November 2010 on industrial ution prevention and control)	

SikaGrind<sup>®</sup>-202 GPL

Revision Date: 28.02.2023 Date of last issue: 04.06.2019 Version 2.0



# Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. 2005 Nr. 259, item 2173 with later amendments).

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amend-

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaGrind®-202 GPL

Revision Date: 28.02.2023 Date of last issue: 04.06.2019 Version 2.0



ed).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450 with later amendments).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

# 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

Full text of H-Statements

Full text of H-Statements		
H302 H315 H318 H361fd H373	<ul> <li>Harmful if swallowed.</li> <li>Causes skin irritation.</li> <li>Causes serious eye damage.</li> <li>Suspected of damaging fertility. Suspected of damaging the unborn child.</li> <li>May cause damage to organs through prolonged or repeated</li> </ul>	ł
Full text of other abbrevia	exposure.	
Full text of other apprevia	15	
Acute Tox.	: Acute toxicity	
Eye Dam.	: Serious eye damage	
Repr.	: Reproductive toxicity	
Skin Irrit.	: Skin irritation	
STOT RE	: Specific target organ toxicity - repeated exposure	
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a firs list of indicative occupational exposure limit values	st
PL OEL	: Poland. Occupational exposure limits for airborne toxic sub- stances	
2000/39/EC / TWA	: Limit Value - eight hours	
2000/39/EC / STEL	: Short term exposure limit	
PL OEL / NDS	: Maximal Admissible Concentration	
PL OEL / NDSch	: Maximal Admissible Temporary Concentration	
ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road	of
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	

# SikaGrind®-202 GPL

Revision Date: 28.02.2023 Date of last issue: 04.06.2019



Version 2.0

EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative
Further information	

Classification of the mixture:		Classification procedure:	
Eye Irrit. 2	H319	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN