

Revision Date: 11.03.2024 Date of last issue: - Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika® NB-OVZ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Skin sensitisation, Category 1H317: May cause an allergic skin reaction.Long-term (chronic) aquatic hazard, Category 3H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (E Hazard pictograms	E C) :	No 1272/2008	8)
Signal word	:	Warning	
Hazard statements	:	H317 H412	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention P261	Avoid breathing mist or vapours.

Sika[®] NB-OVZ

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: - Version 1.0

P273 P280	Avoid release to the environment. Wear protective gloves.
Response:	
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

2-octyl-2H-isothiazole-3-one (OIT) mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1))

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 55965-84-9, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Alcohols, C16-18, ethoxylated	68439-49-6	Acute Tox. 4; H302	>= 0,25 - < 1
	Not Assigned	Eye Irrit. 2; H319	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 3;	
		H412	

Sika[®] NB-OVZ

Revision Date: 11.03.2024 Date of last issue: - Version 1.0



2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0025 - < 0,025
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27	
		mg/l Acute dermal toxicity: 311 mg/kg	

Sika[®] NB-OVZ

Print Date 11.03.2024

Revision Date: 11.03.2024	
Date of last issue: -	

mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 $\overline{}$ M-Factor (Acute aquatic toxicity): 100 $\overline{}$ Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - < 0,0015
--	--	--	-------------------------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attend	lance.
If inhaled	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	Take off contaminated clothing and shoes immedi Wash off with soap and plenty of water. If symptoms persist, call a physician.	ately.
In case of eye contact	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	



Revision Date: 11.03.2024 Date of last issue: -		Version 1.0	Print Date 11.03.20
If swallowed	:	Do not induce vomiting without medical adv Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncons	
4.2 Most important symptoms	and e	effects, both acute and delayed	
Symptoms	:	Allergic reactions See Section 11 for more detailed information and symptoms.	on on health effects
Risks	:	sensitising effects	
		May cause an allergic skin reaction.	
4.3 Indication of any immediat Treatment	e mec :	dical attention and special treatment need Treat symptomatically.	led
•	:	Treat symptomatically.	led
Treatment SECTION 5: Firefighting me	:	Treat symptomatically.	led
Treatment SECTION 5: Firefighting me 5.1 Extinguishing media	: easur	Treat symptomatically.	r jet/carbon diox-
Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi	: easure	Treat symptomatically. es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/cheme extinction.	r jet/carbon diox-
Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi 5.2 Special hazards arising fro	easuro a : om the	Treat symptomatically. es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/cheme extinction.	r jet/carbon diox- iical powder for
Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi 5.2 Special hazards arising fro Hazardous combustion pro- ucts	easuro a : om the	Treat symptomatically. es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	r jet/carbon diox- iical powder for
Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi 5.2 Special hazards arising fro Hazardous combustion pro- ucts 5.3 Advice for firefighters	asuro a : om the d- :	Treat symptomatically. es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	r jet/carbon diox- nical powder for

SECTION 6: Accidental release measures

6.1 Personal precautions, protec	tive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.



Revision Date: 11.03.2024 Version 1.0
Date of last issue: -

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	, incl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		

Specific use(s) : Consult most current local Product Data Sheet prior to any use.



Revision Date: 11.03.2024 Version 1.0 Date of last issue: -

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	t
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	: No special measures required.
Environmental exposure cont	rols
General advice	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour		liquid white
Odour	:	No data available

Sika[®] NB-OVZ



Revision Date: 11.03.2024 Date of last issue: - Version 1.0

Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	7 Concentration: 100 %
	:	•
pH Viscosity Viscosity, kinematic	:	Concentration: 100 %
Viscosity Viscosity, kinematic	:	Concentration: 100 %
Viscosity	:	Concentration: 100 % No data available
Viscosity Viscosity, kinematic Solubility(ies)	-	Concentration: 100 % No data available
Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n-	-	Concentration: 100 % No data available No data available
Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n- octanol/water	:	Concentration: 100 % No data available No data available
Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n- octanol/water Vapour pressure	:	Concentration: 100 % No data available No data available No data available 23 hPa

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: - Version 1.0

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No da

10.5 Incompatible materials

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

2-octyl-2H-isothiazole-3-one (OIT):

Acute oral toxicity	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Sika[®] NB-OVZ



Revision Date: 11.03.2024 Date of last issue: -

> mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)): Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Version 1.0

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sika[®] NB-OVZ

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: - Version 1.0

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event	of
Country PL 100000016450			11

Sika[®] NB-OVZ

Print Date 11.03.2024

Revision Date: 11.03.2024	Version 1.0
Date of last issue: -	

mation

unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogu	e : 16 10 02 aqueous liquid wastes other than those mentioned in 16 10 01

SECTION 14: Transport information

14.1 UN number or ID number

:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good

Jika ®
Print Date 11.03.2024

Revision Date: 11.03.2024	
Date of last issue: -	
Date of last issue	

Version 1.0

	IATA (Cargo)	:	Not regulated as a dar	nger	ous good						
	IATA (Passenger)	:	Not regulated as a dar	nger	ous good						
14.5	14.5 Environmental hazards										
	Not regulated as a dangerous good										
14.6 Special precautions for user Not applicable											
14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.											
SECTION 15: Regulatory information											
15.1	Safety, health and environm	nen	tal regulations/legislat	ion	specific for the substance or mixture						
	International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors										
	REACH Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.										
	REACH - Restrictions on the i the market and use of certain mixtures and articles (Annex)	dar	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3						
	REACH - Candidate List of Su Concern for Authorisation (Art			:	None of the components are listed (=> 0.1 %).						
	REACH - List of substances s (Annex XIV)	ubj	ect to authorisation	:	Not applicable						
	Regulation (EC) No 1005/200 plete the ozone layer	9 o	n substances that de-	:	Not applicable						
	Regulation (EU) 2019/1021 or tants (recast)	n pe	ersistent organic pollu-	:	Not applicable						
	Regulation (EU) No 649/2012 ment and the Council concerr of dangerous chemicals			:	Not applicable						

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: - Version 1.0

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

> Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,18% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. 2005 Nr. 259, item 2173 with later amendments).

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Version 1.0



Revision Date: 11.03.2024 Date of last issue: -

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450 with later amendments).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301		Toxic if swallowed.					
H302	:	Harmful if swallowed.					
H310	•	Fatal in contact with skin.					
H311	:	Toxic in contact with skin.					
H314	:	Causes severe skin burns and eye damage.					
H317	:	May cause an allergic skin reaction.					
H318	:	Causes serious eye damage.					
H319	:	Causes serious eye irritation.					
H330	:	Fatal if inhaled.					
H400	:	Very toxic to aquatic life.					
H410	:	Very toxic to aquatic life with long lasting effects.					
H412	:	Harmful to aquatic life with long lasting effects.					
Full text of other abbreviations							
Acute Tox.	:	Acute toxicity					
Aquatic Acute	:	Short-term (acute) aquatic hazard					
Aquatic Chronic	:	Long-term (chronic) aquatic hazard					

Revision Date: 11.03.2024
Date of last issue: -

Version 1.0



Eye Dam. Eye Irrit. Skin Corr. Skin Sens. ADR	 Serious eye damage Eye irritation Skin corrosion Skin sensitisation European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
ΙΑΤΑ	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

Classification of the mixtu	Classification procedure:	
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN