

Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikafloor<sup>®</sup> Marine-118 FC

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

#### 1.4 Emergency telephone number

112

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)



# Sikafloor<sup>®</sup> Marine-118 FC

Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0



e of last issue. 00.03.2023			
Precautionary statements	:	Prevention:	
		P261	Avoid breathing dust.
		P264	Wash skin thoroughly after handling.
		P280	Wear protective gloves/ eye protection/ face protection.
		Response:	
		P304 + P340 + F	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
		P305 + P351 + F	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
		Storage:	
		P403 + P233	Store in a well-ventilated place. Keep con- tainer tightly closed.

#### Hazardous components which must be listed on the label:

Cement (chromium reduced)

#### Additional Labelling

EUH208 Contains calcium aluminate sulfate. May produce an allergic reaction.

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 20.07.2023 Date of last issue: 08.03.2023



### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

componenta			1
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
calcium aluminate sulfate	12005-25-3	Skin Sens. 1; H317	>= 0,1 - < 0,5
	Not Assigned		
Substances with a workplace exp	posure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
· · ·	238-878-4		

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

# Sikafloor<sup>®</sup> Marine-118 FC



Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms :	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks :	irritant effects
	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
<b>4.3 Indication of any immediate me</b>	dical attention and special treatment needed Treat symptomatically.
i i caunoni .	rical symptomatically.

### **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from Hazardous combustion prod- ucts		e substance or mixture No hazardous combustion products are known
<ul><li>5.3 Advice for firefighters</li><li>Special protective equipment for firefighters</li><li>Further information</li></ul>	:	In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	Try to prevent the material from entering drains or water courses. No special environmental precautions required.

# Sikafloor<sup>®</sup> Marine-118 FC



Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
------------	---------	------------------	-----------------	---------

# Sikafloor<sup>®</sup> Marine-118 FC



Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0

		of exposure)	ters *				
Quartz (SiO2)	14808-60-7	NDS (respirable	1 mg/m3	PL OEL			
		fraction)					
	Further inforn	Further information: Respirable fraction - the fraction of aerosol					
	that penetrate	es into the respirator	ry tract, which po	ses a threat to			
	the health of	he deposit in the ar	ea of gas exchar	nge, determined			
	in accordance	e with standard PN-	EN 481.				
		NDS (inhalable	2 mg/m3	PL OEL			
		fraction)	-				
	Further inform	Further information: Inhalable fraction - the fraction of aerosol					
	penetrating th	penetrating through the nose and mouth, which after deposit in					
	the respirator	the respiratory tract poses a threat to health, determined in ac-					
	cordance with	cordance with standard PN-EN 481.					
		NDS (respirable	0,1 mg/m3	PL OEL			
		fraction)	(Silica)				
Cement (chromium reduced)	65997-15-1	NDS (inhalable	6 mg/m3	PL OEL			
		fraction)					
		NDS (respirable	2 mg/m3	PL OEL			
The above mentioned values are		fraction)					

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth-

<b>Jika</b> ®
Print Date 05.02.2024

Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0

ods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

#### Environmental exposure controls

General advice	: Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	::	solid powder grey
Odour	:	mild
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
<b>Upper/lower flammability or e</b> Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 10 (20 °C) Concentration: 50 %

#### Viscosity

# Sikafloor<sup>®</sup> Marine-118 FC



Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0

Viscosity, kinematic	: Not applicable
<b>Solubility(ies)</b> Water solubility	: insoluble
Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: No data available
Density	: ca. 1,9 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

#### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

# Sikafloor<sup>®</sup> Marine-118 FC

Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0



### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0



#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

|--|

Additional ecological infor-	:	There is no data available for this product.
mation		

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

 Product
 : The generation of waste should be avoided or minimized wherever possible.

 Empty containers or liners may retain some product residues.

 This material and its container must be disposed of in a safe way.

 Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

 Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional



Revision Date: 20.07.2023 Date of last issue: 08.03.2023		Version 2.0	Print Date 05.02.20
		local authority requirements. Avoid dispersal of spilled material and ru soil, waterways, drains and sewers.	noff and contact with
European Waste Catalogue	:	16 03 03* inorganic wastes containing c	langerous substances
Contaminated packaging	:	15 01 10* packaging containing residues by dangerous substances	s of or contaminated

### **SECTION 14: Transport information**

14.1 UN number or ID number							
ADR	:	Not regulated as a dangerous good					
IMDG	:	Not regulated as a dangerous good					
ΙΑΤΑ	:	Not regulated as a dangerous good					
14.2 UN proper shipping name							
ADR	:	Not regulated as a dangerous good					
IMDG	:	Not regulated as a dangerous good					
ΙΑΤΑ	:	Not regulated as a dangerous good					
14.3 Transport hazard class(es)							
ADR	:	Not regulated as a dangerous good					
IMDG	:	Not regulated as a dangerous good					
ΙΑΤΑ	:	Not regulated as a dangerous good					
14.4 Packing group							
ADR	:	Not regulated as a dangerous good					
IMDG	:	Not regulated as a dangerous good					
IATA (Cargo)	:	Not regulated as a dangerous good					
IATA (Passenger)	:	Not regulated as a dangerous good					
14.5 Environmental hazards							
Not regulated as a dangerous good							
14.6 Special precautions for user Not applicable							
<b>14.7 Maritime transport in bulk according to IMO instruments</b> Not applicable for product as supplied.							

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substa	nce or mixture
Country PL 000000611299	11 / 15

# Sikafloor<sup>®</sup> Marine-118 FC



Revision Date: 20.07.2023 Date of last issue: 08.03.2023		Version 2	2.0	Print Date 05.02.20		
	REACH - Restrictions on the mare the market and use of certain date mixtures and articles (Annex XVI		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75		
	International Chemical Weapons Convention (C Schedules of Toxic Chemicals and Precursors			:	Not applicable	
	REACH - Candidate List of Substances of Very Concern for Authorisation (Article 59).			:	None of the components are listed (=> 0.1 %).	
	REACH - List of substances subject to authorisa (Annex XIV)			:	Not applicable	
	Regulation (EC) No 1005/2009 o plete the ozone layer	n substances	that de-	:	Not applicable	
	Regulation (EU) 2019/1021 on po tants (recast)	nic pollu-	:	Not applicable		
	Regulation (EC) No 649/2012 of ment and the Council concerning of dangerous chemicals			:	Not applicable	
	REACH Information:	formation: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.				
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable						
	Volatile organic compounds :	<ul> <li>Law on the incentive tax for volatile organic compounds (VOCV)</li> <li>Volatile organic compounds (VOC) content: &lt; 0,01% w/w no VOC duties</li> </ul>				
	Directive 2010/75/EU of 24 November 2010 on indust emissions (integrated pollution prevention and contro Volatile organic compounds (VOC) content: < 0,01%					
	11					

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of

Sikafloor<sup>®</sup> Marine-118 FC

Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0



2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)



Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

I dir text of IT otatements				
H315	:	Causes skin irritation.		
H317	:	May cause an allergic skin reaction.		
H318	:	Causes serious eye damage.		
H335		May cause respiratory irritation.		
	•			
Full text of other abbreviations				
Eye Dam.	:	Serious eye damage		
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitisation		
STOT SE	:	Specific target organ toxicity - single exposure		
PL OEL	:	Poland. Occupational exposure limits for airborne toxic sub-		
		stances		
PL OEL / NDS	:	Maximal Admissible Concentration		
ADR	:	European Agreement concerning the International Carriage of		
		Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of		
		test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in		
		air that kills 50% of the test animals during the observation		
		period)		
MARPOL	:	International Convention for the Prevention of Pollution from		
		Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament		
		and of the Council of 18 December 2006 concerning the Reg-		
		istration, Evaluation, Authorisation and Restriction of Chemi-		
		cals (REACH), establishing a European Chemicals Agency		
SVHC	:	Substances of Very High Concern		
vPvB	÷	Very persistent and very bioaccumulative		
	•			

#### **Further information**



Revision Date: 20.07.2023 Date of last issue: 08.03.2023 Version 2.0

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN