

Revision Date: 11.03.2024 Date of last issue: 21.11.2022 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika AnchorFix[®]-3001 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Skin irritation, Category 2H315: Causes skin irritation.					
Eye irritation, Category 2	H319: Causes serious eye irritation.				
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.				
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H315 H317	Causes skin irritation. May cause an allergic skin reaction.

Sika AnchorFix®-3001 Part A



Revision Date: 11.03.2024 Date of last issue: 21.11.2022		Version 2.0	Print Date 11.03.202
		Causes serious eye irritation. Toxic to aquatic life with long lasting	effects.
Precautionary statements :	Prevention:		
	P261	Avoid breathing dust/ fume/ ga pours/ spray.	s/ mist/ va-
	P264	Wash skin thoroughly after har	ndling.
	P273	Avoid release to the environme	
	P280	Wear protective gloves/ eye pr protection.	otection/ face
	Response:		
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical
	P391	Collect spillage.	

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane bis-[4-(2,3-epoxypropoxy)phenyl]methane Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sika AnchorFix®-3001 Part A

Revision Date: 11.03.2024 Date of last issue: 21.11.2022 Version 2.0



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 $_$ specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	>= 60 - < 80
bis-[4-(2,3- epoxypropoxy)phenyl]methane	Not Assigned 701-263-0 01-2119454392-40- XXXX	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 25 - < 40
Reaction products of hexane-1,6- diol with 2-(chloromethyl)oxirane (1:2)	933999-84-9 618-939-5 01-2119463471-41- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.



Revision Date: 11.03.2024 Date of last issue: 21.11.2022		Version 2.0	Print Date 11.03.2
If swallowed	:	Do not induce vomiting without medical a Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unco	
4.2 Most important symptoms a	nd e	effects, both acute and delayed	
Symptoms	:	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed informa and symptoms.	ation on health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediate Treatment SECTION 5: Firefighting mea	:	dical attention and special treatment ne Treat symptomatically.	eded
	Sui	5	
5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/wa ide/sand/foam/alcohol resistant foam/che extinction.	
5.2 Special hazards arising from	n the	e substance or mixture	
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to e courses.	enter drains or water
Hazardous combustion prod- ucts	:	No hazardous combustion products are	known
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained b	preathing apparatus.
Further information			0 11

Sika AnchorFix®-3001 Part A

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: 21.11.2022 Version 2.0

Keep in suitable, closed containers for disposal.

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ctive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ntai	nment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	•	
Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	incl	luding any incompatibilities

Requirements for storage	:	Keep container tightly closed in a dry and well-ventilated
areas and containers		place. Containers which are opened must be carefully re-



Date of last issue: 21.11.2022		
		sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

Version 2.0

7.3 Specific end use(s)

Revision Date: 11.03.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
------------	---------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment		
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.	
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection :	No special measures required.	
Environmental exposure controls		
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Sika AnchorFix[®]-3001 Part A

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: 21.11.2022	Version 2.0	Print Date 11.03.2024
Physical state Colour	: liquid : off-white, white	
Odour	: slight	
Melting point/range / Freezing point	: No data available	
Boiling point/boiling range	: > 35 °C	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or e	xplosive limits	
Upper explosion limit / Upper flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: > 100 °C Method: closed cup	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: Not applicable substance/mixture is non-soluble (in water)	
Viscosity		
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,25 g/cm3 (20 °C)	
Relative vapour density Country PL 10000004056	: No data available	7/16

Sika AnchorFix[®]-3001 Part A

Revision Date: 11.03.2024 Date of last issue: 21.11.2022 Version 2.0

Particle characteristics : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Sika AnchorFix®-3001 Part A

Revision Date: 11.03.2024 Date of last issue: 21.11.2022

Version 2.0



Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h

bis-[4-(2,3-epoxypropoxy)phenyl]methane:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l



Revision Date: 11.03.2024 Date of last issue: 21.11.2022 Version 2.0

Toxicity to daphnia and other : aquatic invertebrates	LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic : plants	EC50 (algae): 1,8 mg/l Exposure time: 72 h
12.2 Persistence and degradability No data available	
12.3 Bioaccumulative potential	

Exposure time: 96 h

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

D .		uct:
-	oa	ист:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed

Revision Date: 11.03.2024 Date of last issue: 21.11.2022 Print Date 11.03.2024

Version 2.0

waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADR	:	ENVIRONMENTALI N.O.S. (epoxy resin)	Y HAZARDOUS SUBSTANCE, LIQUID,
IMDG	:	ENVIRONMENTALI N.O.S. (epoxy resin)	_Y HAZARDOUS SUBSTANCE, LIQUID,
ΙΑΤΑ	:	Environmentally haz (epoxy resin)	zardous substance, liquid, n.o.s.
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADR	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: r : :	III M6 90 9 (-)	
IMDG Packing group Labels EmS Code	:	III 9 F-A, S-F	
IATA (Cargo) Packing instruction (cargo	:	964	

Revision Date: 11.03.2024 Date of last issue: 21.11.2022 Version 2.0



:	Y964 III Miscellaneous
:	964 Y964 III Miscellaneous
:	yes
	· · · · · · · · · · · · · · · · · · ·

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

: Not applicable

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3

None of the components are listed REACH - Candidate List of Substances of Very High (=> 0.1 %).



ma-

Revision Date: 11.03.2024 Date of last issue: 21.11.2022	Version 2.0	Print Date 11
Concern for Authorisation (Article	59).	
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable
Regulation (EC) No 1005/2009 on plete the ozone layer	substances that de- :	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable
Regulation (EU) No 649/2012 of the ment and the Council concerning of dangerous chemicals		Not applicable
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dan E2		and of the Council on the control of r
Volatile organic compounds :	Law on the incentive tax for (VOCV) no VOC duties	or volatile organic compounds
		4 November 2010 on industrial ution prevention and control)

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No

Sika AnchorFix®-3001 Part A

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: 21.11.2022 Version 2.0

1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. 2005 Nr. 259, item 2173 with later amendments).

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450 with later amendments).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Sika AnchorFix®-3001 Part A

Revision Date: 11.03.2024 Date of last issue: 21.11.2022 Version 2.0



SECTION 16: Other information

Full text of H-Statements					
H315	:	Causes skin irritation.			
H317	:	May cause an allergic skin reaction.			
H319	:	Causes serious eye irritation.			
H411	:	Toxic to aquatic life with long lasting effects.			
H412	:	Harmful to aquatic life with long lasting effects.			
Full text of other abbreviations					
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Eye Irrit.	:	Eye irritation			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitisation			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of			
		test animals)			
LC50	•	Median lethal concentration (concentrations of the chemical in			
	•	air that kills 50% of the test animals during the observation			
		period)			
MARPOL		International Convention for the Prevention of Pollution from			
	•	Ships, 1973 as modified by the Protocol of 1978			
OEL		Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	÷	Predicted no effect concentration			
REACH		Regulation (EC) No 1907/2006 of the European Parliament			
	•	and of the Council of 18 December 2006 concerning the Reg-			
		istration, Evaluation, Authorisation and Restriction of Chemi-			
		cals (REACH), establishing a European Chemicals Agency			
SVHC		Substances of Very High Concern			
vPvB		Very persistent and very bioaccumulative			
	•				
Eurther information					

Further information

Classification of the	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

Sika AnchorFix®-3001 Part A

Print Date 11.03.2024

Revision Date: 11.03.2024 Date of last issue: 21.11.2022 Version 2.0

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN