

Version 1.1

Print Date 03.09.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaEmaco® T 2040 Part A

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Repairing mortar, Product is not intended for consumer use, For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Company n	ame of supplier	:	Sika Poland Spółka z o.o.
			Karczunkowska 89
			02-871 Warszawa
Telephone		:	+48 22 27 28 700
Telefax		:	+48 22 27 28 800
E-mail addr	ess of person	:	EHS@pl.sika.com
responsible	for the SDS		-

#### 1.4 Emergency telephone number

112

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) N	o 1272/2008)
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

## 2.2 Label elements

Labelling (REGULATION (	EC)	No 1272/200	08)
Hazard pictograms	:	(!)	
Signal word	:	Warning	
Hazard statements	:	H317 H319	May cause an allergic skin reaction. Causes serious eye irritation.
Precautionary statements	:	Preventior	ו:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaEmaco® T 2040 Part A



Revision Date: 03.09.2024 Date of last issue: 13.08.2024	١	/ersion 1.1	Print Date 03.09.2024
	P261 P280	Avoid breathing mist or vapour Wear protective gloves/ eye pro protection.	
	Response:		
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical
	P337 + P313	If eye irritation persists: Get me attention.	edical advice/
	P362 + P364	Take off contaminated clothing before reuse.	and wash it
	Disposal:		
	P501	Dispose of contents/container i with local regulation.	n accordance

#### Hazardous components which must be listed on the label:

methacrylic acid, monoester with propane-1,2-diol tetramethylene dimethacrylate

#### Additional Labelling

EUH204 Contains isocyanates. May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
methacrylic acid, monoester with	27813-02-1	Eye Irrit. 2; H319	>= 40 - < 60
propane-1,2-diol	248-666-3	Skin Sens. 1; H317	
	01-2119490226-37-		
	XXXX		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SikaEmaco® T 2040 Part A

Revision Date: 03.09.2024 Date of last issue: 13.08.2024 Version 1.1

Print Date 03.09.2024

exo-1,7,7- trimethylbicyclo[2.2.1]hept-2-yl methacrylate	7534-94-3 231-403-1 01-2119886505-27- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412 specific concentration limit STOT SE 3; H373 >= 10 %	>= 2,5 - < 5
4-dimethylaminobenzaldehyde	100-10-7 202-819-0	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)	>= 1 - < 2,5
tetramethylene dimethacrylate	2082-81-7 218-218-1 01-2119967415-30- XXXX	Skin Sens. 1B; H317	>= 1 - < 2,5

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	<ul> <li>Move out of dangerous area.</li> <li>Consult a physician.</li> <li>Show this safety data sheet to the doctor in attendar</li> </ul>	ice.
If inhaled	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediate Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>	∍ly.
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>	
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious per</li> </ul>	rson.

#### 4.2 Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaEmaco® T 2040 Part A



Revision Date: 03.09.2024 Date of last issue: 13.08.2024		Version 1.1	Print Date 03.09.2024
Symptoms	:	Allergic reactions Excessive lachrymation See Section 11 for more detailed information or and symptoms.	ו health effects
Risks	:	May cause an allergic skin reaction. Causes serious eye irritation.	
		irritant effects sensitising effects	
4.3 Indication of any immediate	mee	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/o ide/sand/foam/alcohol resistant foam/chemical extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathin	ıg apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se r	neasures	
6.1 Personal precautions, protect	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or respective authorities.	
6.3 Methods and material for cor	ntai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand acid binder, universal binder, sawdust).	d, silica gel,

# SikaEmaco® T 2040 Part A



Revision Date: 03.09.2024 Date of last issue: 13.08.2024 Version 1.1

Print Date 03.09.2024

Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Recommended storage tem- perature	:	> 0 °C
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
_	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Version 1.1

Print Date 03.09.2024

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

of exposure) ters "	Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
---------------------	------------	---------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC
	Further information cant uptake the	ation: Indicative, Ide rough the skin	entifies the possib	ility of signifi-
		NDS	100 mg/m3	PL OEL
	Further information	ation: Skin		
		NDSch	300 mg/m3	PL OEL

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	No special measures required.

#### **Environmental exposure controls**

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaEmaco® T 2040 Part A

Revision Date: 03.09.2024



Print Date 03.09.2024

ate of last issue: 13.08.2024		version 1.1	Print Date 03.09.20
General advice	:	Do not flush into surface water or sanitary set If the product contaminates rivers and lakes respective authorities.	
SECTION 9: Physical and che	emi	cal properties	
0.1 Information on basic physica	al ar	nd chemical properties	
Physical state Colour	:	liquid grey	
Odour	:	characteristic	
Melting point/ range / Freez- ing point	:	No data available	
Boiling point/boiling range	:	100 °C	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	. exl	plosive limits	
Upper explosion limit / Up- per flammability limit	-		
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	101 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, dynamic	:	ca. 100 mPa.s (23 °C)	
Vicessity, kinemetic		No data available	

Version 1.1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaEmaco® T 2040 Part A



Revision Date: 03.09.2024 Date of last issue: 13.08.2024	Version 1.1	Print Date 03.09.2024
<b>Solubility(ies)</b> Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,066661 hPa	
Density	: ca. 1,1 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
<b>9.2 Other information</b> Explosives	: Not explosive	

# **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

ure.

## 10.5 Incompatible materials

Materials to avoid : No data available

# **10.6 Hazardous decomposition products**

Hazardous decomposition	:	methanol
products		



Version 1.1

Print Date 03.09.2024

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

# Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

# **Respiratory sensitisation**

Not classified due to lack of data.

## Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

## STOT - single exposure

Not classified due to lack of data.

## STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

## 11.2 Information on other hazards

## Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 1.1

Print Date 03.09.2024

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Components:** 

#### exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 1,79 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 2,57 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 2,28 mg/l Exposure time: 72 h

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

## **12.6 Endocrine disrupting properties**

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

## Product:

Additional ecological infor-	:	There is no data available for this product.
mation		



Version 1.1

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product

wherever possible.	should be avoided or minimized
Empty containers or liner	s may retain some product residues.
This material and its cont	ainer must be disposed of in a safe
waste disposal contracto	solutions and any by-products should
Disposal of this product,	ne requirements of environmental
at all times comply with th	bosal legislation and any regional
protection and waste disp	nts.
local authority requireme	material and runoff and contact with

# **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
44 C Curdenaum autol baranda		

# 14.5 Environmental hazards

Not regulated as a dangerous good



Print Date 03.09.2024

Revision Date: 03.09.2024 Date of last issue: 13.08.2024	Version	1.1		Print Date 03.09.202
<b>14.6 Special precautions for user</b> Not applicable				
14.7 Maritime transport in bulk according	ng to IMO instrume	ents		
Not applicable for product as supplied	-			
SECTION 15: Regulatory informatio	'n			
15.1 Safety, health and environmental r		tion	specific for the subs	tance or mixture
International Chemical Weapons Cor Schedules of Toxic Chemicals and P		:	Not applicable	
- rı - rı - e	substances contain egistered by our ups egistered by us, and excluded from the re exempted from the re	strea d/or gula	im suppliers, and/or tion, and/or	
REACH - Restrictions on the manufa the market and use of certain danger mixtures and articles (Annex XVII)		:	Conditions of restricti lowing entries should Number on list 3	
REACH - Candidate List of Substanc Concern for Authorisation (Article 59)		:	None of the compone (=> 0.1 %).	ents are listed
REACH - List of substances subject t (Annex XIV)	to authorisation	:	Not applicable	
Regulation (EC) on substances that on layer	deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on persis tants (recast)	stent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of the I ment and the Council concerning the of dangerous chemicals		:	Not applicable	
Seveso III: Directive 2012/18/EU of th jor-accident hazards involving dange		nent	and of the Council on	the control of ma-

Not applicable

# SikaEmaco<sup>®</sup> T 2040 Part A



Revision Date: 03.09.2024 Date of last issue: 13.08.2024	Version 1.1	Print Date 03.09.2024
Volatile organic compounds	: Law on the incentive tax for volatile organ (VOCV) Volatile organic compounds (VOC) conte no VOC duties	
	Directive 2010/75/EU of 24 November 20 emissions (integrated pollution prevention Volatile organic compounds (VOC) conte	n and control)

## Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)





Version 1.1

Print Date 03.09.2024

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

Full text of H-Statements		
H302 H315	:	Harmful if swallowed. Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319		Causes serious eye irritation.
H332	÷	Harmful if inhaled.
H335		May cause respiratory irritation.
H412	:	Harmful to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
2006/15/EC	:	Europe. Indicative occupational exposure limit values
PL OEL	÷	Ordinance of the Minister of Family, Labour and Social Policy
		of 12 June 2018 concerning the highest allowable concentra-
		tions and levels of the agents harmful for health in the work-
		place (Dz.U 2018 pos 1286, with later amendments)
2006/15/EC / TWA	÷	Limit Value - eight hours Maximal Admissible Concentration
PL OEL / NDS PL OEL / NDSch	:	Maximal Admissible Concentration Maximal Admissible Temporary Concentration
ADR	:	European Agreement concerning the International Carriage of
ADR	•	Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaEmaco® T 2040 Part A



Revision Date: 03.09.2024 Date of last issue: 13.08.2024 Version 1.1

Print Date 03.09.2024

GHS	: Globally Harmonized System
ΙΑΤΑ	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of test animals)
LC50	: Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL	: International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

## **Further information**

Classification of the mixture:		Classification procedure:
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN