

Version 2.1

Print Date 28.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikafloor<sup>®</sup>-377/-3290 Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Polyurethane coating

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

#### 1.4 Emergency telephone number

112

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
	Acute toxicity, Category 4	H332: Harmful if inhaled.			
	Skin irritation, Category 2	H315: Causes skin irritation.			
	Eye irritation, Category 2	H319: Causes serious eye irritation.			
	Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
	Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			
	Carcinogenicity, Category 2	H351: Suspected of causing cancer.			
	Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.			
	Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.			

# Sikafloor®-377/-3290 Part B



Revision Date: 17.08.2024 Date of last issue: 17.05.2023 Version 2.1

Print Date 28.03.2025

#### 2.2 Label elements

Labelling (REGULATION (EC Hazard pictograms :	) No 1272/2008)	!
Signal word :	Danger	•
Hazard statements :	H317 Ma H319 Ca H332 Ha H334 Ma ing H335 Ma H351 Su H373 Ma	uses skin irritation. ay cause an allergic skin reaction. uses serious eye irritation. rmful if inhaled. ay cause allergy or asthma symptoms or breath- difficulties if inhaled. ay cause respiratory irritation. spected of causing cancer. ay cause damage to organs through prolonged repeated exposure.
Precautionary statements :	<b>Prevention:</b> P201 P260 P264 P280 <b>Response:</b> P304 + P340 + P342 + P311	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

#### Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues methylenediphenyl diisocyanate

## **Additional Labelling**

"As from 24 August 2023 adequate training is required before industrial or professional use."

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 2.1

Print Date 28.03.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Stor SE 3; H335 >= 5 %	>= 40 - < 60

# Sikafloor®-377/-3290 Part B

Revision Date: 17.08.2024 Date of last issue: 17.05.2023 Version 2.1



Print Date 28.03.2025

methylenediphenyl diisocyanate26447-40-5 905-806-4 01-2119457015-45- XXXXAcute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT RE 2; H373 $\overline{Specific concentration}$ $\limitEye Irrit. 2; H319>= 5 %>= 40 - < 60$	e of last issue: 17.05.2023			
	methylenediphenyl diisocyanate	905-806-4 01-2119457015-45-	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit STOT SE 3; H335 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 %	>= 40 - < 60

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

Sikafloor®-377/-3290 Part B



Revision Date: 17.08.2024 Date of last issue: 17.05.2023		Version 2.1	Print Date 28.03.2025
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	
4.2 Most important symptoms a	nd e	effects, both acute and delayed	
Symptoms	:	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information o and symptoms.	n health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breaties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonge exposure.	-
4.3 Indication of any immediate	me	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-377/-3290 Part B



Print Date 28.03.2025

:	In the event of fire, wear self-contained breathing apparatus.	
:	Standard procedure for chemical fires.	
	:	<ul> <li>: In the event of fire, wear self-contained breathing apparatus.</li> <li>: Standard procedure for chemical fires.</li> </ul>

Version 2.1

## **SECTION 6: Accidental release measures**

Revision Date: 17.08.2024

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

ma, all not be used. Smokin plicatio Provide	is with a history of skin sensitisation problems or asth- ergies, chronic or recurrent respiratory disease should employed in any process in which this mixture is being ng, eating and drinking should be prohibited in the ap- in area. e sufficient air exchange and/or exhaust in work rooms. standard hygiene measures when handling chemical ts
---	--

# Sikafloor<sup>®</sup>-377/-3290 Part B



Revision Date: 17.08.2024 Date of last issue: 17.05.2023	Version 2.1	Print Date 28.03.2025
Advice on protection against : fire and explosion	Normal measures for preventive fire protection.	
Hygiene measures :	Handle in accordance with good industrial hygier practice. When using do not eat or drink. When u smoke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-verplace. Containers which are opened must be car sealed and kept upright to prevent leakage. Store ance with local regulations.	efully re-
Further information on stor- : age stability	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s)		
Specific use(s) :	Cleaning with aprotic polar solvents must be avo Consult most current local Product Data Sheet p use.	

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
methylenediphenyl diisocyanate	26447-40-5	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	: Chemical-resistant, impervious gloves complying with an proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow ma facturer specifications.	, J

# Sikafloor®-377/-3290 Part B



Revision Date: 17.08.2024 Version 2.1 Print Date 28.03.2025 Date of last issue: 17.05.2023 Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min. Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, Skin and body protection long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. Respiratory protection In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas. **Environmental exposure controls** General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Colour	: liquid : light brown	
Odour	: musty	
Melting point/ range / Freez- ing point	: No data available	
Boiling point/boiling range	: No data available	

Sikafloor®-377/-3290 Part B



Revision Date: 17.08.2024 Date of last issue: 17.05.2023	Version 2.1	Print Date 28.03.2025
Flammability (solid, gas)	No data available	
Upper/lower flammability or	plosive limits	
Upper explosion limit / Up- per flammability limit	No data available	
Lower explosion limit / Lower flammability limit	No data available	
Flash point	> 150 °C Method: open cup	
Auto-ignition temperature	No data available	
Decomposition temperature	No data available	
рН	Not applicable substance/mixture is non-soluble (in wate	er)
Viscosity		
Viscosity, dynamic	70 - 90 mPa.s (20 °C)	
Viscosity, kinematic	> 20,5 mm2/s (40 °C)	
Solubility(ies)		
Water solubility	insoluble	
Partition coefficient: n- octanol/water	No data available	
Vapour pressure	0,01 hPa	
Density	ca. 1,18 g/cm3 (20 °C)	
Relative vapour density	No data available	
Particle characteristics	No data available	

No data available



Version 2.1

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### **10.2 Chemical stability**

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if inhaled.

#### **Components:**

#### Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye irr Causes serious eye irritation.		ion



Version 2.1

Print Date 28.03.2025

#### Respiratory or skin sensitisation

## Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Suspected of causing cancer.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

## <u>Components:</u> Diphenylmethanediisocyanate, isomeres and homologues:

Taulaite ta fiale	. '	
Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h



Version 2.1

Print Date 28.03.2025

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

#### Product:

Assessment	<ul> <li>The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.</li> </ul>
------------	---

#### 12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe way.</li> </ul>
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 08 05 01* waste isocyanates



Revision Date: 17.08.2024 Date of last issue: 17.05.2023	Version 2.1	Print Date 28.03.2025

Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated
		by dangerous substances

## **SECTION 14: Transport information**

:	Not regulated as a dangerous good			
:	Not regulated as a dangerous good			
:	Not regulated as a dangerous good			
14.2 UN proper shipping name				
:	Not regulated as a dangerous good			
:	Not regulated as a dangerous good			
:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)				
:	Not regulated as a dangerous good			
:	Not regulated as a dangerous good			
:	Not regulated as a dangerous good			
:	Not regulated as a dangerous good			
:	Not regulated as a dangerous good			
:	Not regulated as a dangerous good			
:	Not regulated as a dangerous good			
14.5 Environmental hazards				

Not regulated as a dangerous good

# 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

Sikafloor®-377/-3290 Part B



Revision Date: 17.08.2024 Date of last issue: 17.05.2023	Version 2	2.1		Print Date 28.03.2025
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea I/or gula	am suppliers, and/or ation, and/or	
REACH - Restrictions on the manufacture, placing the market and use of certain dangerous substanc mixtures and articles (Annex XVII)		:	Conditions of restricti lowing entries should Number on list 3	
			Number on list 75: Banned and/or restric	cted
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the compone (=> 0.1 %).	ents are listed
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) on substances t layer	hat deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on po tants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals	•	:	Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nent	t and of the Council on	the control of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	pounds		
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable			

## Other regulations:

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-377/-3290 Part B



Revision Date: 17.08.2024 Date of last issue: 17.05.2023 Version 2.1

Print Date 28.03.2025

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item



Version 2.1

Print Date 28.03.2025

1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

Full lext of H-Statements		
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H334	:	May cause allergy or asthma symptoms or breathing difficul-
		ties if inhaled.
H335	:	May cause respiratory irritation.
H351	:	Suspected of causing cancer.
H373	:	May cause damage to organs through prolonged or repeated
		exposure.
H373	:	May cause damage to organs through prolonged or repeated
		exposure if inhaled.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Resp. Sens.	:	Respiratory sensitisation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
PL OEL	:	Ordinance of the Minister of Family, Labour and Social Policy
		of 12 June 2018 concerning the highest allowable concentra-
		tions and levels of the agents harmful for health in the work-
		place (Dz.U 2018 pos 1286, with later amendments)
PL OEL / NDS	:	Maximal Admissible Concentration
PL OEL / NDSch	:	Maximal Admissible Temporary Concentration
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikafloor®-377/-3290 Part B



Revision Date: 17.08.2024 Date of last issue: 17.05.2023		Version 2.1	Print Date 28.03.2025
LC50	:	test animals) Median lethal concentration (concentrations of th air that kills 50% of the test animals during the ob-	
MARPOL	:	period) International Convention for the Prevention of Pc Ships, 1973 as modified by the Protocol of 1978	ollution from
OEL PBT PNEC REACH	:	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 concern	
SVHC vPvB	:	istration, Evaluation, Authorisation and Restrictio cals (REACH), establishing a European Chemica Substances of Very High Concern Very persistent and very bioaccumulative	n of Chemi-

#### **Further information**

Classification of	the mixture:	Classification procedure:
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

#### PL/EN