# **PCI Carrament®**



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: PCI Carrament<sup>®</sup>

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Tile adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

#### 1.4 Emergency telephone number

112

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	T F	
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **PCI Carrament®**



Revision Date: 09.07.2024 Date of last issue: -	Version 1.0		Print Date 09.07.2024
	P103	Read label before use.	
	Prevention:		
	P264 P280	Wash skin thoroughly after ha Wear protective gloves/ eye p protection.	
	Response:		
	P305 + P351 -	P338 + P310 IF IN EYES: Rin with water for several minutes tact lenses, if present and eas tinue rinsing. Immediately call CENTER/ doctor.	. Remove con- y to do. Con-

#### Hazardous components which must be listed on the label:

Cement (chromium reduced)

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace exp	osure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# PCI Carrament®

of last issue: -		Print Date 09.07.	
calcium sulfate	7778-18-9 231-900-3 01-2119444918-26- XXXX	>= 2,5 - < 5	
For explanation of abbreviations			

#### 4.1 Description of first aid measures

4.1 Description of mist and measu		5
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms an	d e	effects, both acute and delayed
Symptoms	:	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	Causes skin irritation. Causes serious eye damage.
		irritant effects
4.3 Indication of any immediate n	nec	lical attention and special treatment needed
Treatment	:	Treat symptomatically.



Revision Date: 09.07.2024 Date of last issue: -		Version 1.0	Print Date 09.07.2024
SECTION 5: Firefighting mea	asur	es	<u> </u>
5.1 Extinguishing media			
Suitable extinguishing media	ı :	In case of fire, use water/water spray/wa ide/sand/foam/alcohol resistant foam/ch extinction.	•
5.2 Special hazards arising fror	n the	e substance or mixture	
Hazardous combustion prod ucts	- :	No hazardous combustion products are	known
5.3 Advice for firefighters			
Special protective equipmen for firefighters	t :	In the event of fire, wear self-contained I	breathing apparatus.
Further information	:	Standard procedure for chemical fires.	

#### **SECTION 6: Accidental release measures**

**PCI Carrament®** 

6.1 Personal precautions, protective equipment and emergency procedures						
Personal precautions	<ul> <li>Use personal protective equipment.</li> <li>Avoid breathing dust.</li> <li>Deny access to unprotected persons.</li> </ul>					
6.2 Environmental precautions						
Environmental precautions	<ul> <li>Try to prevent the material from entering drains or water courses.</li> <li>No special environmental precautions required.</li> </ul>					

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see
		section 8).
		Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.
		Smoking, eating and drinking should be prohibited in the ap-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **PCI Carrament®**



Revision Date: 09.07.2024 Date of last issue: -	Version 1.0	Print Date 09.07.2024
	plication area. Follow standard hygiene measures when h products	nandling chemical
Advice on protection against fire and explosion	Avoid dust formation. Provide appropriate at places where dust is formed.	exhaust ventilation
Hygiene measures	Handle in accordance with good industrial practice. When using do not eat or drink. V smoke. Wash hands before breaks and at	Vhen using do not
7.2 Conditions for safe storage, in	cluding any incompatibilities	
	Keep container tightly closed in a dry and place. Store in accordance with local regul	
Further information on stor- age stability	Keep in a dry place. No decomposition if stored and applied as	directed.
7.3 Specific end use(s)		
Specific use(s)	Consult most current local Product Data Suse.	neet prior to any

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

O a man a mata				Deeie *		
Components	CAS-No.	Value type (Form	Control parame-	Basis *		
		of exposure)	ters *			
Quartz (SiO2)	14808-60-7	NDS (respirable	1 mg/m3	PL OEL		
		fraction)	<b>U</b>			
	Further inforn	Further information: Respirable fraction - the fraction of aerosol				
	that penetrate	s into the respirator	y tract, which pose	es a threat to		
	the health of	he deposit in the are	ea of gas exchang	e, determined		
	in accordance	with standard PN-E	EN 481.			
		NDS (inhalable	2 mg/m3	PL OEL		
		fraction)	-			
	Further inforn	Further information: Inhalable fraction - the fraction of aerosol				
	penetrating th	penetrating through the nose and mouth, which after deposit in				
	the respirator	y tract poses a threa	t to health, detern	nined in ac-		
	cordance with	standard PN-EN 48	31.			
		NDS (respirable	0,1 mg/m3	PL OEL		
		fraction)	(Silica)			
Cement (chromium reduced)	65997-15-1	NDS (inhalable	6 mg/m3	PL OEL		
		fraction)				
		NDS (respirable	2 mg/m3	PL OEL		
		fraction)				
calcium sulfate	7778-18-9	NDS (inhalable	10 mg/m3	PL OEL		
		fraction)				

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI Carrament®



Revision Date: 09.07.2024 Date of last issue: -

Version 1.0

Print Date 09.07.2024

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment			
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.		
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.		
Environmental exposure contro	ols		

#### Environmental exposure controls

General advice : Try to prevent the material from entering drains or water courses. No special environmental precautions required.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : solid

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **PCI Carrament®**



Revision Date: 09.07.2024 Date of last issue: -	Version 1.0	Print Date 09.07.2024
Appearance Colour	: powder : grey	
Odour	: odourless	
Melting point/ range / Freez- ing point	: No data available	
Boiling point/boiling range	: No data available	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or	evolosive limits	
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: > 11 Concentration: 50 %	
Viscosity		
Viscosity, dynamic	: Not applicable	
Viscosity, kinematic	: Not applicable	
Solubility(ies)		
Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **PCI Carrament®**



Revision Date: 09.07.2024 Date of last issue: -	Version 1.0	Print Date 09.07.2024
Density	: ca. 1.800 - 2.400 kg/m3	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
<b>9.2 Other information</b> No data available		
SECTION 10: Stability and r	eactivity	

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

·

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### **Components:**

#### calcium sulfate:

Acute oral toxicity

: LD50 Oral (Rat): > 5.000 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **PCI Carrament®**

**Jika**®

Revision Date: 09.07.2024 Version 1.0 Print Date 09.07.2024 Date of last issue: -Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation Causes serious eye damage. Respiratory or skin sensitisation Skin sensitisation Not classified due to lack of data. **Respiratory sensitisation** Not classified due to lack of data. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Not classified due to lack of data. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure Not classified due to lack of data. STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available Country PL 000000720055

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **PCI Carrament®**



Revision Date: 09.07.2024 Date of last issue: -		Version 1.0	Print Date 09.07.2024
<b>12.4 Mobility in soil</b> No data available			
12.5 Results of PBT and vPv	B asses	sment	
Product:			
Assessment	:	This substance/mixture contains no comp to be either persistent, bioaccumulative ar very persistent and very bioaccumulative 0.1% or higher	nd toxic (PBT), or
126 Endoaring discunting p	roportio		
12.6 Endocrine disrupting p	roperties	5	
Product:	ropenties	5	
	:	The substance/mixture does not contain c ered to have endocrine disrupting properti REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulatio levels of 0.1% or higher.	ies according to gated regulation
Product:	:	The substance/mixture does not contain c ered to have endocrine disrupting properti REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulatio	ies according to gated regulation
Product: Assessment	ioperties :	The substance/mixture does not contain c ered to have endocrine disrupting properti REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulatio	ies according to gated regulation

13.1	Waste	treatment	methods
------	-------	-----------	---------

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental</li> </ul>
	at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

### **PCI Carrament®**



Revision Date: 09.07.2024 Date of last issue: -	Version 1.0	Print Date 09.07.202
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 UN proper shipping na	me	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.3 Transport hazard class	s(es)	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazard Not regulated as a dang		
14.6 Special precautions fo Not applicable	r user	
14.7 Maritime transport in the Not applicable for produ	ulk according to IMO instruments ct as supplied.	

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or
  - excluded from the regulation, and/or
  - exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **PCI Carrament®**



Revision Date: 09.07.2024 Date of last issue: -	Version 1.0	Print Date 09.07.2024
REACH - Candidate List of Substa Concern for Authorisation (Article		None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable
Regulation (EC) on substances th layer	at deplete the ozone :	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable
Regulation (EU) No 649/2012 of the ment and the Council concerning of dangerous chemicals		Not applicable
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dar		t and of the Council on the control of ma-
Volatile organic compounds :	Law on the incentive tax for (VOCV) no VOC duties	or volatile organic compounds
		4 November 2010 on industrial ution prevention and control)

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,

### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI Carrament®



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

### **PCI Carrament®**



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

#### **SECTION 16: Other information**

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
PL OEL	:	Ordinance of the Minister of Family, Labour and Social Policy
		of 12 June 2018 concerning the highest allowable concentra-
		tions and levels of the agents harmful for health in the work-
		place (Dz.U 2018 pos 1286, with later amendments)
PL OEL / NDS	:	Maximal Admissible Concentration
ADR	:	European Agreement concerning the International Carriage of
040		Dangerous Goods by Road
CAS DNEL	÷	Chemical Abstracts Service Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	÷	Median lethal dosis (the amount of a material, given all at
	•	once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	÷	Predicted no effect concentration
REACH	·	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	÷	Very persistent and very bioaccumulative
	•	

#### **Further information**

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



**PCI Carrament®** 

Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL / EN