



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Sikagard®-702 W Aquaphob

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Surfaces protection

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier : Sika Poland Spółka z o.o.  
Karczunkowska 89  
02-871 Warszawa  
Telephone : +48 22 27 28 700  
Telefax : +48 22 27 28 800  
E-mail address of person : EHS@pl.sika.com  
responsible for the SDS

### 1.4 Emergency telephone number

112

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :  

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.



|                           |  |                    |  |
|---------------------------|--|--------------------|--|
| Precautionary statements  | :  | <b>Prevention:</b> |  |
|                           |  | P210               | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
|                           |  | P273               | Avoid release to the environment.  |
|                           |  | P280               | Wear protective gloves/ protective clothing/ eye protection/ face protection.                  |
|                           |  | <b>Response:</b>   |  |
|                           |  | P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.   |
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. |                    |  |
| P370 + P378               | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.   |                    |  |

**Hazardous components which must be listed on the label:**

Polydimethylsiloxane(methoxy-terminated)

**2.3 Other hazards**

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Components**

| Chemical name                            | CAS-No.<br>EC-No.<br>Registration number | Classification                          | Concentration<br>(% w/w) |
|--|--|---|--------------------------|
| Polydimethylsiloxane(methoxy-terminated) | 67923-07-3<br>Not Assigned               | Skin Irrit. 2; H315<br>Eye Dam. 1; H318 | >= 10 - < 20             |



|                                   |  |   |                   |
|-----------------------------------|--|---|-------------------|
| propionic acid                    | 79-09-4<br>201-176-3<br>01-2119486971-24-XXXX  | 1; H318<br>Flam. Liq. 3; H226<br>Skin Corr. 1B; H314<br><hr/> specific concentration limit<br>Skin Corr. 1B; H314<br>>= 25 %<br>Skin Irrit. 2; H315<br>10 - < 25 %<br>Eye Irrit. 2; H319<br>10 - < 25 %<br>STOT SE 3; H335<br>>= 10 % | >= 3 - < 5        |
| octamethylcyclotetrasiloxane [D4] | 556-67-2<br>209-136-7<br>01-2119529238-36-XXXX | Flam. Liq. 3; H226<br>Repr. 2; H361f<br>Aquatic Chronic 1; H410<br><hr/> M-Factor (Chronic aquatic toxicity): 10  | >= 0,025 - < 0,25 |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Keep eye wide open while rinsing.
- If swallowed : Do not induce vomiting without medical advice.  
Rinse mouth with water.  
Do not give milk or alcoholic beverages.



Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Excessive lachrymation  
See Section 11 for more detailed information on health effects and symptoms.

Risks : No known significant effects or hazards.  
Causes serious eye damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry powder

Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Water spray jet

Water

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : No hazardous combustion products are known

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Use water spray to cool unopened containers.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Remove all sources of ignition.  
Deny access to unprotected persons.  
Beware of vapours accumulating to form explosive concentra-



tions. Vapours can accumulate in low areas.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharge.  
Open drum carefully as content may be under pressure.  
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).  
Follow standard hygiene measures when handling chemical products

Advice on protection against fire and explosion : Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.

Further information on storage : No decomposition if stored and applied as directed.



age stability

### 7.3 Specific end use(s)

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components                      | CAS-No. | Value type (Form of exposure) | Control parameters * | Basis *    |
|---------------------------------|---------|-------------------------------|----------------------|------------|
| propionic acid                  | 79-09-4 | TWA                           | 10 ppm<br>31 mg/m3   | 2000/39/EC |
| Further information: Indicative |         |                               |                      |            |
|                                 |         | STEL                          | 20 ppm<br>62 mg/m3   | 2000/39/EC |
|                                 |         | NDS                           | 30 mg/m3             | PL OEL     |
|                                 |         | NDSch                         | 45 mg/m3             | PL OEL     |

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### Occupational exposure limits of decomposition products

| Components   | CAS-No. | Value type (Form of exposure) | Control parameters * | Basis *    |
|--|---------|-------------------------------|----------------------|------------|
| methanol   | 67-56-1 | TWA                           | 200 ppm<br>260 mg/m3 | 2006/15/EC |
| Further information: Indicative, Identifies the possibility of significant uptake through the skin |         |                               |                      |            |
|  |         | NDS                           | 100 mg/m3            | PL OEL     |
| Further information: Skin  |         |                               |                      |            |
|  |         | NDSch                         | 300 mg/m3            | PL OEL     |

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards.  
 Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166  
 Eye wash bottle with pure water

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.

Suitable for short time use or protection against splashes:



Butyl rubber/nitrile rubber gloves (> 0,1 mm)  
Contaminated gloves should be removed.  
Suitable for permanent exposure:  
Viton gloves (0.4 mm),  
breakthrough time >30 min.

Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.  
organic vapor filter (Type A)  
A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm  
Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

#### Environmental exposure controls

General advice : Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid  
Colour : yellow  
Odour : slight  
Melting point/range / Freezing point : No data available  
Boiling point/boiling range : No data available  
Flammability (solid, gas) : No data available

#### Upper/lower flammability or explosive limits

Upper explosion limit / Up- : No data available



per flammability limit

Lower explosion limit /  
Lower flammability limit : No data available

Flash point : ca. 25 °C  
Method: closed cup

Auto-ignition temperature : 265 °C

No data available

Decomposition temperature : No data available

pH : ca. 5,5 (20 °C)  
Concentration: 100 %

**Viscosity**

Viscosity, dynamic : 1 - 10 mPa.s (25 °C)

Viscosity, kinematic : < 20 mm<sup>2</sup>/s (40 °C)

**Solubility(ies)**

Water solubility : soluble

Partition coefficient: n-  
octanol/water : No data available

Vapour pressure : 0,01 hPa

Density : ca. 0,9 g/cm<sup>3</sup> (25 °C)

Relative vapour density : No data available

Particle characteristics : No data available

**9.2 Other information**

No data available





---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

:  
No decomposition if stored and applied as directed.  
Possible decomposition products in case of hydrolysis are:  
ethanol

Hazardous decomposition products : methanol

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **Polydimethylsiloxane(methoxy-terminated):**

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg

##### **octamethylcyclotetrasiloxane [D4]:**

Acute inhalation toxicity : LC50 (Rat): 36 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour



**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Product:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Corrosive

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



---

## SECTION 12: Ecological information

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB)..

#### Components:

##### **octamethylcyclotetrasiloxane [D4]:**

Assessment : PBT substance.  
: vPvB substance.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

#### **Global warming potential**

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)



**Components:**

**octamethylcyclotetrasiloxane [D4]:**

20-year global warming potential: 2,66  
100-year global warming potential: 0,739  
500-year global warming potential: 0,211  
Atmospheric lifetime: 0,027 yr  
Radiative efficiency: 0,12 Wm<sup>2</sup>ppb  
Further information: Miscellaneous compounds

---

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

- Product : The generation of waste should be avoided or minimized wherever possible.  
Empty containers or liners may retain some product residues.  
This material and its container must be disposed of in a safe way.  
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.  
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.  
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
- European Waste Catalogue : 08 01 11\* waste paint and varnish containing organic solvents or other dangerous substances
- Contaminated packaging : 15 01 10\* packaging containing residues of or contaminated by dangerous substances

---

**SECTION 14: Transport information**

**14.1 UN number or ID number**

- ADR : UN 1993  
IMDG : UN 1993  
IATA : UN 1993

**14.2 UN proper shipping name**

- ADR : FLAMMABLE LIQUID, N.O.S.  
(polydimethylsiloxane)  
IMDG : FLAMMABLE LIQUID, N.O.S.  
(polydimethylsiloxane)  
IATA : Flammable liquid, n.o.s.  
(polydimethylsiloxane)

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006  
**Sikagard®-702 W Aquaphob**



Revision Date: 08.03.2023  
Date of last issue: 04.10.2022

Version 3.0

Print Date 10.03.2023

### 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADR</b>  | : 3   |                  |
| <b>IMDG</b> | : 3   |                  |
| <b>IATA</b> | : 3   |                  |

### 14.4 Packing group

|                                      |                     |
|--------------------------------------|---------------------|
| <b>ADR</b>                           |                     |
| Packing group                        | : III               |
| Classification Code                  | : F1                |
| Hazard Identification Number         | : 30                |
| Labels                               | : 3                 |
| Tunnel restriction code              | : (D/E)             |
| <b>IMDG</b>                          |                     |
| Packing group                        | : III               |
| Labels                               | : 3                 |
| EmS Code                             | : F-E, S-E          |
| <b>IATA (Cargo)</b>                  |                     |
| Packing instruction (cargo aircraft) | : 366               |
| Packing instruction (LQ)             | : Y344              |
| Packing group                        | : III               |
| Labels                               | : Flammable Liquids |
| <b>IATA (Passenger)</b>              |                     |
| Packing group                        | : III               |
| Labels                               | : Flammable Liquids |

### 14.5 Environmental hazards

|                           |      |
|---------------------------|------|
| <b>ADR</b>                |      |
| Environmentally hazardous | : no |
| <b>IMDG</b>               |      |
| Marine pollutant          | : no |
| <b>IATA (Passenger)</b>   |      |
| Environmentally hazardous | : no |
| <b>IATA (Cargo)</b>       |      |
| Environmentally hazardous | : no |

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 3

octamethylcyclotetrasiloxane [D4]  
(Number on list 70)

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : octamethylcyclotetrasiloxane [D4]

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH Information: All substances contained in our Products are  
- registered by our upstream suppliers, and/or  
- registered by us, and/or  
- excluded from the regulation, and/or  
- exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV)  
Volatile organic compounds (VOC) content: < 0,01% w/w  
no VOC duties

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
**Sikagard®-702 W Aquaphob**



Revision Date: 08.03.2023  
Date of last issue: 04.10.2022

Version 3.0

Print Date 10.03.2023

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: < 0,01% w/w

**Other regulations:**

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019,



item 769).

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

---

## SECTION 16: Other information

### Full text of H-Statements

|       |   |   |
|-------|---|---|
| H226  | : | Flammable liquid and vapour.                          |
| H314  | : | Causes severe skin burns and eye damage.              |
| H315  | : | Causes skin irritation.                               |
| H318  | : | Causes serious eye damage.                            |
| H361f | : | Suspected of damaging fertility.                      |
| H410  | : | Very toxic to aquatic life with long lasting effects. |

### Full text of other abbreviations

|                   |   |   |
|-------------------|---|---|
| Aquatic Chronic   | : | Long-term (chronic) aquatic hazard  |
| Eye Dam.          | : | Serious eye damage  |
| Flam. Liq.        | : | Flammable liquids   |
| Repr.             | : | Reproductive toxicity   |
| Skin Corr.        | : | Skin corrosion  |
| Skin Irrit.       | : | Skin irritation   |
| 2000/39/EC        | : | Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values                    |
| 2006/15/EC        | : | Europe. Indicative occupational exposure limit values   |
| PL OEL            | : | Poland. Occupational exposure limits for airborne toxic substances  |
| 2000/39/EC / TWA  | : | Limit Value - eight hours   |
| 2000/39/EC / STEL | : | Short term exposure limit   |
| 2006/15/EC / TWA  | : | Limit Value - eight hours   |
| PL OEL / NDS      | : | Maximal Admissible Concentration  |
| PL OEL / NDSch    | : | Maximal Admissible Temporary Concentration  |
| ADR               | : | European Agreement concerning the International Carriage of Dangerous Goods by Road   |
| CAS               | : | Chemical Abstracts Service  |
| DNEL              | : | Derived no-effect level   |
| EC50              | : | Half maximal effective concentration  |
| GHS               | : | Globally Harmonized System  |
| IATA              | : | International Air Transport Association   |
| IMDG              | : | International Maritime Code for Dangerous Goods   |
| LD50              | : | Median lethal dose (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) |
| LC50              | : | Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)  |
| MARPOL            | : | International Convention for the Prevention of Pollution from   |





|       |  |
|-------|--|
|       | Ships, 1973 as modified by the Protocol of 1978  |
| OEL   | : Occupational Exposure Limit  |
| PBT   | : Persistent, bioaccumulative and toxic  |
| PNEC  | : Predicted no effect concentration  |
| REACH | : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency |
| SVHC  | : Substances of Very High Concern  |
| vPvB  | : Very persistent and very bioaccumulative   |

**Further information**

**Classification of the mixture:**

|                   |      |
|-------------------|------|
| Flam. Liq. 3      | H226 |
| Eye Dam. 1        | H318 |
| Aquatic Chronic 3 | H412 |

**Classification procedure:**

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Based on product data or assessment |
| Calculation method                  |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

|| Changes as compared to previous version !

PL / EN