Revision Date: 08.03.2023 Date of last issue: 31.08.2022 Version 1.1

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

SikaTack<sup>®</sup> MOVE IT

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

#### 1.4 Emergency telephone number

112

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Respiratory sensitisation, Category 1

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

.

Lazard nictograms

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary statements	:	<b>Prevention:</b> P261 P284	Avoid breathing mist or vapours. In case of inadequate ventilation wear respir- atory protection.

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaTack<sup>®</sup> MOVE IT

Revision Date: 08.03.2023 Date of last issue: 31.08.2022

Version 1.1



Response:	
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

#### Hazardous components which must be listed on the label:

4,4'-methylenediphenyl diisocyanateHexamethylene-1,6-diisocyanate homopolymer3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate

#### **Additional Labelling**

"As from 24 August 2023 adequate training is required before industrial or professional use."

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SikaTack® MOVE IT

Revision Date: 08.03.2023 Date of last issue: 31.08.2022



Version 1.1

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 $\longrightarrow$ specific concentration limit Eye Irrit. 2; H319 >= 5 % STOT SE 3; H335 >= 5 % Skin Irrit. 2; H315 >= 5 % Resp. Sens. 1; H334 >= 0,1 %	>= 0,1 - < 1
		Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	
Hexamethylene-1,6-diisocyanate homopolymer Contains: hexamethylene-di-isocyanate <= 0,3 %	28182-81-2 931-274-8 01-2119485796-17- XXXX	Acute Tox. 4; H332 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	< 1

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## SikaTack® MOVE IT

Revision Date: 08.03.2023 Date of last issue: 31.08.2022





3-isocyanatomethyl-3,5,5- trimethylcyclohexyl isocyanate	4098-71-9 223-861-6 01-2119490408-31- XXXX	Acute Tox. 1; H330 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 2; H411	>= 0,025 - < 0,25
		specific concentration limit Resp. Sens. 1; H334 >= 0,5 % Skin Sens. 1; H317 >= 0,5 %	
		Acute toxicity esti- mate	
		Acute inhalation tox- icity (dust/mist): 0,031 mg/l	
Substances with a workplace exp	osure limit :	· · ·	
bis(2-ethylhexyl) adipate	103-23-1 203-090-1 01-2119439699-19- XXXX		>= 10 - < 20
For explanation of abbreviations		1	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	С	Nove out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled		love to fresh air. Consult a physician after significant exposure.
In case of skin contact	V	Take off contaminated clothing and shoes immediately. Vash off with soap and plenty of water. T symptoms persist, call a physician.
In case of eye contact	K	Remove contact lenses. Keep eye wide open while rinsing. Feye irritation persists, consult a specialist.
If swallowed	: D	o not induce vomiting without medical advice.

<b>Jika</b> ®
Print Date 10.03.2023

Revision Date: 08.03.2023 Date of last issue: 31.08.2022 Version 1.1

	Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms :	Asthmatic appearance Allergic reactions See Section 11 for more detailed information on health effects and symptoms.

Risks	:	sensitising effects
		May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.

4.3 Indication of any immediate m	ned	ical attention and special treatment needed
Treatment	:	Treat symptomatically.

#### **SECTION 5: Firefighting measures**

5.1	Extinguishing media			
	Suitable extinguishing media :		In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.	
5.2	Special hazards arising from th	ne	substance or mixture	
	Hazardous combustion prod- : ucts		No hazardous combustion products are known	

#### 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.		
6.2 Environmental precautions				

Environmental precautions : Do not flush into surface water or sanitary sewer system.



Revision Date: 08.03.2023 Date of last issue: 31.08.2022 Version 1.1

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage,	incl	luding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any

#### **SECTION 8: Exposure controls/personal protection**

use.

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

# Print Date 10.03.2023

Revision Date: 08.03.2023 Date of last issue: 31.08.2022

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
bis(2-ethylhexyl) adipate	103-23-1	NDS	400 mg/m3	PL OEL
4,4'-methylenediphenyl diisocyanate	101-68-8	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
Hexamethylene-1,6-diisocyanate homo- polymer	28182-81-2	NDS	0,04 mg/m3	PL OEL
	Further inform	ation: Skin		
		NDSch	0,08 mg/m3	PL OEL
3-isocyanatomethyl-3,5,5- trimethylcyclohexyl isocyanate	4098-71-9	NDS	0,04 mg/m3	PL OEL

Version 1.1

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	ent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent

<b>Jika</b> ®
Print Date 10.03.2023

Revision Date: 08.03.2023 Date of last issue: 31.08.2022 Version 1.1

to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

#### Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour		liquid paste black
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	nvد	losive limits
Upper explosion limit / Up- per flammability limit		
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	ca. 200 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaTack® MOVE IT

## SikaTack<sup>®</sup> MOVE IT

Print Date 10.03.2023

Revision Date: 08.03.2023
Date of last issue: 31.08.2022

Version 1.1

Solubility(ies) Water solubility	: insoluble
Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: 0,01 hPa
Density	: ca. 1,22 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

#### 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid :		No data available
-----------------------	--	-------------------

#### **10.5 Incompatible materials**

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

Revision Date: 08.03.2023 Date of last issue: 31.08.2022 Version 1.1



#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### **Components:**

# 4,4'-methylenediphenyl diisocyanate: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method

#### Hexamethylene-1,6-diisocyanate homopolymer:

Acute oral toxicity	:	LD50 Oral (Rat): > 2.500 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg
3-isocyanatomethyl-3,5,5-tri	me	thylcyclohexyl isocyanate:
Acute oral toxicity		
	:	LD50 Oral (Rat): 4.814 mg/kg
Acute inhalation toxicity	:	LD50 Oral (Rat): 4.814 mg/kg LC50 (Rat): 0,031 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0,031 mg/l Test atmosphere: dust/mist Method: Calculation method

#### bis(2-ethylhexyl) adipate:

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaTack® MOVE IT

# SikaTack<sup>®</sup> MOVE IT



Revision Date: 08.03.2023 Date of last issue: 31.08.2022	Version 1.1	Print Date 10.03.202				
Acute oral toxicity :	LD50 Oral (Rat): > 5.000 mg/kg					
Acute inhalation toxicity :	LC50 (Rat): > 5,7 mg/l Exposure time: 4 h Test atmosphere: dust/mist					
Skin corrosion/irritation Not classified based on available	e information.					
Serious eye damage/eye irritat Not classified based on available						
Respiratory or skin sensitisati	on					
Skin sensitisation Not classified based on available	e information.					
<b>Respiratory sensitisation</b> May cause allergy or asthma syr	<b>Respiratory sensitisation</b> May cause allergy or asthma symptoms or breathing difficulties if inhaled.					
Germ cell mutagenicity Not classified based on available	Germ cell mutagenicity Not classified based on available information.					
<b>Carcinogenicity</b> Not classified based on available	e information.					
<b>Reproductive toxicity</b> Not classified based on available information.						
<b>STOT - single exposure</b> Not classified based on available information.						
STOT - repeated exposure	STOT - repeated exposure					
Not classified based on available	e information.					
Aspiration toxicity Not classified based on available	e information.					
11.2 Information on other hazards						
Endocrine disrupting propertie	es					
Product:						
Assessment :	The substance/mixture does not contain comporered to have endocrine disrupting properties ac REACH Article 57(f) or Commission Delegated (EU) 2017/2100 or Commission Regulation (EU) levels of 0.1% or higher.	cording to regulation				

Revision Date: 08.03.2023 Date of last issue: 31.08.2022 Version 1.1



#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### bis(2-ethylhexyl) adipate:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus quadricauda (Green algae)): > 500 mg/l Exposure time: 72 h

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

Product:					
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.			
12.7 Other adverse effects					
Product: Additional ecological infor- mation	:	There is no data available for this product.			

#### **SECTION 13: Disposal considerations**

÷

#### 13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## SikaTack<sup>®</sup> MOVE IT

Revision Date: 08.03.2023 Date of last issue: 31.08.2022



Version 1.1

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.2 UN proper shipping name						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.3 Transport hazard class(es)						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.4 Packing group						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
IATA (Cargo)	:	Not regulated as a dangerous good				
IATA (Passenger)	:	Not regulated as a dangerous good				
14.5 Environmental hazards						
Not regulated as a dangerous good						

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Revision Date: 08.03.2023 Date of last issue: 31.08.2022 Version 1.1

#### **SECTION 15: Regulatory information**

RE the	fety, health and environment ACH - Restrictions on the man market and use of certain dan parations and articles (Annex 2	specific for the substance or mixture Conditions of restriction for the fol- lowing entries should be considered: 1,2-Benzenedicarboxylic acid, di-C9- 11-branched alkyl esters, C10-rich (Number on list 52)		
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		:	None of the components are listed (=> 0.1 %).
	REACH - List of substances subject to authorisation (Annex XIV)			Not applicable
RE	ACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Vol	atile organic compounds :	Law on the incentive tax (VOCV) no VOC duties	x fc	or volatile organic compounds

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaTack<sup>®</sup> MOVE IT

Version 1.1



Revision Date: 08.03.2023 Date of last issue: 31.08.2022

93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. 2005 Nr. 259, item 2173 with later amendments).

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450 with later amendments).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## SikaTack® MOVE IT

Revision Date: 08.03.2023 Date of last issue: 31.08.2022

#### Version 1.1



#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

Full text of H-Statements	
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H330 :	Fatal if inhaled.
H332 :	Harmful if inhaled.
H334 :	May cause allergy or asthma symptoms or breathing difficul-
	ties if inhaled.
H335 :	May cause respiratory irritation.
H351 :	Suspected of causing cancer.
H373 :	May cause damage to organs through prolonged or repeated
	exposure if inhaled.
H411 :	Toxic to aquatic life with long lasting effects.
Full text of other abbreviation	
Acute Tox.	
	Acute toxicity
Aquatic Chronic : Carc.	Long-term (chronic) aquatic hazard
	Carcinogenicity
Eye Irrit. Resp. Sens.	Eye irritation
Skin Irrit.	Respiratory sensitisation Skin irritation
Skin Sens.	Skin sensitisation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
PL OEL	Poland. Occupational exposure limits for airborne toxic sub-
TE OLL .	stances
PL OEL / NDS	Maximal Admissible Concentration
PL OEL / NDSch	Maximal Admissible Temporary Concentration
ADR	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic



Revision Date: 08.03.2023 Date of last issue: 31.08.2022	Version 1.1	Print Date 10.03.20			
PNEC	: Predicted no effect concentration				
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency				
SVHC	Substances of Very High Concern				
vPvB	Very persistent and very bioaccumulative				
Further information					
Classification of the mixture	: Classification	procedure:			
Resp. Sens. 1	H334 Calculation met	thod			

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN