Sikagard[®]-385 EpoCem[®] Part C



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikagard[®]-385 EpoCem[®] Part C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Epoxy-Cementitious system, Primer, Product is not intended for consumer use, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name	of supplier	:	Sika Poland Spółka z o.o.
			Karczunkowska 89
			02-871 Warszawa
Telephone		:	+48 22 27 28 700
Telefax		:	+48 22 27 28 800
E-mail address of	of person	:	EHS@pl.sika.com
responsible for t	he SDS		-

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)							
Skin irritation, Category 2	H315: Causes skin irritation.						
Serious eye damage, Category 1	H318: Causes serious eye damage.						
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.						

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L R			
Signal word	:	Danger			
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-385 EpoCem[®] Part C



Revision Date: 30.01.2025 Date of last issue: -	Ve	ersion 1.0	Print Date 30.01.2025
	H335 May	cause respiratory irritation.	
Precautionary statements :	Prevention:		
	P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after han Wear protective gloves/ eye pro protection.	0
	Response:		
	P304 + P340 + F	2312 IF INHALED: Remove pe air and keep comfortable for bre POISON CENTER/ doctor if yo	eathing. Call a
	P305 + P351 + F	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Storage:		
	P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Sikagard[®]-385 EpoCem[®] Part C

Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace exp	osure limit :		
calcium carbonate	471-34-1		>= 60 - < 80
	207-439-9		
	01-2119486795-18-		
	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Cough

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard®-385 EpoCem® Part C



Revision Date: 30.01.2025 Date of last issue: -	Version 1.0	Print Date 30.01.202
	Respiratory disorder Excessive lachrymation	
	Erythema Dermatitis	
	See Section 11 for more detailed infor and symptoms.	rmation on health effects
Risks	: Causes skin irritation.	
	Causes serious eye damage.	
	May cause respiratory irritation.	
	irritant effects	
4.3 Indication of any immediate	medical attention and special treatment	needed
Treatment	: Treat symptomatically.	
Treatment		
•		
Treatment SECTION 5: Firefighting mea		
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media	sures	water jet/carbon diox-
Treatment SECTION 5: Firefighting mea	sures	
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media	sures : In case of fire, use water/water spray/ ide/sand/foam/alcohol resistant foam/ extinction.	
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	sures : In case of fire, use water/water spray/ ide/sand/foam/alcohol resistant foam/ extinction.	chemical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod-	sures In case of fire, use water/water spray/ ide/sand/foam/alcohol resistant foam/ extinction. the substance or mixture	chemical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters	sures In case of fire, use water/water spray/ ide/sand/foam/alcohol resistant foam/ extinction. the substance or mixture	chemical powder for re known

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Avoid breathing dust.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	 Try to prevent the material from entering drains or water courses. No special environmental precautions required.
	No special environmental precaditoris required.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-385 EpoCem[®] Part C



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling :	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures :	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	clı	uding any incompatibilities
	Requirements for storage : areas and containers	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
	Further information on stor- : age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s) :	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components

CAS-No. Value type (Form Control parame- Basis *

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikagard®-385 EpoCem® Part C

Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

		of exposure)	ters *	
calcium carbonate	471-34-1	NDS (inhalable fraction)	10 mg/m3	PL OEL
Cement (chromium reduced)	65997-15-1	NDS (inhalable fraction)	6 mg/m3	PL OEL
		NDS (respirable fraction)	2 mg/m3	PL OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	t i i i i i i i i i i i i i i i i i i i
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure contr	ols

Environmental exposure controls

General advice	: Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.

Sikagard®-385 EpoCem® Part C



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information on	h basic physical	l an	d chemical propertie
Physical state Appearance Colour		: : :	solid powder light grey
Odour		:	odourless
Melting point/ ing point	range / Freez-	:	No data available
Boiling point/b	oiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lewer f	lommobility or	<u></u>	locivo limito
	lammability or	-	No data available
per flamma		•	NO Gala avaliable
	osion limit / mability limit	:	No data available
Flash point		:	Not applicable
Auto-ignition te	emperature	:	No data available
Decompositior	n temperature	:	No data available
рН		:	> 11 Concentration: 50 %
Viscosity			
Viscosity, d	lynamic	:	Not applicable
Viscosity, k	inematic	:	Not applicable
Solubility(ies)			
Water solul			No data available
		•	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard®-385 EpoCem® Part C



Revision Date: 30.01.2025 Date of last issue: -	Version 1.0	Print Date 30.01.2025
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: ca. 0,9 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikagard[®]-385 EpoCem[®] Part C



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	
7222222111011	

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should
	at all times comply with the requirements of environmental

Sikagard®-385 EpoCem® Part C



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

Sikagard®-385 EpoCem® Part C



vision Date: 30.01.2025 te of last issue: -	Version	1.0	Print Date 30.01.2025
REACH Information:	All substances contai - registered by our up - registered by us, an - excluded from the re - exempted from the re	stream suppliers, d/or egulation, and/or	
REACH - Restrictions on the r the market and use of certain mixtures and articles (Annex)	dangerous substances,	lowing entrie	of restriction for the fol- es should be considered: list 47: Cement (chromi-)
REACH - Candidate List of Su Concern for Authorisation (Art	, ,	: None of the (=> 0.1 %).	components are listed
REACH - List of substances s (Annex XIV)	ubject to authorisation	: Not applicat	ble
Regulation (EC) on substance layer	es that deplete the ozone	: Not applicat	ble
Regulation (EU) 2019/1021 or tants (recast)	n persistent organic pollu-	: Not applicat	ble
Regulation (EU) No 649/2012 ment and the Council concern of dangerous chemicals		: Not applicat	ble
Seveso III: Directive 2012/18/ jor-accident hazards involving		ment and of the C	ouncil on the control of ma-
Volatile organic compounds	: Law on the incentive (VOCV) no VOC duties	tax for volatile org	anic compounds
	Directive 2010/75/EU emissions (integrated Not applicable		

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)



Revision Date: 30.01.2025 Date of last issue: -

Sikagard[®]-385 EpoCem[®] Part C

Version 1.0

Print Date 30.01.2025

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on

Sikagard[®]-385 EpoCem[®] Part C



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

Full lext of H-Statements		
H315	:	Causes skin irritation.
H318	•	Causes serious eye damage.
H335		May cause respiratory irritation.
	•	
Full text of other abbreviation	ns	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
PL OEL	:	Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentra- tions and levels of the agents harmful for health in the work- place (Dz.U 2018 pos 1286, with later amendments)
PL OEL / NDS	:	Maximal Admissible Concentration
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	÷	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information



Sikagard[®]-385 EpoCem[®] Part C

Revision Date: 30.01.2025 Date of last issue: -		Version 1.0	Print Date 30.01.2025	
Classification of the	e mixture:	Classificatio	n procedure:	
Skin Irrit. 2	H315	Calculation method		
Eye Dam. 1	H318	Calculation m	nethod	
STOT SE 3	H335	Calculation m	nethod	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN