

Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.12.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaEmaco<sup>®</sup> P 5000 AP

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Corrosion protection

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

#### 1.4 Emergency telephone number

112

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L B	
Signal word	:	Danger	
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaEmaco<sup>®</sup> P 5000 AP



Revision Date: 09.07.2024 Version 1.0 Print Date 09.12.2024 Date of last issue: -If medical advice is needed, have product P101 Precautionary statements : container or label at hand. Keep out of reach of children. P102 Prevention: P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection. **Response:** P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Disposal: P501 Dispose of contents/container in accordance with local regulation.

#### Hazardous components which must be listed on the label:

Cement (chromium reduced)

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.12.2024

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

## Components

oomponents			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		· · · ·
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expe	osure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

G	eneral advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
lf	inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In	case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In	case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
lf	swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Mc	ost important symptoms an	d e	ffects, both acute and delayed
S	ymptoms	:	Cough Respiratory disorder

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaEmaco<sup>®</sup> P 5000 AP



Revision Date: 09.07.2024 Date of last issue: -		Version 1.0	Print Date 09.12.202
		Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms.	on health effects
Risks	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
		irritant effects	
<b>4.3 Indication of any immediate</b> Treatment	me :	dical attention and special treatment needed Treat symptomatically.	d
SECTION 5: Firefighting mea	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemic extinction.	
5.2 Special hazards arising from	th	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	'n
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breat	hing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	se	measures	
6.1 Personal precautions protec	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
		Try to prevent the material from entering drai	ns or water

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and arrange disposal without creating dust.
-------------------------	---	---

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaEmaco<sup>®</sup> P 5000 AP



Revision Date: 09.07.2024 Date of last issue: -

Version 1.0

Print Date 09.12.2024

Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	NDS (respirable fraction)	1 mg/m3	PL OEL
	Further information: Respirable fraction - the fraction of aerosol that penetrates into the respiratory tract, which poses a threat to			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SikaEmaco<sup>®</sup> P 5000 AP

Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.12.2024

		the health of the deposit in the area of gas exchange, determined in accordance with standard PN-EN 481.			
		NDS (inhalable fraction)	2 mg/m3	PL OEL	
	penetrating the the respirator	Further information: Inhalable fraction - the fraction of aerosol penetrating through the nose and mouth, which after deposit in the respiratory tract poses a threat to health, determined in accordance with standard PN-EN 481.         NDS (respirable fraction)       0,1 mg/m3 (Silica)			
Cement (chromium reduced)	65997-15-1	NDS (inhalable fraction)	6 mg/m3	PL OEL	
		NDS (respirable fraction)	2 mg/m3	PL OEL	

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

## 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

## **Environmental exposure controls**

SikaEmaco<sup>®</sup> P 5000 AP



Revision Date: 09.07.2024 Date of last issue: -	Version 1.0	Print Date 09.12.2024
General advice	General advice : Try to prevent the material from entering drains of courses. No special environmental precautions required.	
SECTION 9: Physical and c	hemical properties	

#### 9.1 Information on basic physical and chemical properties Physical state : solid Appearance Amorphous powder 2 Colour 2 beige Odour odourless ÷ Melting point/ range / Freez-No data available : ing point Boiling point/boiling range No data available • Flammability (solid, gas) : No data available Upper/lower flammability or explosive limits Upper explosion limit / Up- : No data available per flammability limit Lower explosion limit / No data available : Lower flammability limit Flash point Not applicable : Auto-ignition temperature No data available Decomposition temperature No data available : pН : > 11 Concentration: 50 % Viscosity Viscosity, dynamic Not applicable :

Viscosity, kinematic : Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaEmaco<sup>®</sup> P 5000 AP



Revision Date: 09.07.2024 Date of last issue: -	Version 1.0	Print Date 09.12.2024
<b>Solubility(ies)</b> Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: ca. 1,8 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### **10.2 Chemical stability**

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : N	No hazards to be specially mentioned.
-------------------------	---------------------------------------

## 10.4 Conditions to avoid

Conditions to avoid : No data available

## 10.5 Incompatible materials

Materials to avoid : No data available

## **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.



Revision Date: 09.07.2024 Date of last issue: -

SAFETY DATA SHEET

Version 1.0

Print Date 09.12.2024

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

Not classified due to lack of data.

## Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

## Skin sensitisation

Not classified due to lack of data.

## **Respiratory sensitisation**

Not classified due to lack of data.

## Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

## STOT - single exposure

May cause respiratory irritation.

## STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

## 11.2 Information on other hazards

## Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental		
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental		wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed
		Disposal of this product, solutions and any by-products should
	Country DL 00000720100	10

# Revision Date: 09.07.2024

**SECTION 12: Ecological information** 

12.2 Persistence and degradability

12.3 Bioaccumulative potential No data available

Date of last issue: -

No data available

No data available

12.4 Mobility in soil No data available

> Product: Assessment

12.1 Toxicity

Version 1.0

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

Print Date 09.12.2024

#### Product: The substance/mixture does not contain components consid Accoment

12.6 Endocrine disrupting properties

12.5 Results of PBT and vPvB assessment

Assessment	The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

0.1% or higher...

## 12.7 Other adverse effects

## Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



# SikaEmaco<sup>®</sup> P 5000 AP



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.12.2024

protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 International Chemical Weapons Convention (CWC) : Not applicable
 Schedules of Toxic Chemicals and Precursors

SikaEmaco<sup>®</sup> P 5000 AP



Revision Date: 09.07.2024 Date of last issue: -	Version	1.0		Print Date 09.12.2024
REACH Information:	All substances contai - registered by our up - registered by us, an - excluded from the re - exempted from the r	ostrea d/or egula	am suppliers, and/or ation, and/or	
REACH - Restrictions on the m the market and use of certain d mixtures and articles (Annex X	angerous substances,	:	Not applicable	
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			nents are listed
REACH - List of substances su (Annex XIV)	REACH - List of substances subject to authorisation (Annex XIV)		Not applicable	
Regulation (EC) on substances layer	that deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 c ment and the Council concernin of dangerous chemicals		:	Not applicable	
Seveso III: Directive 2012/18/E jor-accident hazards involving c		men	t and of the Council o	n the control of ma-
Volatile organic compounds	: Law on the incentive (VOCV) no VOC duties	tax f	or volatile organic con	npounds
			4 November 2010 on ution prevention and o	
Other regulations:				

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)





Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.12.2024

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaEmaco<sup>®</sup> P 5000 AP



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.12.2024

personal protective equipment and repealing Council Directive 89/686/EEC

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

#### Full text of H-Statements

Full lext of H-Statements		
H315	:	Causes skin irritation.
H318	÷	Causes serious eye damage.
H335		May cause respiratory irritation.
1000	•	
Full text of other abbreviatio	ns	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
PL OEL	:	Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentra- tions and levels of the agents harmful for health in the work- place (Dz.U 2018 pos 1286, with later amendments)
PL OEL / NDS	:	Maximal Admissible Concentration
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative
		•

## **Further information**

# SikaEmaco<sup>®</sup> P 5000 AP



 Revision Date: 09.07.2024
 Version 1.0
 Print Date 09.12.2024

 Date of last issue: Classification procedure:

 Classification of the mixture:
 Classification procedure:

 Skin Irrit. 2
 H315
 Calculation method

 Eye Dam. 1
 H318
 Calculation method

 STOT SE 3
 H335
 Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN