

Version 1.0

Print Date 30.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SCHÖNOX[®] CON BODEN Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Joint mortar, Epoxy coating, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Danger



Revision Date: 30.01.2025 Date of last issue: -		١	/ersion 1.0	Print Date 30.01.2025
Hazard statements	:	H317 Ma	auses severe skin burns and eye o ay cause an allergic skin reaction. xic to aquatic life with long lasting	-
Precautionary statements	:	Prevention:		
		P273	Avoid release to the environme	ent.
		P280	Wear protective gloves/ protect	tive clothing/
			eye protection/ face protection.	
		Response:		
		P303 + P361 +	P353 IF ON SKIN (or hair): Tal ately all contaminated clothing. with water.	
		P304 + P340 +	P310 IF INHALED: Remove per air and keep comfortable for br mediately call a POISON CEN	eathing. Im-
		P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	se cautiously Remove con- ⁄ to do. Con-
		P391	Collect spillage.	

Hazardous components which must be listed on the label:

Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine

3,6,9-triazaundecamethylenediamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Fatty acids, C18-unsatd., dimers, reaction products with polyeth- ylenepolyamines	68410-23-1 614-452-7	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 40 - < 60
4,4'-Isopropylidenediphenol, oli- gomeric reaction products with 1- chloro-2,3-epoxypropane, reaction products with 3-aminomethyl- 3,5,5-trimethylcyclohexylamine	38294-64-3 500-101-4 01-2119965165-33- XXXX	Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Chronic 3; H412	>= 20 - < 25
benzyl alcohol	100-51-6 202-859-9 01-2119492630-38- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Acute toxicity esti- mate Acute oral toxicity: 1.200 mg/kg	>= 20 - < 25
3,6,9- triazaundecamethylenediamine	112-57-2 203-986-2 01-2119487290-37- XXXX (covered by CAS 90640-66-7)	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 2; H411 Acute toxicity esti- mate Acute oral toxicity: 1.716,2 mg/kg Acute dermal toxicity: 1.260 mg/kg	>= 5 - < 10

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCHÖNOX[®] CON BODEN Part B

vision Date: 30.01.2025 te of last issue: -	Version 1	Print Date 30.01.2025	
salicylic acid	69-72-7 200-712-3 01-2119486984-17- XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 Repr. 2; H361d Acute toxicity esti- mate Acute oral toxicity: 891 mg/kg	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	and effects, both acute and delayed
Symptoms	 Allergic reactions Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	: May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.
Country PL 10000057623	4 /



Revision Date: 30.01.2025 Date of last issue: -

Version 1.0

Print Date 30.01.2025

Health injuries may be delayed. corrosive effects sensitising effects

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
ITEauneni	. Iteat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

extinction.	id	n case of fire, use water/water spray/water jet/carbon diox- de/sand/foam/alcohol resistant foam/chemical powder for
-------------	----	---

5.2 Special hazards arising from the substance or mixture

	Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Use personal protective equipment. Deny access to unprotected persons. **6.2 Environmental precautions** Environmental precautions 2 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. 6.3 Methods and material for containment and cleaning up Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Country PL 10000057623



Version 1.0

Print Date 30.01.2025

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits



Revision Date: 30.01.2025

Version 1.0

Print Date 30.01.2025

Date of last issue: -

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
benzyl alcohol	100-51-6	NDS	240 mg/m3	PL OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

SCHÖNOX[®] CON BODEN Part B

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.



Version 1.0

Print Date 30.01.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

 Information on basic physical Physical state Colour	:	liquid (20 °C) light brown
Odour	:	amine-like
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	> 200 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	vn	losivo limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-		No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCHÖNOX[®] CON BODEN Part B

Revision Date: 30.01.2025 Date of last issue: -	Version 1.0	Print Date 30.01.2025
Vapour pressure	: 0,07 hPa	
Density	: ca. 1,02 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and r	eactivity	
10.1 Reactivity		
No dangerous reaction know	vn under conditions of normal use.	
10.2 Chemical stability		
The product is chemically st	able.	
10.3 Possibility of hazardous r	eactions	
Hazardaya reactiona	Ctable under recommended storage as	nditiono

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to	avoid
--------------------	-------

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

benzyl alcohol:

Acute oral toxicity : Acute toxicity estimate: 1.200 mg/kg

SCHÖNOX[®] CON BODEN Part B



Revision Date: 30.01.2025 Date of last issue: -		Version 1.0	Print Date 30.01.2025
		Method: Acute toxicity estimate according No. 1272/2008	g to Regulation (EC)
		LD50 Oral (Rat): 1.200 mg/kg	
3,6,9-triazaundecamethyle	enedia	nine:	
Acute oral toxicity	:	LD50 Oral (Rat): 1.716,2 mg/kg	
		Acute toxicity estimate: 1.716,2 mg/kg Method: Calculation method	
Acute dermal toxicity	:	LD50 Dermal (Rat): 1.260 mg/kg	
		Acute toxicity estimate: 1.260 mg/kg Method: Calculation method	
salicylic acid:			
Acute oral toxicity	:	LD50 Oral (Rat): 891 mg/kg	
		Acute toxicity estimate: 891 mg/kg Method: Calculation method	
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg	
Skin corrosion/irritation Causes severe burns.			
Serious eye damage/eye i Causes serious eye damage		n	
Respiratory or skin sensit	isatior	1	
Skin sensitisation May cause an allergic skin r	aactio		
Respiratory sensitisation		1.	
Not classified due to lack of	data.		
Germ cell mutagenicity Not classified due to lack of	data.		
Carcinogenicity			
Not classified due to lack of	data.		
Reproductive toxicity			
Not classified due to lack of	data.		
STOT - single exposure	dete		
Not classified due to lack of STOT - repeated exposure			
Not classified due to lack of			



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

	Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines:						
Toxicity to fish (Chronic tox- : icity)			LC50: 1 - 10 mg/l Exposure time: 96 d Species: Oncorhynchus mykiss (rainbow trout)				
	benzyl alcohol:						
	Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h				
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h				
12.2	2 Persistence and degradabili	ty					
	No data available						
12.3	Bioaccumulative potential						
	No data available						
12.4	I Mobility in soil						
	No data available						
12.	12.5 Results of PBT and vPvB assessment						
	Product:						
	Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.				



Version 1.0

Print Date 30.01.2025

12.6 Endocrine disrupting properties

Product:

Assessment

t	:	The substance/mixture does not contain components consid-
		ered to have endocrine disrupting properties according to
		REACH Article 57(f) or Commission Delegated regulation
		(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
		levels of 0.1% or higher.
		-

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized ÷ wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 2735
IMDG	:	UN 2735
ΙΑΤΑ	:	UN 2735
14.2 UN proper shipping name		
ADR	:	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3- aminomethyl-3,5,5, 3,6,9-triazaundecamethylenediamine)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SCHÖNOX[®] CON BODEN Part B



Revision Date: 30.01.2025 Date of last issue: -	Version 1.0			Print Date 30.01.2025
IMDG	:	POLYAMINES, LIQUID, ((4,4'-Isopropylidenediphe with 1-chloro-2,3-epoxypr aminomethyl-3,5,5, 3,6,9-	nol, oligomeric reaction propane, reaction products	s with 3-
ΙΑΤΑ	:	Polyamines, liquid, corrosive, n.o.s. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3- aminomethyl-3,5,5, 3,6,9-triazaundecamethylenediamine)		
14.3 Transport hazard class(es)				
		Class Su	bsidiary risks	
ADR	:	8	,	
IMDG	:	8		
ΙΑΤΑ	:	8		
14.4 Packing group				
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		III C7 80 8 (E)		
IMDG Packing group Labels EmS Code	:	III 8 F-A, S-B		
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels		856 Y841 III Corrosive		
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels		852 Y841 III Corrosive		
14.5 Environmental hazards				
ADR Environmentally hazardous	:	yes		
IMDG Marine pollutant	:	yes		
IATA (Passenger) Environmentally hazardous	:	yes		



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:		gulation, and/or		
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
			Number on list 75:	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).	
REACH - List of substance (Annex XIV)	s subject to authorisation	:	Not applicable	
Regulation (EC) on substa layer	nces that deplete the ozone	:	Not applicable	
Regulation (EU) 2019/102 ⁻ tants (recast)	l on persistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/20	12 of the European Parlia-	:	Not applicable	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SCHÖNOX[®] CON BODEN Part B



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

ment and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 21% w/w
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 21% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as



Version 1.0

Print Date 30.01.2025

amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.				
H312	:	Harmful in contact with skin.				
H314	:	Causes severe skin burns and eye damage.				
H315	:	Causes skin irritation.				
H317	:	May cause an allergic skin reaction.				
H318	:	Causes serious eye damage.				
H319	:	Causes serious eye irritation.				
H332	:	Harmful if inhaled.				
H361d	:	Suspected of damaging the unborn child.				
H411	:	Toxic to aquatic life with long lasting effects.				
H412	:	Harmful to aquatic life with long lasting effects.				
Full text of other abbreviations						
Acute Tox.	:	Acute toxicity				
Aquatic Chronic	:	Long-term (chronic) aquatic hazard				
Eye Dam.	:	Serious eye damage				
Eye Irrit.	:	Eye irritation				
Repr.	:	Reproductive toxicity				
Skin Corr.	:	Skin corrosion				
Skin Irrit.	:	Skin irritation				

SCHÖNOX[®] CON BODEN Part B



Revision Date: 30.01.2025 Date of last issue: -

Version 1.0

Skin Sens.	÷	Skin sensitisation
PL OEL		Ordinance of the Minister of Family, Labour and Social Policy
		of 12 June 2018 concerning the highest allowable concentra-
		tions and levels of the agents harmful for health in the work- place (Dz.U 2018 pos 1286, with later amendments)
PL OEL / NDS		Maximal Admissible Concentration
ADR	:	European Agreement concerning the International Carriage of
ADR	·	Dangerous Goods by Road
CAS		Chemical Abstracts Service
DNEL	÷	Derived no-effect level
EC50	÷	Half maximal effective concentration
GHS	÷	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	÷	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative
	•	very persistent and very biodecultulative

Further information

Classification of the	Classification procedure:	
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN



Version 1.0

Print Date 30.01.2025