## SikaPower<sup>®</sup>-4508



Revision Date: 22.03.2023 Date of last issue: - Version 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaPower®-4508

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Adhesive, For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

#### 1.4 Emergency telephone number

112

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H315 H317	Causes skin irritation. May cause an allergic skin reaction.

## SikaPower®-4508



Revision Date: 22.03.2023 Date of last issue: -	١	/ersion 1.0	Print Date 23.03.2
	H319 H412	Causes serious eye irritatior Harmful to aquatic life with life fects.	
Precautionary statements	: <b>Prevention:</b> P261 P264 P273 P280	Avoid breathing mist or vapo Wash skin thoroughly after I Avoid release to the environ Wear protective gloves/ eye protection.	nandling. ment.
	<b>Response:</b> P333 + P313 P337 + P313	If skin irritation or rash occu advice/ attention. If eye irritation persists: Get attention.	

#### Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane reaction product: bisphenol-A-(epichlorhydrin) and epoxy resin (number average molecular weight 700 - 1100) mequinol

#### Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Print Date 23.03.2023

Revision Date: 22.03.2023 Date of last issue: -

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 $\_$ specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	>= 10 - < 20
calcium oxide	1305-78-8 215-138-9 01-2119475325-36- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) 	>= 3 - < 5
Titanium dioxide (> 10 μm)	13463-67-7 236-675-5 01-2119489379-17- XXXX		>= 2,5 - < 5
reaction product: bisphenol-A- (epichlorhydrin) and epoxy resin (number average molecular weight 700 - 1100)	25068-38-6 Not Assigned	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317	>= 1 - < 2,5

Print Date 23.03.2023

Revision Date: 22.03.2023
Date of last issue: -

Version 1.0

mequinol	150-76-5 205-769-8 01-2119541813-40- XXXX	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Sens. 1; H317 Repr. 2; H361d Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute oral toxicity: 1.630 mg/kg	>= 0,25 - < 1
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119565113-46-	Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 0,025 - < 0,25
For evolution of obbreviation	XXXX	H410	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>
4.2 Most important symptom	s and effects, both acute and delayed
Symptoms	: Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.

## SikaPower<sup>®</sup>-4508

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaPower®-4508				
Revision Date: 22.03.2023 Date of last issue: -	Version 1.0	Print Date 23.03.2023		
Risks	: irritant effects sensitising effects			
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.			
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment	: Treat symptomatically.			

### **SECTION 5: Firefighting measures**

5.1	Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2	Special hazards arising from	the	substance or mixture
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
	Further information	:	Standard procedure for chemical fires.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures			
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.		
6.2 Environmental precautions			
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.		
6.3 Methods and material for contai	nment and cleaning up		
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.		
6.4 Reference to other sections			

For personal protection see section 8.

Print Date 23.03.2023

Revision Date: 22.03.2023 Date of last issue: -

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
calcium oxide	1305-78-8	TWA (Respirable fraction)	1 mg/m3	2017/164/EU	
	Further information: Indicative				
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU	
		NDS (inhalable	2 mg/m3	PL OEL	

## SikaPower®-4508



Revision Date: 22.03.2023 Date of last issue: -

		fraction)	ĺ			
	Further inform	ation: Inhalable frac	tion - the fraction	of aerosol		
	penetrating th	rough the nose and	mouth, which afte	er deposit in		
	the respirator	/ tract poses a threa	t to health, detern	nined in ac-		
	cordance with	standard PN-EN 48	31.			
		NDS (respirable fraction)	1 mg/m3	PL OEL		
		ation: Respirable fra s into the respirator				
		he deposit in the are				
	in accordance	with standard PN-E	EN 481.			
		NDSch (inhalable fraction)	6 mg/m3	PL OEL		
	Further inform	Further information: Inhalable fraction - the fraction of aerosol penetrating through the nose and mouth, which after deposit in				
	penetrating th					
		the respiratory tract poses a threat to health, determined in ac-				
	cordance with	standard PN-EN 48	31.			
		NDSch (respirable fraction)	4 mg/m3	PL OEL		
	Further inform	Further information: Respirable fraction - the fraction of aerosol				
		that penetrates into the respiratory tract, which poses a threat to the health of the deposit in the area of gas exchange, determined in accordance with standard PN-EN 481.				
	the health of t					
	in accordance					
Titanium dioxide (> 10 μm)	13463-67-7	NDS (inhalable fraction)	10 mg/m3	PL OEL		
mequinol	150-76-5	NDS	5 mg/m3	PL OEL		
	Further inform	ation: Skin				

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons

# SikaPower<sup>®</sup>-4508

Revision Date: 22.03.2023 Date of last issue: -	Version 1.0	Print Date 23.03.2023
	and protective boots are additionaly recommand stirring work.	mended for mixing
Respiratory protection	<ul> <li>In case of inadequate ventilation wear resp Respirator selection must be based on kno exposure levels, the hazards of the product ing limits of the selected respirator. organic vapor filter (Type A) A1: &lt; 1000 ppm; A2: &lt; 5000 ppm; A3: &lt; 10 Ensure adequate ventilation. This can be a exhaust extraction or by general ventilation ods for determining inhalation exposure). T ticular to the mixing / stirring area. In case to to keep the concentrations under the occup limits then respiration protection measures</li> </ul>	own or anticipated t and the safe work- 0000 ppm achieved by local b. (EN 689 - Meth- This applies in par- this is not sufficent bational exposure
Environmental exposure con	trols	
General advice	: Do not flush into surface water or sanitary s If the product contaminates rivers and lakes respective authorities.	

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid paste white
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	olosive limits
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup



## SikaPower®-4508



Revision Date: 22.03.2023 Date of last issue: -		Version 1.0	Print Date 23.03.20
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
<b>Solubility(ies)</b> Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	1,48 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions	: No hazards to be specially mentioned.
---------------------	---

## 10.4 Conditions to avoid

Conditions to avoid : No data available

Print Date 23.03.2023

Revision Date: 22.03.2023 Date of last issue: - Version 1.0

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### **Components:**

#### bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
mequinol:		
Acute oral toxicity	:	LD50 Oral (Rat): 1.630 mg/kg
		Acute toxicity estimate: 1.630 mg/kg Method: Calculation method
2,6-di-tert-butyl-p-cresol:		
Acute oral toxicity	:	LD50 Oral (Rat): 2.930 mg/kg
Skin corrosion/irritation		
Causes skin irritation.		
Serious eye damage/eye irri	itati	ion
Causes serious eye irritation.		
Product:		
Method Result	:	OECD Test Guideline 405 Eye irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

## SikaPower®-4508

Revision Date: 22.03.2023 Date of last issue: - Version 1.0



Versio

Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### 11.2 Information on other hazards

### Endocrine disrupting properties

## Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## Components:

## bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h
<b>12.2 Persistence and degradability</b> No data available	

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

## Product:

Assessment

: This substance/mixture contains no components considered



Revision Date: 22.03.2023 Version 1.0 Date of last issue: -

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### **12.6 Endocrine disrupting properties**

	Product:		
	Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.	7 Other adverse effects		
	Product:		
	Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product :	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional
	protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
Country PL 00000606790			12/

<b>Jika</b> ®
Print Date 23.03.2023

Revision Date: 22.03.2023 Date of last issue: -

IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		

#### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3				
	1,2-Benzenedicarboxylic acid, di-C8- 10-branched alkyl esters, C9-rich (Number on list 52)				
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable				
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: None of the components are listed (=> 0.1 %).				
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable				
Regulation (EC) No 1005/2009 on substances that de-	: Not applicable				

## SikaPower<sup>®</sup>-4508

Print Date 23.03.2023

Revision Date: 22.03.2023 Date of last issue: -	Version 1.0	Print Date 23.03.2

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia-	:	Not applicable

ment and the Council concerning the export and import of dangerous chemicals

**REACH** Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

## SikaPower<sup>®</sup>-4508

Print Date 23.03.2023

Revision Date: 22.03.2023 Date of last issue: - Version 1.0

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. 2005 Nr. 259, item 2173 with later amendments).

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450 with later amendments).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Revision Date: 22.03.2023 Date of last issue: - Version 1.0



## **SECTION 16: Other information**

Full text of H-Statements

#### Harmful if swallowed. H302 : H315 Causes skin irritation. H317 May cause an allergic skin reaction. Causes serious eye damage. H318 : Causes serious eye irritation. H319 May cause respiratory irritation. H335 : Suspected of damaging the unborn child. H361d Very toxic to aquatic life. H400 Very toxic to aquatic life with long lasting effects. H410 Toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Full text of other abbreviations Acute Tox. Acute toxicity Aquatic Acute Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aquatic Chronic Eye Dam. Serious eye damage Eye Irrit. Eye irritation Reproductive toxicity Repr. : Skin Irrit. Skin irritation : Skin Sens. Skin sensitisation STOT SE Specific target organ toxicity - single exposure Europe. Commission Directive 2017/164/EU establishing a 2017/164/EU fourth list of indicative occupational exposure limit values PL OEL : Poland. Occupational exposure limits for airborne toxic substances 2017/164/EU / STEL Short term exposure limit 2017/164/EU / TWA Limit Value - eight hours PL OEL / NDS Maximal Admissible Concentration : Maximal Admissible Temporary Concentration PL OEL / NDSch European Agreement concerning the International Carriage of ADR : Dangerous Goods by Road Chemical Abstracts Service CAS DNEL Derived no-effect level Half maximal effective concentration EC50 GHS **Globally Harmonized System** IATA International Air Transport Association International Maritime Code for Dangerous Goods IMDG Median lethal dosis (the amount of a material, given all at LD50 once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in : air that kills 50% of the test animals during the observation period) International Convention for the Prevention of Pollution from MARPOL Ships, 1973 as modified by the Protocol of 1978 **Occupational Exposure Limit** OEL PBT Persistent, bioaccumulative and toxic Predicted no effect concentration PNEC



Revision Date: 22.03.2023 Date of last issue: -		Version 1.0	Print Date 23.03.202	
REACH	and of the Co istration, Eval	C) No 1907/2006 of the Euro uncil of 18 December 2006 c uation, Authorisation and Re , establishing a European Cl	oncerning the Reg- striction of Chemi-	
SVHC		<ul> <li>Substances of Very High Concern</li> <li>Very persistent and very bioaccumulative</li> </ul>		
vPvB				
Further information				
Classification of the mixture:		Classification pr	ocedure:	
Skin Irrit. 2	H315	Calculation metho	bd	
Eye Irrit. 2	H319	Based on product	t data or assessment	
Skin Sens. 1	H317	Calculation metho	bd	
Aquatic Chronic 3	H412	Calculation metho	bd	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN