

Revision Date: 30.01.2025 Date of last issue: 06.11.2024 Version 1.1

Print Date 30.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaInject[®]-1360 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Concrete protection and repair system, Product is not intended for consumer use, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Poland Spółka z o.o.
		Karczunkowska 89
		02-871 Warszawa
Telephone	:	+48 22 27 28 700
Telefax	:	+48 22 27 28 800
E-mail address of person	:	EHS@pl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Eye irritation, Category 2	H319: Causes serious eye irritation.			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

÷

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalnject®-1360 Part A



Revision Date: 30.01.2025 Date of last issue: 06.11.2024	Version 1.1		Print Date 30.01.2025	
Hazard statements :	H317 M H319 Ca	auses skin irritation. ay cause an allergic skin reaction. auses serious eye irritation. oxic to aquatic life with long lasting	effects.	
Precautionary statements :	Prevention: P261 P264 P273 P280	Avoid breathing mist or vapours Wash skin thoroughly after hand Avoid release to the environmer Wear protective gloves/ eye pro protection.	dling. nt.	
	Response:			
	P333 + P313 P391	If skin irritation or rash occurs: 0 advice/ attention. Collect spillage.	Get medical	

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane Reaction mass of isomers of epoxy resin BFDGE Fatty acids, C16-18 and C18-unsatd., Me esters, epoxidized reaction products of 2,2-dimethylpropane- 1,3-diol with 1-chloro-2,3-epoxypropane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 30.01.2025 Date of last issue: 06.11.2024 Version 1.1

Print Date 30.01.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	Registration number 1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319 >= 5 %	>= 40 - < 60
		specific concentration limit Skin Irrit. 2; H315 >= 5 %	
Reaction mass of isomers of epoxy resin BFDGE	Not Assigned 701-263-0 01-2119454392-40- XXXX	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 10 - < 20
Fatty acids, C16-18 and C18- unsatd., Me esters, epoxidized	158318-67-3 Not Assigned	Skin Sens. 1B; H317	>= 5 - < 10
reaction products of 2,2- dimethylpropane- 1,3-diol with 1- chloro-2,3-epoxypropane	Not Assigned 701-333-0 01-2120759332-55- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 2,5 - < 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.

SikaInject®-1360 Part A



Revision Date: 30.01.2025 Date of last issue: 06.11.2024	Version 1.1	Print Date 30.01.202
In case of skin contact	Take off contaminated clothing and Wash off with soap and plenty of w If symptoms persist, call a physicia	vater.
In case of eye contact	Immediately flush eye(s) with plent Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a s	
If swallowed	Do not induce vomiting without mer Rinse mouth with water. Do not give milk or alcoholic bever Never give anything by mouth to an	ages.
4.2 Most important symptoms an	ffects, both acute and delayed	
Symptoms	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed in and symptoms.	nformation on health effects
Risks	Causes skin irritation. May cause an allergic skin reaction Causes serious eye irritation.	۱.
	irritant effects sensitising effects	
4.3 Indication of any immediate r	ical attention and special treatme	ent needed
Treatment	Treat symptomatically.	
SECTION 5: Firefighting meas	25	
5.1 Extinguishing media		
Suitable extinguishing media	In case of fire, use water/water spra ide/sand/foam/alcohol resistant foa extinction.	ay/water jet/carbon diox- ım/chemical powder for
5.2 Special hazards arising from	substance or mixture	
Specific hazards during fire- fighting	Do not allow run-off from fire fightin courses.	ng to enter drains or water
Hazardous combustion prod- ucts	No hazardous combustion products	s are known

Sikalnject®-1360 Part A



Revision Date: 30.01.2025 Date of last issue: 06.11.2024		Version 1.1 Print Date 30.0	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained brea	hing apparatus.
Further information	:	Collect contaminated fire extinguishing wate must not be discharged into drains. Fire residues and contaminated fire extinguis be disposed of in accordance with local regu	shing water must

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		

Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical
	Follow standard hygiene measures when handling chemical products

Advice on protection against : Normal measures for preventive fire protection.



Revision Date: 30.01.2025 Date of last issue: 06.11.2024	Version 1.1	Print Date 30.01.2025		
fire and explosion				
Hygiene measures :	Handle in accordance with good industrial hyg practice. When using do not eat or drink. Whe smoke. Wash hands before breaks and at the	n using do not		
7.2 Conditions for safe storage, inc	luding any incompatibilities			
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well place. Containers which are opened must be of sealed and kept upright to prevent leakage. So ance with local regulations.	carefully re-		
Further information on stor- : age stability	No decomposition if stored and applied as dire	ected.		
7.3 Specific end use(s)				
Specific use(s) :	Consult most current local Product Data Shee use.	t prior to any		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
------------	---------	-------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,



-	ikal	Inject®	-1360	Part A	
---	------	---------	-------	--------	--

Revision Date: 30.01.2025 Date of last issue: 06.11.2024	Version 1.1	Print Date 30.01.2025
	long-sleeved working clothing, long trous and protective boots are additionaly reco and stirring work.	
Respiratory protection	: No special measures required.	
Environmental exposure	controls	
General advice	: Do not flush into surface water or sanita If the product contaminates rivers and la respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid colourless
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or a	nvد	losive limits
••		
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	77,5 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
	Physical state Colour Odour Melting point/ range / Freez- ing point Boiling point/boiling range Flammability (solid, gas) Upper/lower flammability or e Upper explosion limit / Up- per flammability limit Lower explosion limit / Lower flammability limit Flash point Auto-ignition temperature Decomposition temperature	Colour:Odour:Melting point/ range / Freez- ing point:Boiling point/boiling range:Boiling point/boiling range:Flammability (solid, gas):Upper/lower flammability or exp Upper explosion limit / Up- per flammability limit:Lower explosion limit / Up- per flammability limit:Flash point:Auto-ignition temperature:Decomposition temperature:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalnject®-1360 Part A



Revision Date: 30.01.2025 Date of last issue: 06.11.2024		Version 1.1	Print Date 30.01.2025
Viscosity Viscosity, dynamic	:	600 mPa.s	
Viscosity, kinematic	:	No data available	
Solubility(ies) Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	1 hPa	
Density	:	ca. 1,1 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaInject®-1360 Part A



Revision Date: 30.01.2025 Date of last issue: 06.11.2024

Version 1.1

Print Date 30.01.2025

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
-----------------------	---	-------------------------------------

reaction products of 2,2-dimethylpropane- 1,3-diol with 1-chloro-2,3-epoxypropane:

Acute oral toxicity	:	LD50 (Rat): 3.595 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

SikaInject®-1360 Part A



Revision Date: 30.01.2025 Date of last issue: 06.11.2024 Version 1.1

Print Date 30.01.2025

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h

Reaction mass of isomers of epoxy resin BFDGE:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 1,8 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered

SikaInject®-1360 Part A



Revision Date: 30.01.2025 Date of last issue: 06.11.2024	Version 1.1	Print Date 30.01.2025		
	to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher			
12.6 Endocrine disrupting proper	ies			
Product:				
Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 			
12.7 Other adverse effects				
Product: Additional ecological infor- mation	: An environmental hazard cannot be exclud unprofessional handling or disposal. Toxic to aquatic life with long lasting effects			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

:	The generation of waste should be avoided or minimized
	wherever possible.
	Empty containers or liners may retain some product residues.
	This material and its contain an invest her dispersed of in a set

This material and its container must be disposed of in a safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082

14.2 UN proper shipping name

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalnject®-1360 Part A



Revision Date: 30.01.2025 Date of last issue: 06.11.2024		Version 1.1	Print Date 30.01.202
ADR	:	ENVIRONMENTALLY HAZARDOUS S N.O.S. (epoxy resin)	UBSTANCE, LIQUID,
IMDG	:	ENVIRONMENTALLY HAZARDOUS S N.O.S. (epoxy resin)	UBSTANCE, LIQUID,
ΙΑΤΑ	:	Environmentally hazardous substance, (epoxy resin)	liquid, n.o.s.
14.3 Transport hazard class(es)			
		Class Subsidiary risks	
ADR	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: : : : : : : : : : : : : : : : : : : :	III M6 90 9 (-)	
IMDG Packing group Labels EmS Code	:	III 9 F-A, S-F	
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	964 Y964 III Miscellaneous	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group	:	964 Y964 III	
Labels	:	Miscellaneous	
14.5 Environmental hazards			
ADR Environmentally hazardous	:	yes	
IMDG Marine pollutant	:	yes	
IATA (Passenger) Environmentally hazardous	:	yes	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalnject[®]-1360 Part A



Revision Date: 30.01.2025 Date of last issue: 06.11.2024 Version 1.1

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances containe - registered by our upsi - registered by us, and/ - excluded from the reg - exempted from the re	trea /or gula	m suppliers, and/or tion, and/or
REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
			Number on list 75:
REACH - Candidate List of Subs Concern for Authorisation (Article	, ,	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) on substances t layer	hat deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of	the European Parlia-	:	Not applicable

Jika®

Sikalnject®-1360 Part A

	IKa

Revision Date: 30.01.2025 Date of last issue: 06.11.2024 Version 1.1

Print Date 30.01.2025

ment and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 11,55% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as



Revision Date: 30.01.2025 Date of last issue: 06.11.2024 Version 1.1

Print Date 30.01.2025

amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

H315 H317 H319 H411 H412	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. 					
Full text of other abbre	Full text of other abbreviations					
Aquatic Chronic Eye Irrit. Skin Irrit. Skin Sens. ADR CAS	 Long-term (chronic) aquatic hazard Eye irritation Skin irritation Skin sensitisation European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service 					
DNEL EC50 GHS IATA IMDG LD50	 Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at 					

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaInject®-1360 Part A



Revision Date: 30.01.2025 Date of last issue: 06.11.2024		Version 1.1	Print Date 30.01.2025
		once, which causes the death of 50% (one test animals)	e half) of a group of
LC50	:	Median lethal concentration (concentration air that kills 50% of the test animals during period)	
MARPOL	:	International Convention for the Prevention Ships, 1973 as modified by the Protocol of	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Euro and of the Council of 18 December 2006 of istration, Evaluation, Authorisation and Re cals (REACH), establishing a European Cl	oncerning the Reg- striction of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	

Further information

Classification of the	e mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL / EN