

Revision Date: 25.04.2024 Date of last issue: - Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: A 77/P Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Poland Spółka z o.o.
		Karczunkowska 89
		02-871 Warszawa
Telephone	:	+48 22 27 28 700
Telefax	:	+48 22 27 28 800
E-mail address of person	:	EHS@pl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type E	H242: Heating may cause a fire.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

1

A 77/P Part B



Revision Date: 25.04.2024 Date of last issue: -		Version 1.0	Print Date 25.04.2024
Hazard statements :	H242 H317 H319 H410	Heating may cause a fire. May cause an allergic skin read Causes serious eye irritation. Very toxic to aquatic life with log	
Precautionary statements :	Prevention P210	: Keep away from heat, hot	surfaces, sparks.
		open flames and other ign smoking.	
	P234	Keep only in original packa	aging.
	P273	Avoid release to the enviro	
	P280	Wear protective gloves/ pr eye protection/ face protection/	-
	Response:		
	P370 + P37	8 In case of fire: Use dry sar alcohol-resistant foam to e	-
	P391	Collect spillage.	

Hazardous components which must be listed on the label:

dibenzoyl peroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Jika ®
Print Date 25.04.2024

Revision Date: 25.04.2024 Date of last issue: -

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)		
dibenzoyl peroxide	94-36-0 202-327-6 01-2119511472-50- XXXX	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 40 - < 60		
ethanediol	107-21-1 203-473-3 01-2119456816-28- XXXX	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney, Liver)	>= 5 - < 10		
Substances with a workplace exposure limit :					
dimethyl phthalate	131-11-3 205-011-6		>= 25 - < 40		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.	
If inhaled	: Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 	
If swallowed	: Do not induce vomiting without medical advice.	

A 77/P Part B

Jika ®
Print Date 25.04.2024

Revision Date: 25.04.2024 Date of last issue: -		Version 1.0	Print Date 25.04.2
		Rinse mouth with water. Do not give milk or alcoholic beverages Never give anything by mouth to an un	
4.2 Most important symptoms an	nd e	effects, both acute and delayed	
Symptoms	:	Allergic reactions Excessive lachrymation See Section 11 for more detailed inform and symptoms.	nation on health effects
Risks	:	irritant effects sensitising effects	
		May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediate r	nec	dical attention and special treatment r	needed
Treatment	:	Treat symptomatically.	
Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water/water spray/w ide/sand/foam/alcohol resistant foam/c extinction. Water	
5.2 Special hazards arising from	the	e substance or mixture	
		Do not allow run-off from fire fighting to courses.	enter drains or water
Hazardous combustion prod- ucts	:	No hazardous combustion products are	e known
5.3 Advice for firefighters			
J.J AUVICE IOI IIIEIIGIIIEIS			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained	l breathing apparatus.



Revision Date: 25.04.2024 Date of last issue: - Version 1.0

Keep in suitable, closed containers for disposal.

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ctive equipment and emergency procedures
Personal precautions	: Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ntainment and cleaning up
Methods for cleaning up	: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Open drum carefully as content may be under pressure. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Revision Date: 25.04.2024 Date of last issue: -

Version 1.0

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in cool place. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *	
		of exposure)	ters *		
dibenzoyl peroxide	94-36-0	NDS	5 mg/m3	PL OEL	
		NDSch	10 mg/m3	PL OEL	
dimethyl phthalate	131-11-3	NDS (inhalable	5 mg/m3	PL OEL	
		fraction)			
ethanediol	107-21-1	STEL	40 ppm	2000/39/EC	
			104 mg/m3		
	Further infor	Further information: Identifies the possibility of significant uptake			
	through the s	through the skin, Indicative			
		TWA	20 ppm	2000/39/EC	
			52 mg/m3		
		NDS	15 mg/m3	PL OEL	
	Further infor	Further information: Skin			
		NDSch	50 mg/m3	PL OEL	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.	
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.	
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work-	

Jika ®
Print Date 25.04.2024

Revision Date: 25.04.2024
Date of last issue: -

Version 1.0

Environmental exposu	ing limits of the selected respirator. Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
General advice	 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical	an	a chemical properti
Physical state	:	solid
Appearance	:	paste
Colour	:	various
Odour	:	characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	auto-flammable
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit		
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable

A 77/P Part B

Jika ®
Print Date 25.04.2024

Revision Date: 25.04.2024 Date of last issue: - Version 1.0

		substance/mixture is non-soluble (in water)
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	1,2 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Decomposes on heating.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid	: Acids and bases
	Reducing agents Heavy metals
	•

Print Date 25.04.2024

Revision Date: 25.04.2024 Date of last issue: - Version 1.0

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

dibenzoyl peroxide:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 24,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Revision Date: 25.04.2024 Date of last issue: - Version 1.0



11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

dibenzoyl peroxide:

M-Factor (Acute aquatic tox- : 10 icity)

M-Factor (Chronic aquatic : 10 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

2

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

Jika ®
Print Date 25.04.2024

Revision Date: 25.04.2024	Version 1.0	Print Date 25.04.20
Date of last issue: -		

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	20 01 27* paint, inks, adhesives and resins containing dan- gerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	UN 3108	
	IMDG	:	UN 3108	
	ΙΑΤΑ	:	UN 3108	
14.2	UN proper shipping name			
	ADR	:	ORGANIC PEROXID	E TYPE E, SOLID
	IMDG	:	ORGANIC PEROXIDE TYPE E, SOLID	
	ΙΑΤΑ	:	Organic peroxide type E, solid	
14.3	Transport hazard class(es)			
			Class	Subsidiary risks
	ADR	:	5.2	

A 77/P Part B

Jika ®
Print Date 25.04.2024

Revision Date: 25.04.2024 Date of last issue: -		Version 1.0
IMDG	: 5.2	
ΙΑΤΑ	: 5.2	HE

14.4 Packing group

ADR Packing group Classification Code Labels Tunnel restriction code	:	Not assigned by regulation P1 5.2 (D)
IMDG Packing group Labels EmS Code	-	Not assigned by regulation 5.2 F-J, S-R
IATA (Cargo) Packing instruction (cargo aircraft) Packing group Labels	:	570 Not assigned by regulation Organic Peroxides, Keep Away From Heat
IATA (Passenger) Packing instruction (passen- ger aircraft)	:	570

HEAT

14.5 Environmental hazards

Packing group

Labels

ADR Environmentally hazardous	:	yes	
IMDG Marine pollutant	:	yes	
IATA (Passenger) Environmentally hazardous	:	yes	
IATA (Cargo) Environmentally hazardous	:	yes	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

: Not assigned by regulation

: Organic Peroxides, Keep Away From Heat

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

A 77/P Part B

Print Date 25.04.2024

Revision Date: 25.04.2024 Date of last issue: - Version 1.0

REACH Information:	All substances containe - registered by our upst - registered by us, and/ - excluded from the reg - exempted from the re	trea ′or jula	im suppliers, and/or tion, and/or
REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XV	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances sub (Annex XIV)	ject to authorisation	:	Not applicable
Regulation (EC) No 1005/2009 c plete the ozone layer	on substances that de-	:	Not applicable
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving da P6b	angerous substances.	ST	and of the Council on the control of ma-
E1	ENVIRONMENTAL HA	ZA	RDS
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ıx fo	or volatile organic compounds
			4 November 2010 on industrial ution prevention and control)
Other regulations:			

Other regulations:



Version 1.0



Revision Date: 25.04.2024 Date of last issue: -

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Print Date 25.04.2024

Revision Date: 25.04.2024 Date of last issue: - Version 1.0

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H241 H302 H317 H319 H373 H400 H410	Heating may cause a fire or explosion. Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	d
Full text of other abbreviation		
Acute Tox. Aquatic Acute Aquatic Chronic Eye Irrit. Org. Perox. Skin Sens. STOT RE 2000/39/EC PL OEL	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Eye irritation Organic peroxides Skin sensitisation Specific target organ toxicity - repeated exposure Europe. Commission Directive 2000/39/EC establishing a fir list of indicative occupational exposure limit values Ordinance of the Minister of Family, Labour and Social Polic	
	of 12 June 2018 concerning the highest allowable concentra tions and levels of the agents harmful for health in the work- place (Dz.U 2018 pos 1286, with later amendments)	à-
2000/39/EC / TWA 2000/39/EC / STEL PL OEL / NDS PL OEL / NDSch ADR	Limit Value - eight hours Short term exposure limit Maximal Admissible Concentration Maximal Admissible Temporary Concentration European Agreement concerning the International Carriage	of
CAS DNEL EC50 GHS IATA IMDG LD50	Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at	

A 77/P Part B



Revision Date: 25.04.2024	Version 1.0	Print Date 25.04.2
Date of last issue: -		

	once, which causes the death of 50% (one half) of a group of test animals)
LC50	 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Org. Perox. E	H242	Based on product data or assessment
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN