SikaTherm[®]-4206



Revision Date: 03.07.2024 Date of last issue: 18.11.2023 Version 7.0

Print Date 03.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaTherm[®]-4206

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Hazard pictograms	:		· ·
Signal word	:	Warning	
Hazard statements	:	H317 H412	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Preventior	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206



Revision Date: 03.07.2024 Version 7.0 Print Date 03.07.2024 Date of last issue: 18.11.2023 P261 Avoid breathing mist or vapours. P273 Avoid release to the environment. P280 Wear protective gloves. Response: P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364Take off contaminated clothing and wash it before reuse. Disposal: P501 Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

4,5-dichloro-2-octyl-2H-isothiazol-3-one (DCOIT) 1,2-benzisothiazol-3(2H)-one (BIT)

2-octyl-2H-isothiazole-3-one (OIT)

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1))

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 55965-84-9, 4,5-dichloro-2-octyl-2H-isothiazol-3-one (DCOIT), 64359-81-5, bronopol (INN), 52-51-7, 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1, 2-methyl-2H-isothiazol-3-one (MIT), 2682-20-4. Please use treated articles responsibly.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206



Revision Date: 03.07.2024 Date of last issue: 18.11.2023 Version 7.0

Print Date 03.07.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bronopol (INN)	52-51-7 200-143-0 01-2119980938-15- XXXX	Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206

Revision Date: 03.07.2024 Date of last issue: 18.11.2023 Version 7.0



Print Date 03.07.2024

ate of last issue: 18.11.2023			
4,5-dichloro-2-octyl-2H-isothiazol- 3-one (DCOIT)	64359-81-5 264-843-8	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Irrit. 2; H315 0,025 - < 5% specific concentration limit Eye Irrit. 2; H319 0,025 - < 3% specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute toxicity esti- mate Acute oral toxicity: 567 mg/kg Acute inhalation tox- icity (dust/mist): 0,16 mg/l	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm[®]-4206

Revision Date: 03.07.2024 Date of last issue: 18.11.2023 Version 7.0

Print	Date	03.07	2024
	Duio	00.07	.2027


1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,0025 - < 0,025
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit	
		Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate	
		Acute oral toxicity: 450 mg/kg 597 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l 0,4 mg/l	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206

Revision Date: 03.07.2024 Date of last issue: 18.11.2023 Version 7.0



2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	Acute Tox. 3; H301	>= 0,0025 - <
	247-761-7	Acute Tox. 2; H330	0,025
	01-2120768921-45-	Acute Tox. 3; H311	
	XXXX	Skin Corr. 1; H314	
		Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		Aquatic Acute 1; H400	
		Aquatic Chronic 1;	
		H410	
		EUH071	
		M-Factor (Acute	
		aquatic toxicity): 100	
		M-Factor (Chronic	
		aquatic toxicity): 100	
		specific concentration	
		limit	
		Skin Sens. 1A; H317	
		>= 0,0015 %	
		,	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		125 mg/kg	
		Acute inhalation tox-	
		icity (dust/mist): 0,27	
		mg/l	
		Acute dermal toxicity:	
		311 mg/kg	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm[®]-4206

Jika®

Revision Date: 03.07.2024 Date of last issue: 18.11.2023	Version 7.0	0	Print Date 03.07.2024
mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % Specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0002 - < 0,0015
For explanation of abbreviations se	a section 16		

For explanation of abbreviations see section 16.



SikaTherm®-4206

Revision Date: 03.07.2024 Date of last issue: 18.11.2023 Version 7.0

Print Date 03.07.2024

SECTION 4: First aid measures

4.1 Description of first aid measure	es
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms :	Allergic reactions See Section 11 for more detailed information on health effects and symptoms.
Risks :	sensitising effects
	May cause an allergic skin reaction.
4.3 Indication of any immediate me	dical attention and special treatment needed
Treatment :	Treat symptomatically.
SECTION 5: Firefighting measured	res

5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox-ide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special bazards arising from the substance or mixture.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm[®]-4206



Revision Date: 03.07.2024 Date of last issue: 18.11.2023		Version 7.0	Print Date 03.07.2024
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	g apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	se i	measures	
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities.	
6.3 Methods and material for cor	ntai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	silica gel,

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety
\sim			

SikaTherm[®]-4206



Revision Date: 03.07.2024 Date of last issue: 18.11.2023	Version 7.0	Print Date 03.07.2024
	practice. When using do not eat or drink. Whe smoke. Wash hands before breaks and at the	5
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and wel place. Containers which are opened must be sealed and kept upright to prevent leakage. S ance with local regulations.	carefully re-
Further information on stor- : age stability	No decomposition if stored and applied as dir	ected.
7.3 Specific end use(s)		
Specific use(s) :	Consult most current local Product Data Shee use.	et prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206



Revision Date: 03.07.2024 Version 7.0 Print Date 03.07.2024 Date of last issue: 18.11.2023 and stirring work. In case of inadequate ventilation wear respiratory protection. Respiratory protection ÷ Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. **Environmental exposure controls** General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

intormation on basic physical	an	a chemical properti
Physical state	:	liquid
Appearance	:	viscous liquid
Colour	:	various
Odour	:	slight
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206



Revision Date: 03.07.2024 Date of last issue: 18.11.2023		Version 7.0	Print Date 03.07.2024
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	ca. 7,5 Concentration: 100 %	
Viscosity Viscosity, dynamic	:	ca. 13.000 mPa.s (20 °C)	

Viscosity, kinematic : > 20,5 mm2/s (40 °C)

Solubility(ies)

Water solubility : soluble

- Partition coefficient: n- : No data available octanol/water
- Vapour pressure : 23 hPa
- Density : ca. 1 g/cm3 (20 °C)
- Relative vapour density : No data available
- Particle characteristics : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206



Revision Date: 03.07.2024 Date of last issue: 18.11.2023		Version 7.0	Print Date 03.07.2024
10.4 Conditions to avoid			
Conditions to avoid	:	No data available	
10.5 Incompatible materials			
Materials to avoid	:	No data available	
10.6 Hazardous decomposition	orod	ucts	
	:	No hazardous decomposition products are know	vn.
SECTION 11: Toxicological in	forn	nation	
11.1 Information on hazard class	ses a	s defined in Regulation (EC) No 1272/2008	
Acute toxicity			
Not classified due to lack of d	ata.		
Components:			
4,5-dichloro-2-octyl-2H-isot	hiazo	bl-3-one (DCOIT):	
Acute oral toxicity		Acute toxicity estimate: 567 mg/kg Method: Acute toxicity estimate according to Reg No. 1272/2008	julation (EC)
Acute inhalation toxicity		Acute toxicity estimate: 0,16 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Reg No. 1272/2008	gulation (EC)
1,2-benzisothiazol-3(2H)-on	e (Bľ	Т):	
Acute oral toxicity		Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Reg No. 1272/2008	julation (EC)
		LD50 Oral (Rat): 597 mg/kg	
Acute inhalation toxicity		Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Reg No. 1272/2008	gulation (EC)
		LC50: 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm[®]-4206



Revision Date: 03.07.2024 Date of last issue: 18.11.2023	Version 7.0	Print Date 03.07.2024
	Acute toxicity estimate: 0,4 mg/l Test atmosphere: dust/mist Method: ATE value derived from LD50/L0	C50 value
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 2.000 mg/kg	
2-octyl-2H-isothiazole-3-one (O	IT):	
Acute oral toxicity :	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according No. 1272/2008	g to Regulation (EC)
Acute inhalation toxicity :	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according No. 1272/2008	g to Regulation (EC)
Acute dermal toxicity :	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according No. 1272/2008	g to Regulation (EC)
mixture of: 5-chloro-2-methyl-4-is one [EC no. 220-239-6] (3:1) (C(l	othiazolin-3-one [EC no. 247-500-7] and 2 M)IT/MIT (3:1)):	-methyl-2H-isothiazol-3-
Acute inhalation toxicity :	Assessment: Corrosive to the respiratory	tract.
Skin corrosion/irritation Not classified due to lack of data.		
Serious eye damage/eye irritati Not classified due to lack of data.		
Respiratory or skin sensitisatio		
Skin sensitisation		
May cause an allergic skin reaction	on.	
Respiratory sensitisation Not classified due to lack of data.		
Components:		
1,2-benzisothiazol-3(2H)-one (E Assessment :	BIT): May cause sensitisation by skin contact.	
Germ cell mutagenicity Not classified due to lack of data.		
Carcinogenicity Not classified due to lack of data.		
Reproductive toxicity		
Not classified due to lack of data.		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206



Revision Date: 03.07.2024 Date of last issue: 18.11.2023 Version 7.0

Print Date 03.07.2024

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bronopol (INN): M-Factor (Acute aquatic tox- : 10 icity)

M-Factor (Chronic aquatic : 1 toxicity)

4,5-dichloro-2-octyl-2H-isothiazol-3-one (DCOIT):

Toxicity to fish	:	LC50 (Fish): 0,0027 mg/l Exposure time: 96 h
M-Factor (Acute aquatic tox- icity)	:	100
M-Factor (Chronic aquatic toxicity)	:	100
1,2-benzisothiazol-3(2H)-one	e (B	IT):
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
M-Factor (Acute aquatic tox- icity)	:	1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206



Revision Date: 03.07.2024 Version 7.0 Print Date 03.07.2024 Date of last issue: 18.11.2023 M-Factor (Chronic aquatic : 1 toxicity) 2-octyl-2H-isothiazole-3-one (OIT): M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100 toxicity) mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)): M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100 toxicity) 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment Product: Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.. 12.6 Endocrine disrupting properties Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects Product: Additional ecological infor-An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. mation Country PL 000000221989 16/22

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206



Revision Date: 03.07.2024 Date of last issue: 18.11.2023 Version 7.0

Print Date 03.07.2024

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations 13.1 Waste treatment methods Product ÷ The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. European Waste Catalogue : 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances Contaminated packaging : 15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206



Revision Date: 03.07.2024 Date of last issue: 18.11.2023	Versior	ז 7.0	Print Date 03.07.2024
ADR	: Not regulated as a data	angerous good	
IMDG	: Not regulated as a data	angerous good	
IATA (Cargo)	: Not regulated as a data	angerous good	
IATA (Passenger)	: Not regulated as a data	angerous good	
14.5 Environmental hazards Not regulated as a dangerou	s good		
14.6 Special precautions for use Not applicable	er		
14.7 Maritime transport in bulk Not applicable for product as	-	nents	
SECTION 15: Regulatory info	ormation		
15.1 Safety, health and environ International Chemical Weap Schedules of Toxic Chemica	ons Convention (CWC)	ation specific for the : Not applicable	substance or mixture
REACH Information:		egulation, and/or	
REACH - Restrictions on the the market and use of certair mixtures and articles (Annex	dangerous substances,		estriction for the fol- should be considered: 3
		Number on list	75:
REACH - Candidate List of S Concern for Authorisation (A		: None of the con (=> 0.1 %).	mponents are listed
REACH - List of substances (Annex XIV)	subject to authorisation	: Not applicable	
Regulation (EC) on substanc layer	es that deplete the ozone	: Not applicable	
Regulation (EU) 2019/1021 c	n persistent organic pollu-	: Not applicable	

tants (recast)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206



Revision Date: 03.07.2024 Date of last issue: 18.11.2023 Version 7.0

Print Date 03.07.2024

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not appli	cable
-----------	-------

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: <= 3% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,42% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

SikaTherm[®]-4206



Print Date 03.07.2024

Revision Date: 03.07.2024 Date of last issue: 18.11.2023

Version 7.0

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302 : H310 : H311 : H312 :	Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Harmful in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction.
H318 : H330 :	Causes serious eye damage. Fatal if inhaled.
H331 :	Toxic if inhaled.
H335 :	May cause respiratory irritation.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTherm®-4206

Revision Date: 03.07.2024 Date of last issue: 18.11.2023 Version 7.0

Print Date 03.07.2024

Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens. STOT SE ADR		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation Specific target organ toxicity - single exposure European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN



SikaTherm[®]-4206

Revision Date: 03.07.2024 Date of last issue: 18.11.2023 Version 7.0

Print Date 03.07.2024

