

Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 26.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaEmaco[®] S 5440 RS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Repairing mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112


SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin irritation, Category 2	H315: Causes skin irritation.		
Serious eye damage, Category 1	H318: Causes serious eye damage.		
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Date of last issue: 09.07.2024	Version 1.1 Print I		Print Date 26.07.2024
	D 404	<i></i>	
Precautionary statements :	P101	If medical advice is needed, have container or label at hand.	ve product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-v ea.	rentilated ar-
	P280	Wear protective gloves/ eye pro protection.	otection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	n accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 26.07.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chamical name		Cleasification	Concentration
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
trizinc dicitrate	546-46-3	Eye Irrit. 2; H319	>= 0,1 - < 0,25
			>= 0,1 - < 0,23
	208-901-2	Aquatic Acute 1;	
	01-2119461715-35-	H400	
	XXXX	Aquatic Chronic 2;	
		H411	
		M-Factor (Acute	
		aquatic toxicity): 1	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		
	200 010 1		
calcium sulfate	7778-18-9		>= 5 - < 10
	231-900-3		
	01-2119444918-26-		
	XXXX		
	^^^^		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Date of last issue: 09.07.2024	Version 1.1	Print Date 26.07.2024
	Remove contact lenses.	
	Keep eye wide open while rinsing.	
If swallowed	: Do not induce vomiting without medical advice. Rinse mouth with water.	
	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	us person.
4.2 Most important symptoms an	d effects, both acute and delayed	
Symptoms	: Cough	
	Respiratory disorder	
	Excessive lachrymation Erythema	
	Dermatitis	
	See Section 11 for more detailed information or	n health effects
	and symptoms.	
Risks	: Causes skin irritation.	
	Causes serious eye damage.	
	May cause respiratory irritation.	
	irritant effects	
4.3 Indication of any immediate n	nedical attention and special treatment needed	
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting meas		
	ures	
5.1 Extinguishing media	ures	
5.1 Extinguishing media	: In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from a 	: In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- 	 In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction. The substance or mixture 	
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 	 In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction. Substance or mixture No hazardous combustion products are known 	powder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment 	 In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction. Substance or mixture No hazardous combustion products are known 	powder for

SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 26.07.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses. No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and arrange disposal without creating dust.
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections


For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling :	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, inc	uding any incompatibilities
	Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.

Further information on stor-	: Keep in a dry place.
age stability	No decomposition if stored and applied as directed.





Revision Date: 26.07.2024	Version 1.1	Print Date 26.07.2024
Date of last issue: 09.07.2024		

7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
Quartz (SiO2)	14808-60-7	NDS (respirable fraction)	1 mg/m3	PL OEL		
	Further inform	Further information: Respirable fraction - the fraction of aerosol				
		es into the respirator				
	the health of	the health of the deposit in the area of gas exchange, determined				
	in accordance	e with standard PN-E	EN 481.	•		
		NDS (inhalable fraction)	2 mg/m3	PL OEL		
	Further inform	Further information: Inhalable fraction - the fraction of aerosol				
	penetrating th	penetrating through the nose and mouth, which after deposit in				
	the respiratory tract poses a threat to health, determined in ac-					
		cordance with standard PN-EN 481.				
		NDS (respirable fraction)	0,1 mg/m3 (Silica)	PL OEL		
Cement (chromium reduced)	65997-15-1	NDS (inhalable fraction)	6 mg/m3	PL OEL		
		NDS (respirable fraction)	2 mg/m3	PL OEL		
calcium sulfate	7778-18-9	NDS (inhalable fraction)	10 mg/m3	PL OEL		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.

SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Date of last issue: 09.07.2024	Version 1.1	Print Date 26.07.2024
Skin and body protection	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc long-sleeved working clothing, long trouse and protective boots are additionaly recor and stirring work.	ers). Rubber aprons
Respiratory protection :	In case of inadequate ventilation wear res Respirator selection must be based on kn exposure levels, the hazards of the produ- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous sub Ensure adequate ventilation. This can be exhaust extraction or by general ventilation ods for determining inhalation exposure). ticular to the mixing / stirring area. In case to keep the concentrations under the occu- limits then respiration protection measure	stances achieved by local on. (EN 689 - Meth- This applies in par- e this is not sufficent upational exposure
Environmental exposure cont	rols	
General advice	: Try to prevent the material from entering o courses.	drains or water

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey		
Odour	:	characteristic		
Melting point/ range / Freez- ing point	:	No data available		
Boiling point/boiling range	:	No data available		
Flammability (solid, gas)	:	No data available		
Upper/lower flammability or explosive limits				

Upper explosion limit / Up- : No data available per flammability limit

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Date of last issue: 09.07.2024		Version 1.1	Print Date 26.07.2024
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	> 11 Concentration: 50 %	
Viscosity			
Viscosity, dynamic	:	Not applicable	
Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	ca. 1,2 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Date of last issue: 09.07.2024	Version 1.1	Print Date 26.07.2024
10.2 Chemical stability		
The product is chemically sta	le.	
10.3 Possibility of hazardous rea	ctions	
Hazardous reactions	: No hazards to be specially mentioned	1.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	roducts	
	: No hazardous decomposition product	ts are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity
Not classified due to lack of data.
Components:
calcium sulfate:
Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg
Skin corrosion/irritation
Causes skin irritation.
Serious eye damage/eye irritation
Causes serious eye damage.
Respiratory or skin sensitisation
Skin sensitisation
Not classified due to lack of data.
Respiratory sensitisation
Not classified due to lack of data.
Germ cell mutagenicity
Not classified due to lack of data.
Carcinogenicity
Not classified due to lack of data.

SikaEmaco[®] S 5440 RS

Jika®

Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 26.07.2024

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:		
trizinc dicitrate: Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0,4 mg/l
		Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,2 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 0,015 mg/l Exposure time: 72 h
M-Factor (Acute aquatic tox- icity)	:	1
12.2 Persistence and degradabili	ty	
No data available		
12.3 Bioaccumulative potential		
No data available		
12.4 Mobility in soil		
No data available		10 / -

SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 26.07.2024

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

3.1 Waste treatment methods	
Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental
	protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with
	soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Version 1.1 Print Date 26.07.2024 Date of last issue: 09.07.2024 ΙΑΤΑ Not regulated as a dangerous good 14.2 UN proper shipping name ADR : Not regulated as a dangerous good IMDG Not regulated as a dangerous good 5 ΙΑΤΑ Not regulated as a dangerous good 14.3 Transport hazard class(es) ADR Not regulated as a dangerous good : IMDG 2 Not regulated as a dangerous good ΙΑΤΑ Not regulated as a dangerous good 14.4 Packing group ADR Not regulated as a dangerous good 2 IMDG ÷ Not regulated as a dangerous good IATA (Cargo) Not regulated as a dangerous good 1

Not regulated as a dangerous good

14.5 Environmental hazards

IATA (Passenger)

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

:

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

n (CWC) : Not applicable ors

REACH Information:

- All substances contained in our Products are registered by our upstream suppliers, and/or
- registered by our upstream su
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on	:	Conditions of restriction for the fol-
the market and use of certain dangerous substances,		lowing entries should be considered:
mixtures and articles (Annex XVII)		Number on list 75:

REACH - Candidate List of Substances of Very High

None of the components are listed

SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Date of last issue: 09.07.2024	Version 1.1		Print Date 26.07.2024
Concern for Authorisation (Article	59).	(=> 0.1 %).	
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable	
Regulation (EC) on substances th layer	nat deplete the ozone :	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- :	Not applicable	
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		Not applicable	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of r jor-accident hazards involving dangerous substances. Not applicable			
Volatile organic compounds :	Law on the incentive tax fo (VOCV) no VOC duties	or volatile organic comp	pounds
	Directive 2010/75/EU of 24 emissions (integrated pollu Not applicable		

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).





Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 26.07.2024

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Date of last issue: 09.07.2024		Version 1.1	Print Date 26.07.2024
H335		May cause respiratory irritation	
H400	:	May cause respiratory irritation. Very toxic to aquatic life.	
H411	:	Toxic to aquatic life with long lasting effects.	
Full text of other abbreviation	ne		
Aquatic Acute	:	Short-term (acute) aquatic hazard	
Aquatic Chronic	÷	Long-term (chronic) aquatic hazard	
Eye Dam.	:	Serious eye damage Eye irritation	
Eye Irrit. Skin Irrit.	:	Skin irritation	
STOT SE	:	Specific target organ toxicity - single exposure	
PLOEL	:	Ordinance of the Minister of Family, Labour and	d Social Policy
FLOEL	·	of 12 June 2018 concerning the highest allowa	
		tions and levels of the agents harmful for health	
		place (Dz.U 2018 pos 1286, with later amendm	
PL OEL / NDS		Maximal Admissible Concentration	lents)
ADR	:	European Agreement concerning the Internation	nal Carriage of
, lett	•	Dangerous Goods by Road	
CAS		Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	÷	Half maximal effective concentration	
GHS	÷	Globally Harmonized System	
IATA	:	International Air Transport Association	
IMDG	:	International Maritime Code for Dangerous God	ods
LD50	:	Median lethal dosis (the amount of a material,	
		once, which causes the death of 50% (one half	
		test animals)	,
LC50	:	Median lethal concentration (concentrations of	the chemical in
		air that kills 50% of the test animals during the	observation
		period)	
MARPOL	:	International Convention for the Prevention of F	Pollution from
		Ships, 1973 as modified by the Protocol of 197	8
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the European	
		and of the Council of 18 December 2006 conce	
		istration, Evaluation, Authorisation and Restrict	
0.410		cals (REACH), establishing a European Chemi	cals Agency
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	
Further information			
Further information			

Classification of the mixture:		
H315	Calculation method	
H318	Calculation method	
H335	Calculation method	
	H315 H318	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaEmaco[®] S 5440 RS



Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 26.07.2024

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL / EN