

Revision Date: 08.12.2023 Date of last issue: 28.02.2023 Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaForce[®]-803 L45 (B) Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Revision Date: 08.12.2023 Date of last issue: 28.02.2023



Version 3.0

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	÷	H315 H317 H319 H332 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through pro- longed or repeated exposure if inhaled.
Precautionary statements	:	Prevention: P201 P260 P264 P280	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response: P304 + P340 + P342 + P311	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a
			POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

- 4,4'-Methylenediphenyl diisocyanate, oligomers
- 4,4'-methylenediphenyl diisocyanate

3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaForce[®]-803 L45 (B) Part B

Revision Date: 08.12.2023 Date of last issue: 28.02.2023



Version 3.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
4,4`-Methylenediphenyl diisocya- nate, oligomers	25686-28-6 500-040-3 01-2119457013-49- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351	>= 20 - < 25
		STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	
		Acute toxicity esti- mate	
		Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

SikaForce[®]-803 L45 (B) Part B

Revision Date: 08.12.2023 Date of last issue: 28.02.2023 Version 3.0



10 01 1001 10000. 20.02.2020			
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 \longrightarrow specific concentration limit Eye Irrit. 2; H319 >= 5 % STOT SE 3; H335 >= 5 % Skin Irrit. 2; H315 >= 5 % Resp. Sens. 1; H334 >= 0,1 % Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5	>= 0,5 - < 1
3-isocyanatomethyl-3,5,5- trimethylcyclohexyl isocyanate	4098-71-9 223-861-6 01-2119490408-31- XXXX	mg/lAcute Tox. 1; H330Skin Irrit. 2; H315Eye Irrit. 2; H319Resp. Sens. 1; H317STOT SE 3; H335(Respiratory system)Aquatic Chronic 2;H411	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

Revision Date: 08.12.2023 Date of last issue: 28.02.2023 Version 3.0



SECTION 4: First aid measures

4.1 I	4.1 Description of first aid measures				
	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.		
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
	In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2	Most important symptoms an	d e	ffects, both acute and delayed		
	Symptoms	:	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms.		
	Risks	:	irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.		



Revision Date: 08.12.2023 Date of last issue: 28.02.2023 Version 3.0

Treatment	:	Treat symptomatically.
SECTION 5: Firefighting mea	asure	es
5.1 Extinguishing media		
Suitable extinguishing media	a :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	n the	substance or mixture
Hazardous combustion prod- ucts	- :	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	t :	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.
SECTION 6: Accidental relea	ise n	neasures
6.1 Personal precautions, prote	ective	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ontaii	nment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

4.3 Indication of any immediate medical attention and special treatment needed

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

SikaForce[®]-803 L45 (B) Part B

Print Date 08.12.2023

Revision Date: 08.12.2023 Date of last issue: 28.02.2023		Version 3.0	Print Date 08.12
Advice on safe handling	:	Avoid exceeding the given occupational ex section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation ma, allergies, chronic or recurrent respirator not be employed in any process in which the used. Smoking, eating and drinking should be pro- plication area. Provide sufficient air exchange and/or exha Follow standard hygiene measures when he products	problems or asth- bry disease should his mixture is being ohibited in the ap- aust in work rooms.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protect	tion.
Hygiene measures	:	Handle in accordance with good industrial practice. When using do not eat or drink. W smoke. Wash hands before breaks and at	Vhen using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and v place. Store in accordance with local regula	
Further information on stor- age stability	:	No decomposition if stored and applied as	directed.

7.3 Specific end use(s)

Specific use(s)

: Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
4,4`-Methylenediphenyl diisocyanate, oligomers	25686-28-6	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
4,4'-methylenediphenyl diisocyanate	101-68-8	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
3-isocyanatomethyl-3,5,5- trimethylcyclohexyl isocyanate	4098-71-9	NDS	0,04 mg/m3	PL OEL



Revision Date: 08.12.2023 Date of last issue: 28.02.2023 Version 3.0

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.		

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
	respective authorities.

Print Date 08.12.2023

Revision Date: 08.12.2023 Date of last issue: 28.02.2023 Version 3.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid paste black
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	avn	losive limits
Upper explosion limit / Up- per flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity Viscosity, dynamic	:	ca. 300.000 mPa.s (20 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-	:	No data available

SikaForce[®]-803 L45 (B) Part B

Revision Date: 08.12.2023 Date of last issue: 28.02.2023 Version 3.0



octanol/water

Vapour pressure	:	0,01 hPa
Density	:	ca. 1,21 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

4,4`-Methylenediphenyl diisocyanate, oligomers:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Print Date 08.12.2023

Revision Date: 08.12.2023 Date of last issue: 28.02.2023 Version 3.0

Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement			
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method			
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg			
4,4'-methylenediphenyl diis	socy	vanate:			
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401			
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement			
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method			
3-isocyanatomethyl-3,5,5-tr	ime	thylcyclohexyl isocyanate:			
Acute oral toxicity	:	LD50 Oral (Rat): 4.814 mg/kg			
Acute inhalation toxicity	:	LC50 (Rat): 0,031 mg/l Exposure time: 4 h Test atmosphere: dust/mist			
		Acute toxicity estimate: 0,031 mg/l Test atmosphere: dust/mist Method: Calculation method			
Acute dermal toxicity	:	LD50 Dermal (Rat): > 7.000 mg/kg			
Skin corrosion/irritation Causes skin irritation.					
Serious eye damage/eye irr		ion			
Causes serious eye irritation.					
Respiratory or skin sensitis	satio	on			
Skin sensitisation May cause an allergic skin re	acti	nn			
Respiratory sensitisation					
May cause allergy or asthma symptoms or breathing difficulties if inhaled.					

Revision Date: 08.12.2023 Date of last issue: 28.02.2023

Version 3.0



Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Revision Date: 08.12.2023 Date of last issue: 28.02.2023 Version 3.0



12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
ADR IMDG	:	Not regulated as a dangerous good Not regulated as a dangerous good
	::	o o o

SikaForce[®]-803 L45 (B) Part B

Revision Date: 08.12.2023 Date of last issue: 28.02.2023 Version 3.0



ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.4 Packing group	
ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA (Cargo)	: Not regulated as a dangerous good
IATA (Passenger)	: Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are
 - registered by our upstream suppliers, and/or
 - registered by us, and/or
 - excluded from the regulation, and/or
 - exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		4,4 [°] -Methylenediphenyl diisocya- nate, oligomers (Number on list 74, 56) 4,4 ['] -methylenediphenyl diisocyanate (Number on list 74, 56) 3-isocyanatomethyl-3,5,5- trimethylcyclohexyl isocyanate (Number on list 74)
REACH - Candidate List of Substances of Very High	:	None of the components are listed (=> 0.1 %).

SikaForce[®]-803 L45 (B) Part B



Revision Date: 08.12.2023 Date of last issue: 28.02.2023 Version 3.0

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC)

SikaForce[®]-803 L45 (B) Part B

Version 3.0



Revision Date: 08.12.2023 Date of last issue: 28.02.2023

No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.	
H317	: May cause an allergic skin reaction.	
H319	: Causes serious eye irritation.	
H330	: Fatal if inhaled.	
H332	: Harmful if inhaled.	

Revision Date: 08.12.2023 Date of last issue: 28.02.2023



te	of last issue: 28.02.2023		
	H334	:	May cause allergy or asthma symptoms or breathing difficul-
			ties if inhaled.
	H335	:	May cause respiratory irritation.
	H351	:	Suspected of causing cancer.
	H373	:	May cause damage to organs through prolonged or repeated
			exposure if inhaled.
	H411	:	Toxic to aquatic life with long lasting effects.
	Full text of other abbreviation	ne	
	Acute Tox.	•	Acute toxicity
	Aquatic Chronic	:	Long-term (chronic) aquatic hazard
	Carc.		Carcinogenicity
	Eye Irrit.	:	Eye irritation
	Resp. Sens.	:	Respiratory sensitisation
	Skin Irrit.	:	Skin irritation
	Skin Sens.	:	Skin sensitisation
	STOT RE	:	Specific target organ toxicity - repeated exposure
	STOT SE	:	Specific target organ toxicity - single exposure
	PL OEL	:	Ordinance of the Minister of Family, Labour and Social Policy
			of 12 June 2018 concerning the highest allowable concentra-
			tions and levels of the agents harmful for health in the work-
			place (Dz.U 2018 pos 1286, with later amendments)
	PL OEL / NDS	:	Maximal Admissible Concentration
	PL OEL / NDSch	:	Maximal Admissible Temporary Concentration
	ADR	:	European Agreement concerning the International Carriage of
			Dangerous Goods by Road
	CAS	:	Chemical Abstracts Service
	DNEL	:	Derived no-effect level
	EC50	:	Half maximal effective concentration
	GHS	:	Globally Harmonized System
	ΙΑΤΑ	:	International Air Transport Association
	IMDG	:	International Maritime Code for Dangerous Goods
	LD50	:	Median lethal dosis (the amount of a material, given all at
			once, which causes the death of 50% (one half) of a group of
			test animals)
	LC50	:	Median lethal concentration (concentrations of the chemical in
			air that kills 50% of the test animals during the observation
			period)
	MARPOL	:	International Convention for the Prevention of Pollution from
			Ships, 1973 as modified by the Protocol of 1978
	OEL	:	Occupational Exposure Limit
	PBT	:	Persistent, bioaccumulative and toxic
	PNEC	:	Predicted no effect concentration
	REACH		Regulation (EC) No 1907/2006 of the European Parliament
			and of the Council of 18 December 2006 concerning the Reg-
			istration, Evaluation, Authorisation and Restriction of Chemi-
			cals (REACH), establishing a European Chemicals Agency
	SVHC		Substances of Very High Concern
	vPvB	:	Very persistent and very bioaccumulative
		•	vory poroiotorit and vory bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

SikaForce[®]-803 L45 (B) Part B



Revision Date: 08.12.2023 Date of last issue: 28.02.2023		Version 3.0	Print Date 08.12.2023
Acute Tox. 4	H332	Calculation method	
Skin Irrit. 2	H315	Calculation method	
Eye Irrit. 2	H319	Calculation method	
Resp. Sens. 1	H334	Calculation method	
Skin Sens. 1	H317	Calculation method	
Carc. 2	H351	Calculation method	
STOT SE 3	H335	Calculation method	
STOT RE 2	H373	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN