

Version 1.0

Print Date 20.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: PCI Silconal[®] W

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Surfaces protection

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin sensitisation, Category 1	H317: May cause an allergic skin

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal word Warning 1 Hazard statements H317 May cause an allergic skin reaction. 2 If medical advice is needed, have product P101 Precautionary statements 5 container or label at hand. P102 Keep out of reach of children. Prevention: P261 Avoid breathing mist or vapours.

reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Silconal[®] W



Revision Date: 20.11.2024 Date of last issue: -	N	Print Date 20.11.2024	
	P280	Wear protective gloves.	
	Response: P302 + P352	IF ON SKIN: Wash with plenty	of water.
	Disposal:		
	P501	Dispose of contents/container i with local regulation.	n accordance

Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one (BIT) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
triethoxyoctylsilane	2943-75-1	Skin Irrit. 2; H315	>= 2,5 - < 5
	220-941-2		
	01-2119972313-39-		
	XXXX		

PCI Silconal[®] W



Revision Date: 20.11.2024 Date of last issue: -	Version 1.	0	Print Date 20.11.2024
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	>= 0,036 - < 0,1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Silconal[®] W



Revision Date: 20.11.2024 Date of last issue: -	Version 1.0)	Print Date 20.11.2024
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % specific concentration limit Eye Dam. 1; H318 >= 0,6 %	>= 0,0015 - < 0,0025

For explanation of abbreviations see section 16.



Version 1.0

Print Date 20.11.2024

SECTION 4: First aid measures

4.1 Description of first aid meas	4.1 Description of first aid measures					
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.					
If inhaled	: Move to fresh air. Consult a physician after significant exposure.					
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. 					
In case of eye contact	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 					
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 					
4.2 Most important symptoms and effects, both acute and delayed						
Symptoms	: Allergic reactions See Section 11 for more detailed information on health effects and symptoms.					
Risks	: May cause an allergic skin reaction.					
	sensitising effects					
4.3 Indication of any immediate medical attention and special treatment needed						
Treatment	: Treat symptomatically.					
SECTION 5: Firefighting measures						
5.1 Extinguishing media						
Suitable extinguishing media	: In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for					

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

extinction.

PCI Silconal[®] W



Revision Date: 20.11.2024 Date of last issue: -		Version 1.0	Print Date 20.11.2024
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathin	g apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	e	measures	
6.1 Personal precautions, protect	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary sewe	r system.
6.3 Methods and material for con	tai	inment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

PCI Silconal[®] W



Revision Date: 20.11.2024	Version 1.0	Print Date 20.11.2024
Date of last issue: -		

7.2 Conditions for safe storage, including any incompatibilities

	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Recommended storage tem- perature	:	5 - 30 °C
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

use.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
ethanol	64-17-5	NDS	1.900 mg/m3	PL OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for abort time use or protection against apleabast

Suitable for short time use or protection against splashes:

PCI Silconal[®] W



Revision Date: 20.11.2024 Date of last issue: -		Version 1.0	Print Date 20.11.2024
		Butyl rubber/nitrile rubber gloves (> 0,1 mm Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	ו)
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. long-sleeved working clothing, long trouser and protective boots are additionaly recom and stirring work.	s). Rubber aprons
Respiratory protection	:	No special measures required.	
Environmental exposure of	ontr	ols	
General advice	:	Do not flush into surface water or sanitary s	sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid white
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Up-		No data available
per flammability limit	•	
	:	
per flammability limit	:	
per flammability limit Lower explosion limit / Lower flammability limit	:	No data available > 101 °C

PCI Silconal[®] W



Revision Date: 20.11.2024 Date of last issue: -	Version 1.0	Print Date 20.11.2024
рН	: 6 (20 °C) Concentration: 100 %	
Viscosity		
Viscosity, dynamic	: 30 mPa.s	
Viscosity, kinematic	: No data available	
Solubility(ies)		
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: 1 g/cm3 (20 °C)	
Relative vapour density	: No data available	

Particle characteristics : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available



Revision Date: 20.11.2024 Date of last issue: -	Version 1.0	Print Date 20.11.2024

10.5 Incompatible materials

PCI Silconal[®] W

Materials to avoid : No data av

10.6 Hazardous decomposition products

Hazardous decomposition : ethanol products

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity	 Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
	LD50 Oral (Rat): 450 mg/kg
Acute inhalation toxicity	 Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
	LC50: 0,21 mg/l
	Exposure time: 4 h
	Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	LD50 Dermal (Rabbit): > 2.000 mg/kg
	nethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):
Acute inhalation toxicity	Assessment: Corrosive to the respiratory tract.
Skin corrosion/irritation	
Not classified due to lack of data	a.
Serious eye damage/eye irrita	tion
Not classified due to lack of data	a.
Respiratory or skin sensitisat	ion
Skin sensitisation	

May cause an allergic skin reaction.

PCI Silconal[®] W



Version 1.0 Revision Date: 20.11.2024 Print Date 20.11.2024 Date of last issue: -**Respiratory sensitisation** Not classified due to lack of data. Components: 1,2-benzisothiazol-3(2H)-one (BIT): Assessment : May cause sensitisation by skin contact. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Not classified due to lack of data. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure Not classified due to lack of data. **STOT - repeated exposure** Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic	:	1

PCI Silconal® W



Version 1.0 Revision Date: 20.11.2024 Print Date 20.11.2024 Date of last issue: toxicity) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100 toxicity) 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment Product: Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.. 12.6 Endocrine disrupting properties Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects Product: Additional ecological infor-: There is no data available for this product. mation SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.

PCI Silconal[®] W



Revision Date: 20.11.2024 Date of last issue: - Version 1.0

Print Date 20.11.2024

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					
14.6 Special procedutions for user					

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

PCI Silconal [®] W				Sind
Revision Date: 20.11.2024 Date of last issue: -	Version	1.0		Print Date 20.11.202
SECTION 15: Regulatory inform	ation			
	(
15.1 Safety, health and environmen International Chemical Weapons Schedules of Toxic Chemicals a	Convention (CWC)	tion :	-	ostance or mixture
REACH Information:	All substances contain - registered by our up - registered by us, and - excluded from the re - exempted from the r	strea d/or gula	im suppliers, and/or tion, and/or	
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3		
			Number on list 75:	
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the compo (=> 0.1 %).	nents are listed
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) on substances t layer	hat deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		ment	and of the Council o	on the control of ma-
Volatile organic compounds :	Law on the incentive t (VOCV) Volatile organic comp no VOC duties		-	

SAFETY DATA SHEET



Version 1.0

Print Date 20.11.2024

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).



Version 1.0

Print Date 20.11.2024

es A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements	
---------------------------	--

H301 H302 H310 H314 H315 H317 H318 H330 H400 H410	Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.			
Full text of other abbreviations				
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens. PL OEL	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentra- tions and levels of the agents harmful for health in the work- place (Dz.U 2018 pos 1286, with later amendments)			
PL OEL / NDS ADR	Maximal Admissible Concentration European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS DNEL EC50 GHS IATA IMDG	Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods			
LD50	Median lethal dosis (the amount of a material, given all at			

PCI Silconal[®] W

_



Revision Date: 20.11.2024 Date of last issue: -		Version 1.0	Print Date 20.11.2024
		once, which causes the death of 50% (one half) of a group of
LC50	:	Median lethal concentration (concentra air that kills 50% of the test animals dur period)	
MARPOL	:	International Convention for the Preven Ships, 1973 as modified by the Protoco	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the E and of the Council of 18 December 200 istration, Evaluation, Authorisation and cals (REACH), establishing a Europear	6 concerning the Reg- Restriction of Chemi-
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulation	ve
Further information			
Classification of the mix	ture:	Classification	n procedure:

Skin Sens. 1 H317

Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL / EN