

Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaGrind®-3000 PL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Additive for cementous products

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC Hazard pictograms	s) No 1272/2008)	
Signal word	Warning	
Hazard statements	H319	Causes serious eye irritation.
Precautionary statements :	Prevention: P264 P280	Wash skin thoroughly after handling. Wear eye protection/ face protection.
	Response: P305 + P351 +	P338 IF IN EYES: Rinse cautiously with wa-



Revision Date: 28.02.2023 Date of last issue: - Version 1.0

ter for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

CAS-No.	Classification	Concentration
EC-No.		(% w/w)
Registration number		
111-42-2	Acute Tox. 4; H302	>= 1 - < 2,5
203-868-0	Skin Irrit. 2; H315	
01-2119488930-28-	Eye Dam. 1; H318	
XXXX	STOT RE 2; H373	
	Repr. 2; H361fd	
	EC-No. Registration number 111-42-2 203-868-0 01-2119488930-28-	EC-No. Registration number Acute Tox. 4; H302 111-42-2 Acute Tox. 4; H302 203-868-0 Skin Irrit. 2; H315 01-2119488930-28- XXXX Eye Dam. 1; H318 XXXX STOT RE 2; H373

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

SikaGrind[®]-3000 PL



Revision Date: 28.02.2023 Date of last issue: - Version 1.0

Symptoms	:	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects
		Causes serious eye irritation.
4.3 Indication of any immediate	me	dical attention and special treatment needed
Treatment	:	Treat symptomatically.
SECTION 5: Firefighting mea	sur	res
5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	n the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.
SECTION 6: Accidental release	se i	measures

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ctive equipment and emergency procedures
Personal precautions	: Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	 If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required.
6.3 Methods and material for co	ntainment and cleaning up
Methods for cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
Country DI 40000007705	2

Print Date 28.02.2023

Revision Date: 28.02.2023 Date of last issue: - Version 1.0

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Advice on protection against : Normal measures for preventive fire protection. fire and explosion Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage : Keep container tightly closed in a dry and well-ventilated areas and containers place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations. Further information on stor-No decomposition if stored and applied as directed. age stability

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
2,2'-iminodiethanol	111-42-2	NDS	9 mg/m3	PL OEL
	Further information: Skin			

SikaGrind®-3000 PL

Print Date 28.02.2023

Revision Date: 28.02.2023 Date of last issue: -

Version 1.0

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment		
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.	
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.	
Environmental exposure controls		
Conoral advisa	If the product conteminates rivers and lakes or drains inform	

General advice : If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour		liquid dark brown
Odour	:	No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaGrind[®]-3000 PL



Revision Date: 28.02.2023 Date of last issue: -

Version 1.0

Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	•	
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 8,5
•	:	ca. 8,5
pH Viscosity Viscosity, kinematic		ca. 8,5 No data available
Viscosity Viscosity, kinematic		
Viscosity		No data available
Viscosity Viscosity, kinematic Solubility(ies)	:	No data available
Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n-	:	No data available No data available
Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n- octanol/water	:	No data available No data available No data available
Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n- octanol/water Vapour pressure	:	No data available No data available No data available 23 hPa ca. 1,195 g/cm3 (20 °C)

Jika ®
Print Date 28.02.2023

Revision Date: 28.02.2023 Date of last issue: - Version 1.0

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Print Date 28.02.2023

Revision Date: 28.02.2023 Date of last issue: - Version 1.0

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

Components:

2,2'-iminodiethanol:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 75 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

Print Date 28.02.2023

Revision Date: 28.02.2023 Date of last issue: - Version 1.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	•	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous good				

Not regulated as a dangerous good

SikaGrind®-3000 PL

Print Date 28.02.2023

Revision Date: 28.02.2023 Date of last issue: - Version 1.0

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

REACH - Restrictions on t	5.1 Safety, health and environmental regulations/legislation specific for the substance or mixtue REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, Conditions of restriction for the fol- lowing entries should be considered:				
mixtures and articles (Ann	ex XVII)		Number on list 3		
International Chemical We Schedules of Toxic Chem	eapons Convention (CWC)	:	Not applicable		
	012 of the European Parlia- cerning the export and import	:	Not applicable		
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		None of the components are listed (=> 0.1 %).		
REACH - List of substance (Annex XIV)	es subject to authorisation	:	Not applicable		
Regulation (EC) No 1005/ plete the ozone layer	2009 on substances that de-	:	Not applicable		
Regulation (EU) 2019/102 tants (recast)	1 on persistent organic pollu-	:	Not applicable		
REACH Information:	All substances contair - registered by our ups - registered by us, and - excluded from the re - exempted from the re	strea d/or gula	am suppliers, and/or ation, and/or		
	/18/EU of the European Parliar /ing dangerous substances. Not applicable	nen	t and of the Council on the control of ma-		

Volatile organic compounds : Law on the incentive tax for volatile organic compounds

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaGrind[®]-3000 PL

Revision Date: 28.02.2023 Date of last issue: - Version 1.0



(VOCV) no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 1,5% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. 2005 Nr. 259, item 2173 with later amendments).

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaGrind®-3000 PL

Revision Date: 28.02.2023 Date of last issue: - Version 1.0



10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450 with later amendments).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Full text of H-Stateme	its					
H302	: Harmful if swallowed.					
H315	: Causes skin irritation.					
H318	: Causes serious eye damage.					
H361fd	 Suspected of damaging fertility. Suspected of damaging the unborn child. 					
H373	: May cause damage to organs through prolonged or repeated exposure.					
Full text of other abbreviations						
Acute Tox.	: Acute toxicity					
Eye Dam.	: Serious eye damage					
Repr.	: Reproductive toxicity					
Skin Irrit.	: Skin irritation					
STOT RE	: Specific target organ toxicity - repeated exposure					
PL OEL	 Poland. Occupational exposure limits for airborne toxic sub- stances 					
PL OEL / NDS	: Maximal Admissible Concentration					
ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road					
CAS	: Chemical Abstracts Service					
DNEL	: Derived no-effect level					
EC50	: Half maximal effective concentration					
GHS	: Globally Harmonized System					

SECTION 16: Other information

SikaGrind®-3000 PL



Revision Date: 28.02.2023 Date of last issue: -

IATA : IMDG : LD50 :	International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL :	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic
PNEC :	Predicted no effect concentration
REACH :	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC :	Substances of Very High Concern
vPvB :	Very persistent and very bioaccumulative
Further information	
Classification of the mixture:	Classification procedure:

Version 1.0

Eye Irrit. 2 H319 Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN