Ucrete® PT3 UD200SR Part C



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Ucrete[®] PT3 UD200SR Part C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin irritation, Category 2	H315: Causes skin irritation.		
Serious eye damage, Category 1	H318: Causes serious eye damage.		
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L. B.	
Signal word	:	Danger	
Hazard statements	:	H315 H317 H318	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.

Ucrete® PT3 UD200SR Part C



Revision Date: 30.01.2025 Version 1.0 Print Date 30.01.2025 Date of last issue: -**Prevention:** Precautionary statements 5 P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection. **Response:** P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335	>= 10 - < 20
calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 1 - < 2,5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Ucrete® PT3 UD200SR Part C

Revision Date: 30.01.2025 Version 1.0 Print Date 30.01.2025 Date of last issue: -White mineral oil (petroleum) 8042-47-5 Asp. Tox. 1; H304 >= 1 - < 2,5 232-455-8 01-2119487078-27-XXXX Substances with a workplace exposure limit : >= 40 - < 60 Quartz (SiO2) 14808-60-7 238-878-4 Quartz (SiO2) 14808-60-7 >= 25 - < 40 238-878-4

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measur	es
General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	l effects, both acute and delayed
Symptoms	 Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	: Causes skin irritation.
Country PL 000000724028	3 / 16

........... firstaid 4.1 De

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Ucrete® PT3 UD200SR Part C



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

May cause an allergic skin reaction. Causes serious eye damage.

irritant effects sensitising effects

4.3 Indication of any immediate medical attention and special treatment needed

```
Treatment : Treat symptomatically.
```

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion products 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and arrange disposal without creating dust.
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage,	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	NDS (respirable	1 mg/m3	PL OEL
		fraction)	-	
	Further informa	ation: Respirable fra	action - the fraction	n of aerosol
		s into the respiratory		
	the health of th	ne deposit in the are	a of gas exchange	e, determined

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Ucrete® PT3 UD200SR Part C

Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

	in accordance	e with standard PN-E	N 481.				
		NDS (inhalable fraction)	2 mg/m3	PL OEL			
	penetrating th	Further information: Inhalable fraction - the fraction of aerosol penetrating through the nose and mouth, which after deposit in the respiratory tract poses a threat to health, determined in ac-					
		n standard PN-EN 48					
		NDS (respirable fraction)	0,1 mg/m3 (Silica)	PL OEL			
Quartz (SiO2)	14808-60-7	NDS (respirable fraction)	0,1 mg/m3 (Silica)	PL OEL			
Cement, portland, chemicals	65997-15-1	NDS (inhalable fraction)	6 mg/m3	PL OEL			
		NDS (respirable fraction)	2 mg/m3	PL OEL			
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU			
	Further inform	Further information: Indicative					
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU			
		NDS (inhalable fraction)	2 mg/m3	PL OEL			
		NDS (respirable fraction)	1 mg/m3	PL OEL			
		NDSch (inhalable fraction)	6 mg/m3	PL OEL			
		NDSch (respirable fraction)	4 mg/m3	PL OEL			
White mineral oil (petroleum)	8042-47-5	NDS (inhalable fraction)	5 mg/m3	PL OEL			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.



Revision Date: 30.01.2025 Version 1.0 Print Date 30.01.2025 Date of last issue: -Respiratory protection In case of inadequate ventilation wear respiratory protection. : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. **Environmental exposure controls** General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid Amorphous powder beige
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C Method: closed cup Not applicable
Auto-ignition temperature	:	No data available

_

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Ucrete® PT3 UD200SR Part C



Revision Date: 30.01.2025 Date of last issue: -		Version 1.0	Print Date 30.01.2025
Decomposition temperature	:	No data available	
рН	:	> 11 Concentration: 50 %	
Viscosity Viscosity, kinematic	:	Not applicable	
Solubility(ies) Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	No data available	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No c	lata available
----------------------------	----------------

10.5 Incompatible materials

Ucrete® PT3 UD200SR Part C



Revision Date: 30.01.2025 Date of last issue: -	Version 1.0	Print Date 30.01.202
Materials to avoid :	No data available	
10.6 Hazardous decomposition pro	ducts	
:	No hazardous decomposition products are know	wn.
SECTION 11: Toxicological infor	mation	
11.1 Information on hazard classes	as defined in Regulation (EC) No 1272/2008	
Acute toxicity Not classified due to lack of data.		
Components:		
White mineral oil (petroleum):		
Acute oral toxicity :	LD50 Oral (Rat): > 5.000 mg/kg	
Acute inhalation toxicity :	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 2.000 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye irritat i Causes serious eye damage.	ion	
Respiratory or skin sensitisation	on	
Skin sensitisation May cause an allergic skin reaction	on.	
Respiratory sensitisation Not classified due to lack of data.		
Germ cell mutagenicity Not classified due to lack of data.		
Carcinogenicity Not classified due to lack of data.		
Reproductive toxicity Not classified due to lack of data.		
STOT - single exposure Not classified due to lack of data.		





Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

White mineral oil (petroleum):

Toxicity to fish	:	(Leuciscus idus (Golden orfe)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.. Ucrete® PT3 UD200SR Part C



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

12.6 Endocrine disrupting properties

Product:

Assessment

nent	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
		le reie er er i grien

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Ucrete® PT3 UD200SR Part C



Revision Date: 30.01.2025 Version 1.0 Print Date 30.01.2025 Date of last issue: -ADR Not regulated as a dangerous good IMDG Not regulated as a dangerous good t IATA Not regulated as a dangerous good 14.4 Packing group ADR Not regulated as a dangerous good 5 IMDG ÷ Not regulated as a dangerous good IATA (Cargo) Not regulated as a dangerous good 2 IATA (Passenger) Not regulated as a dangerous good : 14.5 Environmental hazards Not regulated as a dangerous good 14.6 Special precautions for user Not applicable 14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied. **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. Conditions of restriction for the fol-REACH - Restrictions on the manufacture, placing on • the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 47: Cement, portland, chemicals REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable 5 (Annex XIV) Regulation (EC) on substances that deplete the ozone : Not applicable

layer

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Ucrete® PT3 UD200SR Part C



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the inc

 Law on the incentive tax for volatile organic compounds (VOCV)
 Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement

Ucrete® PT3 UD200SR Part C



Revision Date: 30.01.2025 Date of last issue: - Version 1.0

Print Date 30.01.2025

of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviatio	ns	
Asp. Tox.	:	Aspiration hazard
Asp. Tox. Eye Dam.	:	Aspiration hazard Serious eye damage
•	:	•
Eye Dam.	::	Serious eye damage
Eye Dam. Skin Irrit.	::	Serious eye damage Skin irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Ucrete® PT3 UD200SR Part C



Revision Date: 30.01.2025 Version 1.0 Print Date 30.01.2025 Date of last issue: -2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values Ordinance of the Minister of Family, Labour and Social Policy PL OEL of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments) 2017/164/EU / STEL Short term exposure limit 2017/164/EU / TWA Limit Value - eight hours PL OEL / NDS Maximal Admissible Concentration PL OEL / NDSch Maximal Admissible Temporary Concentration ADR European Agreement concerning the International Carriage of Dangerous Goods by Road CAS : **Chemical Abstracts Service** DNEL Derived no-effect level Half maximal effective concentration EC50 GHS **Globally Harmonized System** International Air Transport Association IATA : International Maritime Code for Dangerous Goods IMDG Median lethal dosis (the amount of a material, given all at LD50 once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in LC50 air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from : Ships, 1973 as modified by the Protocol of 1978 **Occupational Exposure Limit** OEL PBT Persistent, bioaccumulative and toxic PNEC Predicted no effect concentration : REACH Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency Substances of Very High Concern SVHC : vPvB Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Ucrete® PT3 UD200SR Part C

Revision Date: 30.01.2025 Date of last issue: - Version 1.0

PL/EN



Print Date 30.01.2025