

Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikafloor<sup>®</sup> M 276 Part A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Polyurethane coating

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

#### 1.4 Emergency telephone number

112

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - repeated exposure, Category 2, Lungs	H373: May cause damage to organs through pro- longed or repeated exposure.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317 H373	May cause an allergic skin reaction. May cause damage to organs (Lungs) throu prolonged or repeated exposure.

# Sikafloor® M 276 Part A



 Revision Date: 26.07.2024
 Version 1.0
 Print Date 26.07.2024

 Date of last issue: Prevention:
 Prevention:

 Precautionary statements
 :
 Prevention:

 P260
 Do not breathe mist or vapours.

 P280
 Wear protective gloves.

 Response:
 P314

Response.	
P314	Get medical advice/ attention if you feel un- well.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Disposal:	
P501	Dispose of contents/container in accordance

with local regulation.

#### Hazardous components which must be listed on the label:

Quartz (SiO2) <5µm Phenol, methylstyrenated 4-morpholinecarbaldehyde Fatty acids, tall-oil, compds. with oleylamine

#### 2.3 Other hazards

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

CAS-No.	Classification	Concentration
EC-No.		(% w/w)
Registration number		. ,
14808-60-7	STOT RE 1; H372	>= 2,5 - < 5
238-878-4	(Lungs)	
	EC-No. Registration number 14808-60-7	EC-No.Registration number14808-60-7STOT RE 1; H372



Print Date 26.07.2024

# Sikafloor<sup>®</sup> M 276 Part A

Revision Date: 26.07.2024

of loot icours			
of last issue: -			
Phenol, methylstyrenated	68512-30-1 700-960-7 270-966-8 01-2119555274-38- XXXX	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 1 - < 2,5
2-methoxy-1-methylethyl acetate Contains: 2-methoxypropyl acetate <= 1 %	108-65-6 203-603-9 01-2119475791-29- XXXX	Flam. Liq. 3; H226 STOT SE 3; H336	>= 1 - < 2,5
1-phenoxypropan-2-ol	770-35-4 212-222-7 01-2119486566-23- XXXX	Eye Irrit. 2; H319	>= 1 - < 2,5
4-morpholinecarbaldehyde	4394-85-8 224-518-3 01-2119987993-12- XXXX	Skin Sens. 1; H317	>= 0,1 - < 0,5
Fatty acids, tall-oil, compds. with oleylamine	85711-55-3 288-315-1 01-2119974148-28- XXXX	Eye Dam. 1; H318 Skin Sens. 1A; H317 STOT RE 2; H373	< 0,1

Version 1.0

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

4.1 Description of mist and measure	
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms :	Allergic reactions

## Symptoms : Allergic reactions See Section 11 for more detailed information on health effects

Sikafloor® M 276 Part A



Revision Date: 26.07.2024 Date of last issue: -	Version 1.0	Print Date 26.07.2024
	and symptoms.	
Risks	: May cause an allergic skin reaction. May cause damage to organs throug exposure.	h prolonged or repeated
	sensitising effects	
4.3 Indication of any immediate m	edical attention and special treatment	t needed
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting measure	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray, ide/sand/foam/alcohol resistant foam, extinction.	
5.2 Special hazards arising from t	he substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products a	are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contained	ed breathing apparatus.
Further information	: Standard procedure for chemical fires	S.
SECTION 6: Accidental release	e measures	
6.1 Personal precautions, protect	ive equipment and emergency proced	ures
Personal precautions	: Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sar	nitary sewer system.
6.3 Methods and material for cont	ainment and cleaning up	
Methods for cleaning up	: Soak up with inert absorbent material acid binder, universal binder, sawdus Keep in suitable, closed containers fo	st).
6.4 Reference to other sections		

For personal protection see section 8.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor® M 276 Part A



Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

	Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2) <5µm	14808-60-7	NDS (respirable fraction)	0,1 mg/m3 (Silica)	PL OEL
2-methoxy-1-methylethyl acetate	108-65-6	STEL	100 ppm	2000/39/EC

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Sikafloor® M 276 Part A

Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

		550 mg/m3	
Further informa	ation: Identifies the	possibility of signi	ficant uptake
through the ski	in, Indicative		-
	TWA	50 ppm 275 mg/m3	2000/39/EC
	NDS	260 mg/m3	PL OEL
Further informa	ation: Skin		
	NDSch	520 mg/m3	PL OEL

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.		

#### **Environmental exposure controls**

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor® M 276 Part A



Revision Date: 26.07.2024 Date of last issue: -	Version 1.0	Print Date 26.07.2024

General advice

: Do not flush into surface water or sanitary sewer system.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physica Appear Colour		:	liquid viscous grey
Odour		:	slight
Melting ing poir	point/ range / Freez- nt	:	No data available
Boiling	point/boiling range	:	No data available
Flamma	ability (solid, gas)	:	No data available
Upper/	lower flammability or e	exp	losive limits
	er explosion limit / Up- flammability limit	:	No data available
	er explosion limit / er flammability limit	:	No data available
Flash p	oint	:	> 101 °C Method: closed cup
Auto-ig	nition temperature	:	No data available
Decom	position temperature	:	No data available
рН		:	Not applicable substance/mixture is non-soluble (in water)
Viscos	ity		
Visc	osity, dynamic	:	ca. 5.500 mPa.s (20 °C)
Visc	osity, kinematic	:	No data available
Solubil	lity(ies)		

: insoluble



Revision Date: 26.07.2024 Date of last issue: -	Version 1.0	Print Date 26.07.2024

Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: 0,01 hPa
Density	: ca. 1,49 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

## 10.4 Conditions to avoid

Conditions to avoid : No data available

## 10.5 Incompatible materials

Materials to avoid : No data available

## **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

#### Revision Date: 26.07.2024 Date of last issue: -

**SECTION 11: Toxicological information** 

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Version 1.0

## Acute toxicity Not classified due to lack of data.

## Components:

## 2-methoxy-1-methylethyl acetate:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
<b>1-phenoxypropan-2-ol:</b> Acute oral toxicity	:	LD50 Oral (Rat): 2.830 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg
Skin corrosion/irritation		

Not classified due to lack of data.

## Serious eye damage/eye irritation

Not classified due to lack of data.

## Respiratory or skin sensitisation

## Skin sensitisation

May cause an allergic skin reaction.

## **Respiratory sensitisation**

Not classified due to lack of data.

## Germ cell mutagenicity

Not classified due to lack of data.

## **Carcinogenicity** Not classified due to lack of data.

## Reproductive toxicity

Not classified due to lack of data.

## STOT - single exposure

Not classified due to lack of data.

## STOT - repeated exposure

May cause damage to organs (Lungs) through prolonged or repeated exposure.

## Aspiration toxicity

Not classified due to lack of data.



Print Date 26.07.2024



Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### 1-phenoxypropan-2-ol:

Toxicity to algae/aquatic	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
plants		Exposure time: 72 h

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

:

2

#### Product:

Assessment

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB)..

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sikafloor <sup>®</sup> M 276 Part A

# gula-

Revision Date: 26.07.2024 Date of last issue: -	Version 1.0	Print Date 26.07.2024
Additional ecological infor- mation	: There is no data available for this product.	
SECTION 13: Disposal conside	erations	
13.1 Waste treatment methods		

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor® M 276 Part A



Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

#### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:			gulation, and/or		
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3		
			Number on list 75:		
REACH - Candidate List of Subs Concern for Authorisation (Article		:	Phenol, methylstyrenated		
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable		
Regulation (EC) on substances t layer	hat deplete the ozone	:	Not applicable		
Regulation (EU) 2019/1021 on potants (recast)	ersistent organic pollu-	:	Not applicable		
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable		

Sikafloor<sup>®</sup> M 276 Part A



Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

 Volatile organic compounds
 : Law on the incentive tax for volatile organic compounds (VOCV)

 Volatile organic compounds (VOC) content: <= 3% w/w</td>

 no VOC duties

 Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 1,2% w/w

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).





Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

#### Full text of H-Statements

H226 H315 H317 H318 H319 H336 H372 H373 H412		Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. May cause drowsiness or dizziness. Causes damage to organs through prolonged or repeated exposure if inhaled. May cause damage to organs through prolonged or repeated exposure if swallowed. Harmful to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Aquatic Chronic Eye Dam. Eye Irrit. Flam. Liq. Skin Irrit. Skin Sens.	:	Long-term (chronic) aquatic hazard Serious eye damage Eye irritation Flammable liquids Skin irritation Skin sensitisation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikafloor<sup>®</sup> M 276 Part A



Revision Date: 26.07.2024 Version 1.0 Print Date 26.07.2024 Date of last issue: -STOT RE Specific target organ toxicity - repeated exposure : Specific target organ toxicity - single exposure STOT SE Europe. Commission Directive 2000/39/EC establishing a first 2000/39/EC list of indicative occupational exposure limit values Ordinance of the Minister of Family, Labour and Social Policy PL OEL : of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments) 2000/39/EC / TWA Limit Value - eight hours Short term exposure limit 2000/39/EC / STEL Maximal Admissible Concentration PL OEL / NDS PL OEL / NDSch Maximal Admissible Temporary Concentration : ADR European Agreement concerning the International Carriage of Dangerous Goods by Road CAS **Chemical Abstracts Service** Derived no-effect level DNEL Half maximal effective concentration EC50 GHS **Globally Harmonized System** International Air Transport Association IATA International Maritime Code for Dangerous Goods IMDG Median lethal dosis (the amount of a material, given all at LD50 once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 OEL ÷ **Occupational Exposure Limit** PBT Persistent, bioaccumulative and toxic PNEC Predicted no effect concentration REACH Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC Substances of Very High Concern vPvB Very persistent and very bioaccumulative **Further information** 

# Classification of the mixture:Classification procedure:Skin Sens. 1H317Calculation methodSTOT RE 2H373Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !





Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

# 

PL/EN