



Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 09.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: MasterSeal[®] P 385 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Product use
- : Epoxy-Cementitious system, Primer, Product is not intended for consumer use, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	272/2008)			
Skin corrosion, Sub-category 1C	H314: Causes severe skin burns and eye damage.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

÷

MasterSeal[®] P 385 Part B



Revision Date: 26.07.2024 Date of last issue: 09.07.2024	V	ersion 1.1	Print Date 09.07.2025
Hazard statements :	H317 Ma	uses severe skin burns and eye da y cause an allergic skin reaction. kic to aquatic life with long lasting o	-
Precautionary statements :	Prevention:		
,	P273 P280	Avoid release to the environmer Wear protective gloves/ protective eye protection/ face protection.	
	Response:		
	P303 + P361 + I	P353 IF ON SKIN (or hair): Take ately all contaminated clothing. I with water.	
	P304 + P340 +	P310 IF INHALED: Remove per air and keep comfortable for bre mediately call a POISON CENT	athing. Im-
		P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	e cautiously Remove con- to do. Con-
	P391	Collect spillage.	

Hazardous components which must be listed on the label:

Fatty acids, tall-oil, polymers with bisphenol A, diethylenetriamine, epichlorohydrin and tetraethylenepentamine

3-aminopropyldimethylamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
MasterSeal [®] P 385 Part B



Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 09.07.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		· · · ·
Fatty acids, tall-oil, polymers with	68951-85-9	Skin Corr. 1C; H314	>= 25 - < 40
bisphenol A, diethylenetriamine, epichlorohydrin and tetra- ethylenepentamine	Not Assigned	Skin Sens. 1B; H317 Aquatic Chronic 2; H411	
3-aminopropyldimethylamine	109-55-7 203-680-9 01-2119486842-27- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Acute Tox. 4; H312 STOT SE 3; H335	>= 0,5 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages.

MasterSeal[®] P 385 Part B



Revision Date: 26.07.2024 Date of last issue: 09.07.2024	Version 1.1	Print Date 09.07.202
	Never give anything by mouth to an ur	nconscious person.
4.2 Most important symptoms an	d effects, both acute and delayed	
Symptoms	 Allergic reactions Dermatitis See Section 11 for more detailed infor and symptoms. 	mation on health effects
Risks	: May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.	
	Health injuries may be delayed. corrosive effects sensitising effects	
4.3 Indication of any immediate r	edical attention and special treatment	needed
Treatment SECTION 5: Firefighting meas	: Treat symptomatically.	
	ures	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	ures : In case of fire, use water/water spray/vide/sand/foam/alcohol resistant foam/or extinction.	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	ures : In case of fire, use water/water spray/vide/sand/foam/alcohol resistant foam/or extinction.	chemical powder for
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- 	 ures In case of fire, use water/water spray/vide/sand/foam/alcohol resistant foam/or extinction. he substance or mixture Do not allow run-off from fire fighting to courses. 	chemical powder for o enter drains or water
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- 	 ures In case of fire, use water/water spray/vide/sand/foam/alcohol resistant foam/or extinction. he substance or mixture Do not allow run-off from fire fighting to courses. 	chemical powder for o enter drains or water
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- ucts 	 ures In case of fire, use water/water spray/vide/sand/foam/alcohol resistant foam/or extinction. he substance or mixture Do not allow run-off from fire fighting to courses. No hazardous combustion products ar 	chemical powder for o enter drains or water re known

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.	
Country PL 000000720203		

MasterSeal[®] P 385 Part B



Revision Date: 26.07.2024 Date of last issue: 09.07.2024		Version 1.1	Print Date 09.07.2025
		Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary see If the product contaminates rivers and lakes respective authorities.	
6.3 Methods and material for co	ntai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. s acid binder, universal binder, sawdust). Keep in suitable, closed containers for dispo	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	nclu	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)





Revision Date: 26.07.2024 Date of last issue: 09.07.2024	Version 1.1	Print Date 09.07.2025
Specific use(s)	: Consult most current local Product Data use.	a Sheet prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

_

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
------------	---------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal	protective	equipment
----------	------------	-----------

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.		
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	No special measures required.		
Environmental exposure controls			
General advice	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.		

MasterSeal[®] P 385 Part B



Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 09.07.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information on basic physical	l an	d chemical properties
Physical state Appearance	:	liquid paste
Colour	:	yellow
Odour	:	ammoniacal
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	٥yr	losivo limits
Upper explosion limit / Upper flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 9 Concentration: 100 %
Viscosity Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available

MasterSeal[®] P 385 Part B



Revision Date: 26.07.2024 Date of last issue: 09.07.2024	Version 1.1	Print Date 09.07.2025
Vapour pressure	: 23 hPa	
Density	: ca. 1,12 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		
SECTION 10: Stability and re	activity	
10.1 Reactivity		
No dangerous reaction know	under conditions of normal use.	
10.2 Chemical stability		
The product is chemically sta	ble.	
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: Stable under recommended storage co	onditions.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

2

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes severe burns.

MasterSeal[®] P 385 Part B

Jika®

Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 09.07.2025

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available Country PL 000000720203 MasterSeal® P 385 Part B



Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 09.07.2025

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 a levels of 0.1% or higher.
------------	--

12.7 Other adverse effects

Additional ecological infor- :	An environmental hazard cannot be excluded in the event of
mation	unprofessional handling or disposal.
	Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: UN 2735	
IMDG	: UN 2735	
Country PL 00000720203		10 / 15

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterSeal[®] P 385 Part B



:		ROSIVE. N.O.S.
:	POLYAMINES, LIQUID, COR (Fatty acids, tall-oil, polymers	ROSIVE. N.O.S.
:	(Fatty acids, tall-oil, polymers	ROSIVE. N.O.S.
:	amine, epichioronyunn anu te	with bisphenol A, diethylenetri- etraethylenepentamine)
	POLYAMINES, LIQUID, COR	ROSIVE, N.O.S. with bisphenol A, diethylenetri-
:	Polyamines, liquid, corrosive, (Fatty acids, tall-oil, polymers amine, epichlorohydrin and te	with bisphenol A, diethylenetri-
	Class Subsid	liary risks
:	8	
:	8	
:	8	
	III C7 80 8 (E)	
:	III 8 F-A, S-B	
:	856 Y841 III Corrosive	
:	852 Y841 III Corrosive	
		 (Fatty acids, tall-oil, polymers amine, epichlorohydrin and te Polyamines, liquid, corrosive, (Fatty acids, tall-oil, polymers amine, epichlorohydrin and te Class Subside 8 8 8 8 8 8 8 (E) III 8 (F-A, S-B 856 Y841 III Corrosive 852 Y841 III Corrosive 852 Y841 III III

ADR

Environmentally hazardous : yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





MasterSeal[®] P 385 Part B

Revision Date: 26.07.2024	
Date of last issue: 09.07.2024	

Version 1.1

Print Date 09.07.2025

IMDG

Marine pollutant: yesIATA (Passenger)Environmentally hazardous: yesIATA (Cargo)Environmentally hazardous: yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on Conditions of restriction for the folthe market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 3 Number on list 75: REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) on substances that deplete the ozone Not applicable : layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable Country PL 000000720203

MasterSeal[®] P 385 Part B



Revision Date: 26.07.2024 Version 1.1 Print Date 09.07.2025 Date of last issue: 09.07.2024 tants (recast) Regulation (EU) No 649/2012 of the European Parlia-: Not applicable ment and the Council concerning the export and import of dangerous chemicals Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. **ENVIRONMENTAL HAZARDS** E2 Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,66% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)



Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 09.07.2025

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H226 H302 H312 H314 H317 H318 H335 H411	::	Flammable liquid and vapour. Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. Toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox. Aquatic Chronic Eye Dam. Flam. Liq. Skin Corr. Skin Sens.	:	Acute toxicity Long-term (chronic) aquatic hazard Serious eye damage Flammable liquids Skin corrosion Skin sensitisation		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

MasterSeal® P 385 Part B



Revision Date: 26.07.2024 Date of last issue: 09.07.2024 Version 1.1

Print Date 09.07.2025

STOT SE	: Specific target organ toxicity - single exposure
ADR	: European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
ΙΑΤΑ	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50	: Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL	: International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Corr. 1C	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN