

Revision Date: 12.07.2023 Date of last issue: - Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] PU Accelerator

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - repeated exposure, Category 1, Lungs	H372: Causes damage to organs through pro- longed or repeated exposure if inhaled.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 H318 H372	Causes skin irritation. Causes serious eye damage. Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Revision Date: 12.07.2023 Date of last issue: - Version 2.0



Precautionary statements :	Prevention:	
	P260 P264 P280	Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.
	Response:	
	P305 + P351 +	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
	P314	Get medical advice/ attention if you feel un- well.
	Disposal:	
	P501	Dispose of contents/container in accordance with local regulation.
4		

Hazardous components which must be listed on the label:

benzoic acid

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Pentanoic acid, 5-	1174627-68-9	Eye Irrit. 2; H319	>= 60 - < 80
(dimethylamino)-2-methyl-5-oxo-,	700-204-6		
methyl ester	01-2119497421-36-		
	XXXX		



Revision Date: 12.07.2023 Date of last issue: - Version 2.0

benzoic acid	65-85-0	Skin Irrit. 2; H315	>= 10 - < 20
	200-618-2	Eye Dam. 1; H318	
	01-2119455536-33-	STOT RE 1; H372	
	XXXX	(Lungs)	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General advice Move out of dangerous area. : Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled Move to fresh air. Consult a physician after significant exposure. In case of skin contact Take off contaminated clothing and shoes immediately. 1 Wash off with soap and plenty of water. If symptoms persist, call a physician. In case of eye contact Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. Do not induce vomiting without medical advice. If swallowed : Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms **Excessive lachrymation** Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms. Risks irritant effects Causes skin irritation. Causes serious eye damage. Causes damage to organs through prolonged or repeated exposure if inhaled. 4.3 Indication of any immediate medical attention and special treatment needed Treatment Treat symptomatically. 1

Sika® PU Accelerator



Revision Date: 12.07.2023 Date of last issue: - Version 2.0

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.
		neasures e equipment and emergency procedures Use personal protective equipment.
6.1 Personal precautions, protec		neasures e equipment and emergency procedures
		neasures e equipment and emergency procedures Use personal protective equipment.
5.1 Personal precautions, protec Personal precautions		neasures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Try to prevent the material from entering drains or water
 5.1 Personal precautions, protect Personal precautions 5.2 Environmental precautions 		neasures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform
 5.1 Personal precautions, protect Personal precautions 5.2 Environmental precautions 		neasures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform respective authorities.
 5.1 Personal precautions, protect Personal precautions 5.2 Environmental precautions 		neasures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform
 5.1 Personal precautions, protect Personal precautions 5.2 Environmental precautions 	:	neasures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required.
 5.1 Personal precautions, protect Personal precautions 5.2 Environmental precautions Environmental precautions 	:	neasures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required. nment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,
 5.1 Personal precautions, protections 6.2 Environmental precautions Environmental precautions S.3 Methods and material for contract of the second se	:	neasures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required.
 5.1 Personal precautions, protections 6.2 Environmental precautions Environmental precautions S.3 Methods and material for contract of the second se	:	neasures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required. nment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

7.1 Precautions for safe handling

Advice on safe handling

÷

Avoid exceeding the given occupational exposure limits (see section 8).

Sika® PU Accelerator



Revision Date: 12.07.2023 Date of last issue: -		Version 2.0	Print Date 05.02.2
		Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibite plication area. Follow standard hygiene measures when handlir products	•
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	Handle in accordance with good industrial hygier practice. When using do not eat or drink. When u smoke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Containers which are opened must be car sealed and kept upright to prevent leakage. Store ance with local regulations.	efully re-
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet p use.	rior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

	/alue type (Form of exposure)	Control parame- ters *	Basis *
--	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes:

Sika® PU Accelerator



Revision Date: 12.07.2023 Date of last issue: -	Version 2.0	Print Date 05.02.
	Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to	EN ISO 20345

 Skin and body protection
 : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.

Respiratory protection : No special measures required.

Environmental exposure controls

General advice	: Try to prevent the material from entering drains or water
	courses.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.
	No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Physical state Colour	:	liquid yellow				
	Odour	:	amine-like				
	Melting point/range / Freezing point	:	No data available				
	Boiling point/boiling range	:	ca. 212 °C				
	Flammability (solid, gas)	:	No data available				
	Upper/lower flammability or e	exp	losive limits				
	Upper explosion limit / Up- per flammability limit	-					
	Lower explosion limit / Lower flammability limit	:	No data available				
	Flash point	:	> 146 °C Method: closed cup				
	Auto-ignition temperature	:	No data available				
וו	untry PL 00000604196						

Sika[®] PU Accelerator

Print Date 05.02.2024

Revision Date: 12.07.2023 Date of last issue: - Version 2.0

Decomposition temperature	: No data available	
рН	: Not applicable	
Viscosity Viscosity, kinematic	: >7 mm2/s (40 °C)	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: ca. 1,04 g/cm3 (20 °	C)
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Sika® PU Accelerator

Print Date 05.02.2024

Revision Date: 12.07.2023 Date of last issue: - Version 2.0

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

Sika[®] PU Accelerator

Print Date 05.02.2024

Revision Date: 12.07.2023 Date of last issue: - Version 2.0

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed
	waste disposal contractor. Disposal of this product, solutions and any by-products should

Sika® PU Accelerator



Revision Date: 12.07.2023 Date of last issue: -		Version 2.0	Print Date 05.02.2
		at all times comply with the requirements of en- protection and waste disposal legislation and a local authority requirements. Avoid dispersal of spilled material and runoff ar soil, waterways, drains and sewers.	ny regional
European Waste Catalogue	:	08 01 11* waste paint and varnish containing over the vents or other dangerous substances	organic sol-
Contaminated packaging	:	15 01 10* packaging containing residues of or on by dangerous substances	contaminated

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					
14.6 Special precautions for user					

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Sika® PU Accelerator

Print Date 05.02.2024

Revision Date: 12.07.2023 Date of last issue: - Version 2.0

SECTION 15: Regulatory information

15.1 Safety, health and environmen REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ion :	specific for the substance or mixture Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3			
International Chemical Weapons Schedules of Toxic Chemicals ar		:	Not applicable		
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).		
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable		
Regulation (EC) No 1005/2009 o plete the ozone layer	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer				
Regulation (EU) 2019/1021 on petants (recast)	:	Not applicable			
Regulation (EC) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable		
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea I/or gula	am suppliers, and/or ation, and/or		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of jor-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: 0,08% w/w		
	Directive 2010/75/EU	of 2	4 November 2010 on industrial		

Print Date 05.02.2024

Revision Date: 12.07.2023 Date of last issue: - Version 2.0

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,08% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amend-

Revision Date: 12.07.2023 Date of last issue: - Version 2.0



ed)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H372	:	Causes damage to organs through prolonged or repeated exposure if inhaled.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
STOT RE	:	Specific target organ toxicity - repeated exposure
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	÷	International Air Transport Association
IMDG	÷	International Maritime Code for Dangerous Goods
LD50	÷	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
1.050		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation period)
MARPOL		International Convention for the Prevention of Pollution from
	•	Ships, 1973 as modified by the Protocol of 1978
OEL		Occupational Exposure Limit
PBT		Persistent, bioaccumulative and toxic
PNEC	÷	Predicted no effect concentration
REACH		Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Revision Date: 12.07.2023 Date of last issue: - Version 2.0



Further information

Classification of the	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT RE 1	H372	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN