

Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sika<sup>®</sup> Ucrete<sup>®</sup> BC 6 AS (Formerly Ucrete BC 6 AS) Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	·

#### 1.4 Emergency telephone number

112

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	72/2008)
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.



Revision Date: 24.01.2025 Date of last issue: -

Version 1.0

Print Date 24.01.2025

#### 2.2 Label elements

Labelling (REGULATION ( Hazard pictograms	( <b>EC)</b> :	No 1272/2008)	!
Signal word	:	Danger	
Hazard statements	:	H317 M H319 C H332 H H334 M H335 M H351 S H373 M	auses skin irritation. lay cause an allergic skin reaction. auses serious eye irritation. armful if inhaled. lay cause allergy or asthma symptoms or breath- ig difficulties if inhaled. lay cause respiratory irritation. uspected of causing cancer. lay cause damage to organs through prolonged r repeated exposure if inhaled.
Precautionary statements	:	<b>Prevention:</b> P201 P260 P264 P280 <b>Response:</b> P304 + P340 -	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

#### Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues 4,4'-methylenediphenyl diisocyanate

#### **Additional Labelling**

"As from 24 August 2023 adequate training is required before industrial or professional use."

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika<sup>®</sup> Ucrete<sup>®</sup> BC 6 AS (Formerly Ucrete BC 6 AS) Part B



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit StoT SE 3; H335 >= 5 %	>= 60 - < 80

#### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Sika® Ucrete® BC 6 AS (Formerly Ucrete BC 6 AS) Part B

Revision Date: 24.01.2025 Date of last issue: - Version 1.0

e of last issue: -			
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	>= 40 - < 60
		specific concentration limit Eye Irrit. 2; H319 >= 5 %	
		specific concentration limit STOT SE 3; H335 >= 5 %	
		specific concentration limit Skin Irrit. 2; H315 >= 5 %	
		specific concentration limit Resp. Sens. 1; H334 >= 0,1 %	
		Acute toxicity esti- mate	
For evaluation of obbraviations of		Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

For explanation of abbreviations see section 16.

:

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.



Revision Date: 24.01.2025 Date of last issue: -	Version 1.0	Print Date 24.01.2025
If inhaled :	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact :	Take off contaminated clothing and shoes immed Wash off with soap and plenty of water. If symptoms persist, call a physician.	liately.
In case of eye contact :	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious	person.
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms :	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on h and symptoms.	health effects
Risks :	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breath ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged exposure if inhaled. irritant effects sensitising effects	-
4.3 Indication of any immediate me	dical attention and special treatment needed	
Treatment :	Treat symptomatically.	



Revision Date: 24.01.2025	Version 1.0
Date of last issue: -	

Print Date 24.01.2025

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing med	lia :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

#### 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use personal protective equipment. Deny access to unprotected persons. 6.2 Environmental precautions Environmental precautions Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid formation of aerosol.
		Avoid exceeding the given occupational exposure limits (see
		section 8).
		Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Sika® Ucrete® BC 6 AS (Formerly Ucrete BC 6 AS) Part B

Revision Date: 24.01.2025 Date of last issue: -		Version 1.0	Print Date 24.01.2025
		Persons with a history of skin sensitisation ma, allergies, chronic or recurrent respirat not be employed in any process in which used. Smoking, eating and drinking should be p plication area. Provide sufficient air exchange and/or ex Follow standard hygiene measures when products	atory disease should this mixture is being prohibited in the ap- haust in work rooms.
Advice on protection against fire and explosion	:	Normal measures for preventive fire prot	ection.
Hygiene measures	:	Handle in accordance with good industria practice. When using do not eat or drink. smoke. Wash hands before breaks and a	When using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and place. Containers which are opened mus sealed and kept upright to prevent leakag ance with local regulations.	st be carefully re-
Further information on stor- age stability	:	No decomposition if stored and applied a	as directed.
7.3 Specific end use(s)			
Specific use(s)	:	Cleaning with aprotic polar solvents mus Consult most current local Product Data use.	

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
4,4'-methylenediphenyl diisocyanate	101-68-8	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	nt	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

#### Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
	respective authorities.



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

1 Information on basic physical and chemical properties						
Physical state Colour	:	liquid brown				
Odour	:	musty				
Melting point/ range / Freez- ing point	:	No data available				
Boiling point/boiling range	:	No data available				
Flammability (solid, gas)	:	No data available				
Upper/lower flammability or	exp	losive limits				
Upper explosion limit / Upper flammability limit	•					
Lower explosion limit / Lower flammability limit	:	No data available				
Flash point	:	> 200 °C Method: closed cup				
Auto-ignition temperature	:	No data available				
Decomposition temperature	:	No data available				
рН	:	substance/mixture reacts with water				
Viscosity						
Viscosity, dynamic	:	89 mPa.s				
Viscosity, kinematic	:	No data available				
<b>Solubility(ies)</b> Water solubility	:	No data available				

: No data available

Partition coefficient: n-



Revision Date: 24.01.2025 Date of last issue: -	Version 1.0	Print Date 24.01.2025
octanol/water		
Vapour pressure	0,01 hPa	
Density	1,23 g/cm3 (20 °C)	
Relative vapour density	No data available	
Particle characteristics	No data available	
<b>9.2 Other information</b> No data available		
SECTION 10: Stability and react	ivity	
10.1 Reactivity		
No dangerous reaction known u	nder conditions of normal use.	
10.2 Chemical stability		
The product is chemically stable		
10.3 Possibility of hazardous react		
Hazardous reactions	No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	No data available	
10.5 Incompatible materials		
Materials to avoid	No data available	
10.6 Hazardous decomposition pro	ducts	
	No hazardous decomposition products are know	wn.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if inhaled.



sion Date: 24.01.2025 of last issue: -		Version 1.0	Print Date 24.01.2
Components:			
Diphenylmethanediisocya	nate, isom	neres and homologues:	
Acute oral toxicity		0 Oral (Rat): > 10.000 mg/kg	
Acute inhalation toxicity	Exp Tes Met Ass	0: 1,5 mg/l osure time: 4 h t atmosphere: dust/mist hod: Expert judgement essment: The component/mixture i rt term inhalation.	is moderately toxic after
Acute dermal toxicity	: LD5	0 Dermal (Rabbit): > 9.400 mg/kg	
4,4'-methylenediphenyl dii	socyanate	9:	
Acute oral toxicity		0 Oral (Rat): > 5.000 mg/kg hod: OECD Test Guideline 401	
Acute inhalation toxicity	Exp Tes	0: 1,5 mg/l osure time: 4 h t atmosphere: dust/mist hod: Expert judgement	
	Tes	te toxicity estimate: 1,5 mg/l t atmosphere: dust/mist hod: Calculation method	
Skin corrosion/irritation Causes skin irritation.			
Serious eye damage/eye ir Causes serious eye irritation			
Respiratory or skin sensiti	sation		
Skin sensitisation May cause an allergic skin re	eaction.		
Respiratory sensitisation May cause allergy or asthma	a symptom	s or breathing difficulties if inhaled	
Germ cell mutagenicity Not classified due to lack of	data.		
Carcinogenicity Suspected of causing cance	r.		
Reproductive toxicity Not classified due to lack of	data.		
STOT - single exposure			
	ion.		



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

#### 12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

#### **12.6 Endocrine disrupting properties**

#### Product:

Assessment

nent	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
		levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe way.</li> </ul>
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-

tion (EU) 2020/878

# Sika<sup>®</sup> Ucrete<sup>®</sup> BC 6 AS (Formerly Ucrete BC 6 AS) Part B



Revision Date: 24.01.2025 Date of last issue: -	Version 1.0	Print Date 24.01.2025
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards		
Not regulated as a dangerous	good	
14.6 Special precautions for use		
Not applicable		
14.7 Maritime transport in bulk a	ccording to IMO instruments	
Not applicable for product as	upplied.	

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

**REACH** Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 56: Diphenylmethanediisocyanate, isomeres and homologues, 4,4'-methylenediphenyl diisocyanate

Number on list 74: Diphenylmethanediisocyanate, isomeres and homologues, 4,4'-methylenediphenyl diisocyanate

Number on list 75:



Revision Date: 24.01.2025 Date of last issue: -		Version 1.0			Print Date 24.01.2025	
	didate List of Substances uthorisation (Article 59).	s of Very High :		None of the componen (=> 0.1 %).	ts are listed	
REACH - List ( (Annex XIV)	of substances subject to	authorisation :		Not applicable		
Regulation (E0 layer	c) on substances that de	plete the ozone :		Not applicable		
Regulation (EL tants (recast)	J) 2019/1021 on persiste	ent organic pollu- :		Not applicable		
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals						
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable						
Volatile organi	Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties					
			~ -			

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Sika® Ucrete® BC 6 AS (Formerly Ucrete BC 6 AS) Part B

Revision Date: 24.01.2025 Date of last issue: - Version 1.0

Print Date 24.01.2025

amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H315

: Causes skin irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Sika® Ucrete® BC 6 AS (Formerly Ucrete BC 6 AS) Part B

Revision Date: 24.01.2025 Date of last issue: -		Version 1.0	Print Date 24.01.2025	
	_			
H317		May cause an allergic skin reaction.		
H319		Causes serious eye irritation.		
H332		Harmful if inhaled.		
H334	t	May cause allergy or asthma symptoms ies if inhaled.	or breathing difficul-	
H335	: 1	May cause respiratory irritation.		
H351	: 3	Suspected of causing cancer.		
H373	<ul> <li>May cause damage to organs through prolonged or repeated exposure if inhaled.</li> </ul>			
Full text of other abbrevi	ations			
Acute Tox.	: /	Acute toxicity		
Carc.		Carcinogenicity		
Eye Irrit.		Eye irritation		
Resp. Sens.		Respiratory sensitisation		
Skin Irrit.		Skin irritation		
Skin Sens.		Skin sensitisation		
STOT RE		Specific target organ toxicity - repeated (		
STOT SE		Specific target organ toxicity - single exp		
PLOEL		Drdinance of the Minister of Family, Lab		
FLOLL		of 12 June 2018 concerning the highest		
		ions and levels of the agents harmful for		
		blace (Dz.U 2018 pos 1286, with later ar		
PL OEL / NDS		· ·	nenuments)	
		Maximal Admissible Concentration	una ti a n	
PL OEL / NDSch		Maximal Admissible Temporary Concent		
ADR		European Agreement concerning the Int	ernational Carriage of	
646		Dangerous Goods by Road		
CAS		Chemical Abstracts Service		
DNEL		Derived no-effect level		
EC50		Half maximal effective concentration		
GHS		Globally Harmonized System		
IATA		nternational Air Transport Association		
IMDG		nternational Maritime Code for Dangero		
LD50		Median lethal dosis (the amount of a ma		
	t	once, which causes the death of 50% (o est animals)	,	
LC50		Median lethal concentration (concentrati air that kills 50% of the test animals duri		
		period)	0	
MARPOL		nternational Convention for the Preventi	ion of Pollution from	
		Ships, 1973 as modified by the Protocol		
OEL		Occupational Exposure Limit		
PBT		Persistent, bioaccumulative and toxic		
PNEC		Predicted no effect concentration		
REACH		Regulation (EC) No 1907/2006 of the Eu	iropean Parliament	
REAGH	á	and of the Council of 18 December 2006 stration, Evaluation, Authorisation and F	concerning the Reg-	
		cals (REACH), establishing a European		
SVHC		Substances of Very High Concern	chemicale Agency	
vPvB		/ery persistent and very bioaccumulative	2	
	•	by persistent and very bloaccullulation		



Revision Date: 24.01.2025 Date of last issue: - Version 1.0

**Classification procedure:** 

Print Date 24.01.2025

#### **Further information**

#### Classification of the mixture:

		-
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL / EN