# **PCI Novoment® Light**



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: PCI Novoment<sup>®</sup> Light

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Screed

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	-

#### 1.4 Emergency telephone number

112


#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **PCI Novoment® Light**



Revision Date: 09.07.2024 Date of last issue: -		Version 1.0	Print Date 09.07.2024	
Precautionary statements :	P101	If medical advice is needed, ha container or label at hand.	ave product	
	P102	Keep out of reach of children.		
	Prevention:			
	P271	Use only outdoors or in a well- ea.	ventilated ar-	
	P280	Wear protective gloves/ eye pr protection.	rotection/ face	
	Response:			
	P305 + P351 +	P338 + P310 IF IN EYES: Rin with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call CENTER/ doctor.	Remove con- y to do. Con-	
	Disposal:			
	P501	Dispose of contents/container with local regulation.	in accordance	

#### Hazardous components which must be listed on the label:

Cement (chromium reduced)

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 10 - < 20
	238-878-4		
calcium sulfate	7778-18-9		>= 10 - < 20
	231-900-3		
	01-2119444918-26-		
	XXXX		
kaolin	1332-58-7		>= 1 - < 2,5
	310-194-1		

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI Novoment<sup>®</sup> Light



Revision Date: 09.07.2024 Date of last issue: -		Version 1.0	Print Date 09.07.202
		Do not give milk or alcoholic beverages. Never give anything by mouth to an uncor	nscious person.
4.2 Most important symptoms a	and e	effects, both acute and delayed	
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed informati and symptoms.	ion on health effects
Risks	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
		irritant effects	
		irritant effects	de d
4.3 Indication of any immediate Treatment	e me		ded
•	e me	irritant effects dical attention and special treatment nee	ded
Treatment	:	irritant effects dical attention and special treatment nee Treat symptomatically.	ded
Treatment SECTION 5: Firefighting mea	:	irritant effects dical attention and special treatment nee Treat symptomatically.	ded
Treatment	: asur	irritant effects dical attention and special treatment nee Treat symptomatically.	er jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media	: <b>asur</b> a :	irritant effects <b>dical attention and special treatment nee</b> Treat symptomatically. <b>res</b> In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chen extinction.	er jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	: asur a : m the	irritant effects <b>dical attention and special treatment nee</b> Treat symptomatically. <b>res</b> In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chen extinction.	er jet/carbon diox- nical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod ucts	: asur a : m the	irritant effects dical attention and special treatment nee Treat symptomatically. res In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chen extinction. e substance or mixture	er jet/carbon diox- nical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod	asur a : m the	irritant effects dical attention and special treatment nee Treat symptomatically. res In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chen extinction. e substance or mixture	er jet/carbon diox- nical powder for

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protect	tiv	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Avoid breathing dust.

PCI Novoment<sup>®</sup> Light



Revision Date: 09.07.2024 Date of last issue: -		Version 1.0	Print Date 09.07.2024
6.2 Environmental precautions			
Environmental precautions	:	Try to prevent the material from entering dr courses. No special environmental precautions requ	
6.3 Methods and material for co	ntai	nment and cleaning up	

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	<ul><li>Avoid exceeding the given occupational exposure limits (see section 8).</li><li>Do not get in eyes, on skin, or on clothing.</li><li>For personal protection see section 8.</li><li>Smoking, eating and drinking should be prohibited in the application area.</li><li>Follow standard hygiene measures when handling chemical products</li></ul>
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
Cement (chromium reduced)	65997-15-1	NDS (inhalable fraction)	6 mg/m3	PL OEL		
		NDS (respirable fraction)	2 mg/m3	PL OEL		
Quartz (SiO2)	14808-60-7	NDS (respirable fraction)	1 mg/m3	PL OEL		
	that penetrate the health of	nation: Respirable fr es into the respirator the deposit in the are e with standard PN-F	y tract, which pose ea of gas exchang	es a threat to		
		NDS (inhalable fraction)	2 mg/m3	PL OEL		
	penetrating the the respirator	nation: Inhalable frac prough the nose and y tract poses a threa n standard PN-EN 48	mouth, which aften to health, detern	er deposit in		
		NDS (respirable fraction)	0,1 mg/m3 (Silica)	PL OEL		
calcium sulfate	7778-18-9	NDS (inhalable fraction)	10 mg/m3	PL OEL		
kaolin	1332-58-7	NDS (inhalable fraction)	10 mg/m3	PL OEL		
		TWA (Respirable dust)	0,1 mg/m3	2004/37/EC		
	Further information: Carcinogens or mutagens					

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

# Personal protective equipment Eye/face protection : Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI Novoment<sup>®</sup> Light



Revision Date: 09.07.2024 Version 1.0 Print Date 09.07.2024 Date of last issue: -Skin and body protection Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. Respiratory protection In case of inadequate ventilation wear respiratory protection. 2 Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P P1: Inert material: P2. P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. **Environmental exposure controls** General advice : Try to prevent the material from entering drains or water courses.

# No special environmental precautions required.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

-	Physical state Appearance Colour	:	solid powder grey
	Odour	:	odourless
	Melting point/ range	:	> 1.000 °C
	Boiling point/boiling range	:	No data available
	Flammability	:	The product is not flammable.
	Upper/lower flammability or e	эхр	losive limits
	Upper explosion limit / Upper flammability limit	-	
	Lower explosion limit /	:	No data available

**PCI Novoment® Light** 



Revision Date: 09.07.2024 Date of last issue: -	Version 1.0	Print Date 09.07.2024
Lower flammability limit		
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: > 11 Concentration: 50 %	
Viscosity		
Viscosity, dynamic	: Not applicable	
Viscosity, kinematic	: Not applicable	
Solubility(ies)		
Water solubility	: dispersible	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: ca. 0,75 g/cm3	
Bulk density	: 800 kg/m3	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		
Explosives	: Not explosive	

# PCI Novoment<sup>®</sup> Light



Revision Date: 09.07.2024 Date of last issue: -	Version 1.0	Print Date 09.07.2024
SECTION 10: Stability and re	activity	
<b>10.1 Reactivity</b> No dangerous reaction know	n under conditions of normal use.	
<b>10.2 Chemical stability</b> The product is chemically sta	ble.	
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: No hazards to be specially mentioned.	
<b>10.4 Conditions to avoid</b> Conditions to avoid	: No data available	
<b>10.5 Incompatible materials</b> Materials to avoid	: No data available	
10.6 Hazardous decomposition	products	
	: No hazardous decomposition products ar	re known.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### **Components:**

#### calcium sulfate:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### **Respiratory sensitisation**

Not classified due to lack of data.

# PCI Novoment<sup>®</sup> Light

Revision Date: 09.07.2024 Date of last issue: -

Version 1.0

Print Date 09.07.2024

# Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

2

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

This substance/mixture contains no components considered : to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher...





Revision Date: 09.07.2024

**PCI Novoment® Light** 

Version 1.0

Print Date 09.07.2024

#### 12.6 Endocrine disrupting properties

#### Product:

Date of last issue: -

Ass

ssessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
		levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed</li> </ul>
	waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **PCI Novoment® Light**



Revision Date: 09.07.2024 Date of last issue: -	Ve	ersion 1.0	Print Date 09.07.2024
ADR	: Not regulated a	s a dangerous good	
IMDG	: Not regulated a	s a dangerous good	
ΙΑΤΑ	: Not regulated a	s a dangerous good	
14.4 Packing group			
ADR	: Not regulated a	s a dangerous good	
IMDG	: Not regulated a	s a dangerous good	
IATA (Cargo)	: Not regulated a	s a dangerous good	
IATA (Passenger)	: Not regulated a	s a dangerous good	
14.5 Environmental hazards Not regulated as a danger	ous good		
14.6 Special precautions for Not applicable	user		
<b>15.1 Safety, health and enviro</b> International Chemical We Schedules of Toxic Chemi	apons Convention (CW	• •	
REACH Information:	All substances of - registered by of - registered by of - excluded from	contained in our Products our upstream suppliers, a us, and/or the regulation, and/or n the registration.	
REACH - Restrictions on t the market and use of cert mixtures and articles (Ann	ain dangerous substand		e
REACH - Candidate List o			
Concern for Authorisation		gh : None of the c (=> 0.1 %).	omponents are listed
Concern for Authorisation REACH - List of substance (Annex XIV)	(Article 59).	(=> 0.1 %).	

layer

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI Novoment<sup>®</sup> Light



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import	:	Not applicable

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

		-	

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

> Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI Novoment<sup>®</sup> Light



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

Full text of H-Statements						
H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.					
Full text of other abbreviations						
Eye Dam. Skin Irrit. STOT SE 2004/37/EC	Serious eye damage Skin irritation Specific target organ toxicity - single exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutage at work					
PL OEL	Ordinance of the Minister of Family, Labour and Social Po of 12 June 2018 concerning the highest allowable concern					

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **PCI Novoment® Light**



Revision Date: 09.07.2024 Date of last issue: -		Version 1.0	Print Date 09.07.2024
		tions and levels of the agents harmful for	health in the work-
		place (Dz.U 2018 pos 1286, with later an	nendments)
2004/37/EC / TWA	:	Long term exposure limit	
PL OEL / NDS	:	Maximal Admissible Concentration	
ADR	:	European Agreement concerning the Inte	ernational Carriage of
		Dangerous Goods by Road	-
CAS	:	Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	
GHS	:	Globally Harmonized System	
ΙΑΤΑ	:	International Air Transport Association	
IMDG	:	International Maritime Code for Dangerou	
LD50	:	Median lethal dosis (the amount of a mat	
		once, which causes the death of 50% (or	ne half) of a group of
		test animals)	
LC50	:	Median lethal concentration (concentration	
		air that kills 50% of the test animals durin	g the observation
		period)	
MARPOL	:	International Convention for the Prevention	
		Ships, 1973 as modified by the Protocol	of 1978
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Eu	
		and of the Council of 18 December 2006	
		istration, Evaluation, Authorisation and R	
<b>•</b> • • • •		cals (REACH), establishing a European (	Chemicals Agency
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	)

#### **Further information**

Classification of the mixtur	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN