

Revision Date: 14.08.2024 Date of last issue: 17.11.2023 Version 6.1

Print Date 14.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sikaflex[®]-296

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H317 H334	May cause an allergic skin reaction. May cause allergy or asthma symptoms or breath-



Sikaflex®-296

Revision Date: 14.08.2024 Date of last issue: 17.11.2023	١	/ersion 6.1	Print Date 14.08.2024
		g difficulties if inhaled. Irmful to aquatic life with long lasti	ng effects.
Precautionary statements :	Prevention:		
	P261 P273 P280 P284	Avoid breathing mist or vapours Avoid release to the environme Wear protective gloves. In case of inadequate ventilatio atory protection.	ent.
	Response:		
	P304 + P340	IF INHALED: Remove person to keep comfortable for breathing.	
	P342 + P311	If experiencing respiratory symposities of the symp	

Hazardous components which must be listed on the label:

aliphatic prepolymer (t-polyether based) aliphatic prepolymer (d-polyether based) 4,4'-methylenediphenyl diisocyanate 2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate Pentamethyl piperidylsebacate 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 14.08.2024 Date of last issue: 17.11.2023

Version 6.1

Print Date 14.08.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
aliphatic prepolymer (t-polyether	138626-39-8	Skin Sens. 1; H317	>= 5 - < 10
based)	Not Assigned		
aliphatic prepolymer (d-polyether	39323-37-0	Skin Sens. 1; H317	>= 2,5 - < 5
based)	Not Assigned		

Sikaflex®-296

Revision Date: 14.08.2024 Date of last issue: 17.11.2023 Version 6.1



Print Date 14.08.2024

4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0	Acute Tox. 4; H332 Skin Irrit. 2; H315	>= 0,1 - < 0,5
	01-2119457014-47-	Eye Irrit. 2; H319	
	XXXX	Resp. Sens. 1; H334	
		Skin Sens. 1; H317	
		Carc. 2; H351	
		STOT SE 3; H335	
		(Respiratory system) STOT RE 2; H373	
		3101 KE 2, H373	
		specific concentration	
		limit	
		Eye Irrit. 2; H319	
		>= 5 %	
		specific concentration	
		STOT SE 3; H335 >= 5 %	
		>= 5 %	
		specific concentration	
		limit	
		Skin Irrit. 2; H315	
		>= 5 %	
		specific concentration	
		limit	
		Resp. Sens. 1; H334	
		>= 0,1 %	
		Acute toxicity esti-	
		mate	
		Acute inhalation tox-	
		icity (dust/mist): 1,5	
		mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikaflex[®]-296



Revision Date: 14.08.2024	Version 6.1	Print Date 14.08.2024
Date of last issue: 17.11.2023		

2-ethyl-2-[[(1-oxoallyl)oxy]methyl]- 1,3-propanediyl diacrylate	15625-89-5 239-701-3 01-2119489896-11- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic	>= 0,1 - < 0,25
Pentamethyl piperidylsebacate Contains: bis(1,2,2,6,6-pentamethyl-4- piperidyl) sebacate methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate	1065336-91-5 915-687-0 01-2119491304-40- XXXX	aquatic toxicity): 1 Skin Sens. 1A; H317 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikaflex®-296



Revision Date: 14.08.2024 Date of last issue: 17.11.2023	Version 6	.1	Print Date 14.08.2024
3-isocyanatomethyl-3,5,5- trimethylcyclohexyl isocyanate	4098-71-9 223-861-6 01-2119490408-31- XXXX	Acute Tox. 1; H330 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H317 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 2; H411 \longrightarrow specific concentration limit Resp. Sens. 1; H334 >= 0,5 % \longrightarrow Specific concentration limit Skin Sens. 1; H317 >= 0,5 % Acute toxicity estimate Acute inhalation tox- icity (dust/mist): 0,031 mg/l	>= 0,025 - < 0,1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice.

Sikaflex®-296



Revision Date: 14.08.2024 Date of last issue: 17.11.2023	Version 6.1	Print Date 14.08.20
	Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncor	nscious person.
4.2 Most important symptoms and	d effects, both acute and delayed	
Symptoms	: Asthmatic appearance Allergic reactions See Section 11 for more detailed informat and symptoms.	ion on health effects
Risks	: sensitising effects	
	May cause an allergic skin reaction. May cause allergy or asthma symptoms o ties if inhaled.	r breathing difficul-
4.3 Indication of any immediate m	edical attention and special treatment nee	ded
Treatment	: Treat symptomatically.	
Suitable extinguishing media	: In case of fire, use water/water spray/wate ide/sand/foam/alcohol resistant foam/cher extinction.	
5.2 Special hazards arising from t	he substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products are kr	nown
5.3 Advice for firefighters		
5.3 Advice for firefighters Special protective equipment for firefighters	: In the event of fire, wear self-contained br	eathing apparatus.
Special protective equipment	In the event of fire, wear self-contained brocedure for chemical fires.	eathing apparatus.
Special protective equipment for firefighters Further information	: Standard procedure for chemical fires.	eathing apparatus.
Special protective equipment for firefighters Further information SECTION 6: Accidental release	: Standard procedure for chemical fires.	
for firefighters Further information SECTION 6: Accidental release 6.1 Personal precautions, protect	: Standard procedure for chemical fires. e measures ive equipment and emergency procedures	
Special protective equipment for firefighters Further information SECTION 6: Accidental release	: Standard procedure for chemical fires.	
Special protective equipment for firefighters Further information SECTION 6: Accidental release 6.1 Personal precautions, protect	 Standard procedure for chemical fires. measures ive equipment and emergency procedures Use personal protective equipment. 	



Revision Date: 14.08.2024	Version 6.1	Print Date 14.08.2024
Date of last issue: 17.11.2023		

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.



Revision Date: 14.08.2024	
Date of last issue: 17.11.2023	

Version 6.1

Print Date 14.08.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
4,4'-methylenediphenyl diisocyanate	101-68-8	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
3-isocyanatomethyl-3,5,5-	4098-71-9	NDS	0,04 mg/m3	PL OEL
trimethylcyclohexyl isocyanate				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	ent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth-



Revision Date: 14.08.2024 Date of last issue: 17.11.2023	Version 6.1	Print Date 14.08.2024
	ods for determining inhalation exposure ticular to the mixing / stirring area. In ca to keep the concentrations under the or limits then respiration protection measu	ase this is not sufficent occupational exposure
Environmental exposure co	ontrols	
General advice	: Do not flush into surface water or sanital If the product contaminates rivers and la respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	ical state arance ur	: : :	liquid paste black
Odou	ır	:	odourless
Melti ing p	ng point/ range / Freez- oint	:	No data available
Boilir	ng point/boiling range	:	No data available
Flam	mability (solid, gas)	:	No data available
Uppe	er/lower flammability or e	exp	losive limits
	pper explosion limit / Up- er flammability limit	:	No data available
	ower explosion limit / ower flammability limit	:	No data available
Flash	n point	:	> 101 °C Method: closed cup
Auto	ignition temperature	:	No data available
Decc	mposition temperature	:	No data available
рН		:	Not applicable substance/mixture is non-soluble (in water)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikaflex[®]-296



Revision Date: 14.08.2024 Date of last issue: 17.11.2023	Version 6.1	Print Date 14.08.2024
Viscosity Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,2 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9 2 Other information		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Revision Date: 14.08.2024 Version 6.1 Date of last issue: 17.11.2023 Print Date 14.08.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

aliphatic prepolymer (d-po	olyether based):
Acute oral toxicity	: LD50 Oral (Rat): > 2.000 mg/kg
4,4'-methylenediphenyl di	isocyanate:
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
	Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method
2-ethyl-2-[[(1-oxoallyl)oxy Acute oral toxicity]methyl]-1,3-propanediyl diacrylate: : LD50 Oral (Rat): 3.680 - 5.000 mg/kg
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg
Pentamethyl piperidylseb	acate:
Acute oral toxicity	: LD50 Oral (Rat): 3.230 mg/kg
3-isocyanatomethyl-3,5,5-	trimethylcyclohexyl isocyanate:
Acute oral toxicity	: LD50 Oral (Rat): 4.814 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0,031 mg/l Exposure time: 4 h Test atmosphere: dust/mist
	Acute toxicity estimate: 0,031 mg/l Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: LD50 Dermal (Rat): > 7.000 mg/kg
Skin corrosion/irritation	

Skin corrosion/irritation

Not classified due to lack of data.



Revision Date: 14.08.2024 Date of last issue: 17.11.2023 Version 6.1

Print Date 14.08.2024

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

aliphatic prepolymer (t-polyether based):

Toxicity to algae/aquatic plants	:	EC50 (algae): 100 mg/l Exposure time: 72 h

NOEC (algae): 100 mg/l Exposure time: 72 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikaflex[®]-296



Revision Date: 14.08.2024 Date of last issue: 17.11.2023		Version 6.1	Print Date 14.08.202
aliphatic prepolymer (d-poly	eth	ner based):	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg/l	
		NOEC (Daphnia (water flea)): > 100 mg/l	
Toxicity to algae/aquatic plants	:	EC50 (algae): > 100 mg/l Exposure time: 72 h	
2-ethyl-2-[[(1-oxoallyl)oxy]m	eth	yl]-1,3-propanediyl diacrylate:	
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 0,87 mg/l Exposure time: 96 h Method: OECD Test Guideline 203	
M-Factor (Acute aquatic tox- icity)	:	1	
M-Factor (Chronic aquatic toxicity)	:	1	
Pentamethyl piperidylsebaca	ate	:	
Toxicity to fish	:	LC50 (Fish): 0,97 mg/l Exposure time: 96 h	
M-Factor (Acute aquatic tox- icity)	:	1	
M-Factor (Chronic aquatic toxicity)	:	1	
12.2 Persistence and degradabili No data available	ty		
12.3 Bioaccumulative potential No data available			
12.4 Mobility in soil No data available			
12.5 Results of PBT and vPvB as	se	ssment	
Product:			
Assessment	:	This substance/mixture contains no components to be either persistent, bioaccumulative and toxi very persistent and very bioaccumulative (vPvB) 0.1% or higher	c (PBT), or



Print Date 14.08.2024

12.6 Endocrine disrupting properties

Product:

Revision Date: 14.08.2024

Date of last issue: 17.11.2023

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Version 6.1

12.7 Other adverse effects

Product:

TTOULOU		
Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikaflex®-296



Revision Date: 14.08.2024 Date of last issue: 17.11.2023		Version 6.1	Print Date 14.08.2024	
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		

: Not regulated as a dangerous good

: Not regulated as a dangerous good

14.4 Packing group

IMDG

ΙΑΤΑ

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are
 - registered by our upstream suppliers, and/or
 - registered by us, and/or
 - excluded from the regulation, and/or
 - exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 75: Banned and/or restricted

Sikaflex®-296



Revision Date: 14.08.2024 Date of last issue: 17.11.2023	Version 6.1		Print Date 14.08.2024
REACH - Candidate List of Substa Concern for Authorisation (Article	, ,	None of the componer (=> 0.1 %).	nts are listed
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable	
Regulation (EC) on substances th layer	at deplete the ozone :	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable	
Regulation (EU) No 649/2012 of the ment and the Council concerning of dangerous chemicals	•	Not applicable	
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dan	•	t and of the Council on t	he control of ma-
Volatile organic compounds :	Law on the incentive tax for (VOCV)		

Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,



Revision Date: 14.08.2024 Date of last issue: 17.11.2023

Version 6.1

Print Date 14.08.2024

93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



Print Date 14.08.2024

Revision Date: 14.08.2024 Date of last issue: 17.11.2023

Version 6.1

SECTION 16: Other information

Full text of H-Statements	
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H330 :	Fatal if inhaled.
H332 :	Harmful if inhaled.
H334 :	May cause allergy or asthma symptoms or breathing difficul-
	ties if inhaled.
H335 :	May cause respiratory irritation.
H351 :	Suspected of causing cancer.
H361f :	Suspected of damaging fertility.
H373 :	May cause damage to organs through prolonged or repeated
	exposure if inhaled.
H400 :	Very toxic to aquatic life.
	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Full text of other abbreviation	
Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Carc. :	Carcinogenicity
Eye Irrit.	Eye irritation
Repr. :	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation
STOT RE :	Specific target organ toxicity - repeated exposure
STOT SE :	Specific target organ toxicity - single exposure
PL OEL :	Ordinance of the Minister of Family, Labour and Social Policy
	of 12 June 2018 concerning the highest allowable concentra-
	tions and levels of the agents harmful for health in the work-
	place (Dz.U 2018 pos 1286, with later amendments)
PL OEL / NDS :	Maximal Admissible Concentration
PL OEL / NDSch :	Maximal Admissible Temporary Concentration
ADR :	European Agreement concerning the International Carriage of
0.1.0	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)



Sikaflex[®]-296

Revision Date: 14.08.2024 Date of last issue: 17.11.2023	Version 6.1	Print Date 14.08.2024
MARPOL	: International Convention for the Ships, 1973 as modified by the I	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and	toxic
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 c and of the Council of 18 Deceml istration, Evaluation, Authorisation cals (REACH), establishing a Eu	ber 2006 concerning the Reg- on and Restriction of Chemi-
SVHC	: Substances of Very High Conce	rn
vPvB	: Very persistent and very bioaccu	umulative
Further information		

Classification of the mixture:Classification procedure:Resp. Sens. 1H334Calculation methodSkin Sens. 1H317Calculation methodAquatic Chronic 3H412Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN