

Version 2.1

Print Date 28.03.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaForce<sup>®</sup>-050 Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	·

#### 1.4 Emergency telephone number

112

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce<sup>®</sup>-050 Part B



Revision Date: 10.09.2024 Date of last issue: 22.03.2023 Version 2.1

Print Date 28.03.2025

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms :		
Hazaro pictograms		
Signal word	: Danger	
Hazard statements	H317 F H319 G H332 F H334 F H335 F H351 S H373 F	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breath- ng difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	: <b>Prevention:</b> P201 P260 P264 P280	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
	Response:	
	P304 + P340	+ P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
	P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

#### Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues

- 4,4'-methylenediphenyl diisocyanate
- o-(p-isocyanatobenzyl)phenyl isocyanate

2,2'-methylenediphenyl diisocyanate

#### Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaForce®-050 Part B



Revision Date: 10.09.2024 Date of last issue: 22.03.2023 Version 2.1

Print Date 28.03.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Stor SE 3; H335 >= 5 %	>= 60 - < 80

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaForce<sup>®</sup>-050 Part B

Revision Date: 10.09.2024 Date of last issue: 22.03.2023 Version 2.1



Print Date 28.03.2025

4,4'-methylenediphenyl diisocya-	101-68-8	Acute Tox. 4; H332	>= 5 - < 10
nate	202-966-0	Skin Irrit. 2; H315	
	01-2119457014-47-	Eye Irrit. 2; H319	
	XXXX	Resp. Sens. 1; H334	
		Skin Sens. 1; H317	
		Carc. 2; H351	
		STOT SE 3; H335	
		(Respiratory system)	
		STOT RE 2; H373	
		specific concentration	
		limit	
		Eye Irrit. 2; H319	
		>= 5 %	
		specific concentration	
		limit STOT SE 3; H335	
		>= 5 %	
		~ 3 /0	
		specific concentration	
		limit	
		Skin Irrit. 2; H315	
		>= 5 %	
		specific concentration	
		limit	
		Resp. Sens. 1; H334	
		>= 0,1 %	
		Acute toxicity esti-	
		mate	
		Acute inhalation tox-	
		icity (dust/mist): 1,5	
		mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaForce®-050 Part B

Revision Date: 10.09.2024 Date of last issue: 22.03.2023

Version 2.1



Print Date 28.03.2025

o-(p-isocyanatobenzyl)phenyl	5873-54-1	Acute Tox. 4; H332	>= 5 - < 10
isocyanate	227-534-9	Eye Irrit. 2; H319	
	01-2119480143-45-	STOT SE 3; H335	
	XXXX	Skin Irrit. 2; H315 Resp. Sens. 1; H334	
		Skin Sens. 1; H317	
		Carc. 2; H351	
		STOT RE 2; H373	
		specific concentration	
		limit	
		Eye Irrit. 2; H319 >= 5 %	
		specific concentration limit	
		STOT SE 3; H335	
		>= 5 %	
		specific concentration limit	
		Skin Irrit. 2; H315	
		>= 5 %	
		specific concentration limit	
		Resp. Sens. 1; H334	
		>= 0,1 %	
		-,	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaForce<sup>®</sup>-050 Part B

Revision Date: 10.09.2024 Date of last issue: 22.03.2023 Version 2.1

0 01 100100 EE.00.2020			
2,2'-methylenediphenyl diisocya- nate	2536-05-2 219-799-4 01-2119927323-43- XXXX	Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335 Skin Irrit. 2; H315 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 %	< 0,1
		specific concentration limit STOT SE 3; H335 >= 5 %	
		specific concentration limit Skin Irrit. 2; H315 >= 5 %	
		specific concentration limit Resp. Sens. 1; H334 >= 0,1 %	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.	
If inhaled	: Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In case of eye contact	: Immediately flush eye(s) with plenty of water.	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaForce<sup>®</sup>-050 Part B



Revision Date: 10.09.2024 Date of last issue: 22.03.2023	Version 2.1	Print Date 28.03.2025
	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	<ul> <li>Do not induce vomiting without medical adv Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconstruction</li> </ul>	
4.2 Most important symptoms an	d effects, both acute and delayed	
Symptoms	<ul> <li>Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information and symptoms.</li> </ul>	n on health effects
Risks	: irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through proto exposure if inhaled.	
4.3 Indication of any immediate r	nedical attention and special treatment need	od
Treatment	: Treat symptomatically.	eu
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction.	•

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaForce®-050 Part B



Revision Date: 10.09.2024 Date of last issue: 22.03.2023		Version 2.1	Print Date 28.03.2025		
5.3 Advice for firefighters					
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	apparatus.		
Further information	:	Standard procedure for chemical fires.			
SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures					
•		Use personal protective equipment.			
r ersonal precautions	•	Deny access to unprotected persons.			
6.2 Environmental precautions					
Environmental precautions	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.				
6.3 Methods and material for containment and cleaning up					
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	silica gel,		
6.4 Peteronce to other sections					

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>

Advice on protection against : Normal measures for preventive fire protection. fire and explosion

### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SikaForce <sup>®</sup> -050	Part B	

Revision Date: 10.09.2024 Date of last issue: 22.03.2023		Version 2.1	Print Date 28.03.2025
Hygiene measures	:	Handle in accordance with good industrial h practice. When using do not eat or drink. Wh smoke. Wash hands before breaks and at th	nen using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	: Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.		
Further information on stor- age stability	:	: No decomposition if stored and applied as directed.	
7.3 Specific end use(s)			
Specific use(s)	:	Cleaning with aprotic polar solvents must be Consult most current local Product Data She use.	

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
4,4'-methylenediphenyl diisocyanate	101-68-8	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
o-(p-isocyanatobenzyl)phenyl isocyanate	5873-54-1	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
2,2'-methylenediphenyl diisocyanate	2536-05-2	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### 8.2 Exposure controls

### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaForce<sup>®</sup>-050 Part B



Revision Date: 10.09.2024 Version 2.1 Print Date 28.03.2025 Date of last issue: 22.03.2023 Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min. Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, Skin and body protection long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. Respiratory protection In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas. **Environmental exposure controls** General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

е

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	::	liquid paste brown
Odour	:	slight
Melting point/ range / Freez- ing point	:	No data available

Boiling point/boiling range : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaForce<sup>®</sup>-050 Part B



Revision Date: 10.09.2024 Date of last issue: 22.03.2023		Version 2.1	Print Date 28.03.2025
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	blosive limits	
Upper explosion limit / Upper flammability limit	-		
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 200 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
<b>Solubility(ies)</b> Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,22 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	
0.2 Other information			

### 9.2 Other information

No data available



Revision Date: 10.09.2024
Date of last issue: 22.03.2023

Version 2.1

Print Date 28.03.2025

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions						
Hazardous reactions :	No hazards to be specially mentioned.					
10.4 Conditions to avoid						
Conditions to avoid :	No data available					
10.5 Incompatible materials						
Materials to avoid :	No data available					
10.6 Hazardous decomposition products						
:	No hazardous decomposition products are known.					

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if inhaled.

#### **Components:**

#### Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg
4,4'-methylenediphenyl dii	socy	vanate: I D50 Oral (Rat): > 5 000 mg/kg

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
		Method: OECD Test Guideline 401

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce®-050 Part B



Revision Date: 10.09.2024 Date of last issue: 22.03.2023	Version 2.1	Print Date 28.03.2025
Acute inhalation toxicity	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist	
Skin corrosion/irritation Causes skin irritation.	Method: Calculation method	
Serious eye damage/eye irrita Causes serious eye irritation.	tion	
Respiratory or skin sensitisat	ion	
<b>Skin sensitisation</b> May cause an allergic skin reac	tion.	
Respiratory sensitisation	mptoms or breathing difficulties if inhaled.	
Germ cell mutagenicity Not classified due to lack of data	à.	
<b>Carcinogenicity</b> Suspected of causing cancer.		
Reproductive toxicity Not classified due to lack of data	а.	
<b>STOT - single exposure</b> May cause respiratory irritation.		
STOT - repeated exposure May cause damage to organs the	rough prolonged or repeated exposure if inhaled	
Aspiration toxicity Not classified due to lack of data	a.	
11.2 Information on other hazards		
Endocrine disrupting properti	es	
Product: Assessment	The substance/mixture does not contain comp ered to have endocrine disrupting properties a REACH Article 57(f) or Commission Delegated (EU) 2017/2100 or Commission Regulation (E levels of 0.1% or higher.	ccording to d regulation



Version 2.1

Print Date 28.03.2025

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Components:** 

#### Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaForce®-050 Part B



Revision Date: 10.09.2024 Date of last issue: 22.03.2023		Version 2.1	Print Date 28.03.2025
Product	                 	The generation of waste should be avoided of wherever possible. Empty containers or liners may retain some p This material and its container must be dispose way. Dispose of surplus and non-recyclable product waste disposal contractor. Disposal of this product, solutions and any by at all times comply with the requirements of e protection and waste disposal legislation and ocal authority requirements. Avoid dispersal of spilled material and runoff soil, waterways, drains and sewers.	product residues. sed of in a safe cts via a licensed y-products should environmental any regional
European Waste Catalogue	:	08 05 01* waste isocyanates	
Contaminated packaging		15 01 10* packaging containing residues of o by dangerous substances	r contaminated

### **SECTION 14: Transport information**

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous good			



Version 2.1

Print Date 28.03.2025

#### 14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the folthe market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 3 Number on list 56: Diphenylmethanediisocyanate, isomeres and homologues, 4,4'-methylenediphenyl diisocyanate, o-(pisocyanatobenzyl)phenyl isocyanate Number on list 74: Diphenylmethanediisocyanate, isomeres and homologues, 4,4'-methylenediphenyl diisocyanate, o-(pisocyanatobenzyl)phenyl isocyanate, 2,2'-methylenediphenyl diisocyanate Number on list 75: REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable 5 (Annex XIV) Regulation (EC) on substances that deplete the ozone : Not applicable layer

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaForce<sup>®</sup>-050 Part B



Revision Date: 10.09.2024 Date of last issue: 22.03.2023	Version 2.1	Print Date 28.03.2025		
Regulation (EU) 2019/1021 on per tants (recast)	rsistent organic pollu- : Not applicabl	e		
	Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals			
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dan	of the European Parliament and of the Co ogerous substances. Not applicable	uncil on the control of ma-		
Volatile organic compounds :	Law on the incentive tax for volatile orga (VOCV) no VOC duties	nic compounds		
	Directive 2010/75/EU of 24 November 20 emissions (integrated pollution prevention Not applicable			

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).



Version 2.1

Print Date 28.03.2025

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H315 H317 H319 H332	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335 :	May cause respiratory irritation.
H351 :	Suspected of causing cancer.
H373 :	May cause damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.

#### Full text of other abbreviations

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaForce®-050 Part B



Revision Date: 10.09.2024 Date of last issue: 22.03.2023 Version 2.1

Print Date 28.03.2025

Acute Tox.	:	Acute toxicity
Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Resp. Sens.	:	Respiratory sensitisation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE		Specific target organ toxicity - repeated exposure
STOT SE		Specific target organ toxicity - single exposure
PLOEL		Ordinance of the Minister of Family, Labour and Social Policy
	•	of 12 June 2018 concerning the highest allowable concentra-
		tions and levels of the agents harmful for health in the work-
		place (Dz.U 2018 pos 1286, with later amendments)
PL OEL / NDS		Maximal Admissible Concentration
PL OEL / NDSch	:	Maximal Admissible Concentration Maximal Admissible Temporary Concentration
ADR	:	European Agreement concerning the International Carriage of
ADR	•	Dangerous Goods by Road
CAS		Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50		
GHS		Half maximal effective concentration
	•	Globally Harmonized System
IATA IMDG		International Air Transport Association
	•	International Maritime Code for Dangerous Goods
LD50		Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
1.050		test animals)
LC50	-	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	-	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	-	Occupational Exposure Limit
PBT		Persistent, bioaccumulative and toxic
PNEC		Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
0.410		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

#### **Further information**

Classification of the	Classification procedure:	
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaForce®-050 Part B



Revision Date: 10.09.2024 Date of last issue: 22.03.2023		Version 2.1	Print Date 28.03.2025
STOT SE 3	H335	Calculation method	
STOT RE 2	H373	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN