

Revision Date: 20.01.2024 Date of last issue: - Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikasil[®] WT-480 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Catalyst for 2 Comp. sealants/adhesives.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Danger

Sikasil[®] WT-480 Part B



Revision Date: 20.01.2024 Date of last issue: -		Version 2.0	Print Date 10.09.2024
Hazard statements	: H315 H317 H318 H335 H373	Causes skin irritation. May cause an allergic s Causes serious eye da May cause respiratory i May cause damage to o longed or repeated exp	mage. rritation. organs through pro-
Precautionary statements	: Prevention:		
	P260 P264 P280	Do not breathe mist or v Wash skin thoroughly a Wear protective gloves, protection.	fter handling.
	Response:		
	P304 + P340 P305 + P351	air and keep comfortab POISON CENTER/ doo + P338 + P310 IF IN EYR with water for several m	tor if you feel unwell. ES: Rinse cautiously ninutes. Remove con-
	P314	tact lenses, if present a tinue rinsing. Immediate CENTER/ doctor. Get medical advice/ atte well.	ely call a POISON

Hazardous components which must be listed on the label:

tetraethyl silicate N-[3-(triethoxysilyl)propyl]ethylenediamine 4,4,7,7-tetraethoxy-3,8-dioxa-4,7-disiladecane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Print Date 10.09.2024

Revision Date: 20.01.2024 Date of last issue: -

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
tetraethyl silicate	78-10-4 201-083-8 01-2119496195-28- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335	>= 20 - < 25
N-[3- (triethoxysi- lyl)propyl]ethylenediamine Contains: N,N'-bis[3- (triethoxysi- lyl)propyl]ethylenediamine >= 15 - <= 20 % di- aminoethylaminopropyltetraethox- ydisiloxane >= 3 - <= 5 %	5089-72-5 225-806-1 01-2120767929-30- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	>= 5 - < 10
4,4,7,7-tetraethoxy-3,8-dioxa-4,7- disiladecane	16068-37-4 240-212-2 01-2120764364-51- XXXX	Acute Tox. 3; H301 Acute Tox. 4; H312 STOT RE 1; H372 Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute oral toxicity: 161 mg/kg Acute dermal toxicity: 1.971 mg/kg	>= 5 - < 10
bis(ethyl acetoacetato- O1',O3)bis(2-methylpropan-1- olato)titanium Contains: 2-methylpropan-1-ol <= 2 %	83877-91-2 281-161-6 01-2119968551-31- XXXX	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) STOT SE 3; H336 (Central nervous system)	>= 5 - < 10

Revision Date: 20.01.2024 Date of last issue: - Version 2.0



e of last issue: -			
1,2-Bis(triethoxysilyl)ethene	87061-56-1 Not Assigned	Acute Tox. 3; H301 Acute Tox. 4; H312 Aquatic Chronic 3; H412 EUH071 Acute toxicity esti- mate Acute oral toxicity: 161 mg/kg Acute dermal toxicity:	>= 1 - < 2,5
Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dibutylstannane	93925-42-9 300-344-4 01-2119560586-30- XXXX	1.971 mg/kg Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Dam. 1; H318 Muta. 2; H341 Repr. 1B; H360FD STOT SE 1; H370 STOT RE 1; H372 Aquatic Chronic 3; H412	>= 0,3 - < 0,5
For explanation of abbreviations s		Acute oral toxicity: 1.000 mg/kg	

For explanation of abbreviations see section 16.

Print Date 10.09.2024

Revision Date: 20.01.2024 Date of last issue: - Version 2.0

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled	: Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. 			
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. 			
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 			
4.2 Most important symptoms an	nd effects, both acute and delayed			
Symptoms	: Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.			
Risks	: irritant effects sensitising effects			
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure if inhaled.			
4.3 Indication of any immediate r	medical attention and special treatment needed			

: Treat symptomatically.

Treatment



Revision Date: 20.01.2024 Date of last issue: - Version 2.0

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should 	
	not be employed in any process in which this mixture is being used.	



Revision Date: 20.01.2024 Date of last issue: -		Version 2.0	Print Date 10.09.202
		Smoking, eating and drinking should be prohibit plication area. Follow standard hygiene measures when handli products	·
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	Handle in accordance with good industrial hygie practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-v place. Store in accordance with local regulations	
Further information on stor- age stability	:	No decomposition if stored and applied as direc	ted.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet puse.	prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
		/			
tetraethyl silicate	78-10-4	TWA	5 ppm	2017/164/EU	
			44 mg/m3		
	Further information: Indicative				
		NDS	44 mg/m3	PL OEL	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
ethanol	64-17-5	NDS	1.900 mg/m3	PL OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Revision Date: 20.01.2024 Date of last issue: - Version 2.0



Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid paste black, dark grey
Odour	:	very faint
Melting point/range / Freezing point	:	No data available

Sikasil[®] WT-480 Part B



Revision Date: 20.01.2024 Date of last issue: - Version 2.0

Boiling point/boiling range	: No data available
Flammability (solid, gas)	: No data available
Upper/lower flammability or Upper explosion limit / Up- per flammability limit	•
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
рН	: ca. 8 - 10 Concentration: 100 %
Viscosity Viscosity, dynamic	: ca. 500.000 mPa.s (20 °C)
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)
Solubility(ies)	
Water solubility	: No data available
Water solubility Partition coefficient: n- octanol/water	No data availableNo data available
Partition coefficient: n-	
Partition coefficient: n- octanol/water	: No data available
Partition coefficient: n- octanol/water Vapour pressure	 No data available 0,01 hPa

Print Date 10.09.2024

Revision Date: 20.01.2024 Date of last issue: - Version 2.0

9.2 Other information

Flammable solids Burning rate

: > 120 s Method: UN-Test N1

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition	:	ethanol
products		

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

4,4,7,7-tetraethoxy-3,8-dioxa-4,7-disiladecane:

 Acute oral toxicity
 :
 LD50 Oral (Rat): 161 mg/kg

 Acute toxicity estimate: 161 mg/kg
 Acute toxicity estimate: 161 mg/kg

 Acute dermal toxicity
 :
 LD50 Dermal (Rat): 1.971 mg/kg

 Acute toxicity estimate: 1.971 mg/kg
 Acute toxicity estimate: 1.971 mg/kg

 Method: Calculation method

1,2-Bis(triethoxysilyl)ethene:

Sikasil[®] WT-480 Part B



Revision Date: 20.01.2024 Date of last issue: - Version 2.0

Acute oral toxicity	:	LD50 Oral (Rat): 161 mg/kg
		Acute toxicity estimate: 161 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity	:	LD50 Dermal (Rat): 1.971 mg/kg
		Acute toxicity estimate: 1.971 mg/kg Method: Calculation method
Silicic acid (H4SiO4), tetraet	hyl	ester, reaction products with bis(acetyloxy)dibutylstannane:
Acute oral toxicity	:	LD50 Oral (Rat): 1.000 mg/kg
		Acute toxicity estimate: 1.000 mg/kg Method: Calculation method
Skin corrosion/irritation		
Causes skin irritation.		
Serious eye damage/eye irrit Causes serious eye damage.	ati	on
Respiratory or skin sensitisa	atio	n
Skin sensitisation		
May cause an allergic skin rea	ctic	m.
Respiratory sensitisation		
Not classified due to lack of da	ta.	
Germ cell mutagenicity		
Not classified due to lack of da	ta.	
Carcinogenicity		
Not classified due to lack of da	ita.	
Reproductive toxicity		
Not classified due to lack of da	ita.	
STOT - single exposure May cause respiratory irritation		
	1.	
STOT - repeated exposure	thre	ough prolonged or repeated exposure if inhaled.
Aspiration toxicity		

Aspiration toxicity

Not classified due to lack of data.

Revision Date: 20.01.2024 Date of last issue: - Version 2.0



11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

N-[3-(triethoxysilyl)propyl]ethylenediamine:

Toxicity to fish (Chronic tox-	:	LC50: 597 mg/l
icity)		Exposure time: 96 h
		Species: Danio rerio (zebra fish)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Print Date 10.09.2024

Revision Date: 20.01.2024 Date of last issue: -

Version 2.0

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

IMDG : Not regulated as a dangerous good	
IATA : Not regulated as a dangerous good	
14.2 UN proper shipping name	
ADR : Not regulated as a dangerous good	
IMDG : Not regulated as a dangerous good	
IATA : Not regulated as a dangerous good	
14.3 Transport hazard class(es)	
ADR : Not regulated as a dangerous good	
IMDG : Not regulated as a dangerous good	



Revision Date: 20.01.2024 Date of last issue: -

IATA 14.4 Packing group	:	Not regulated as a dangerous good
ADR Remarks	:	Not regulated as a dangerous good Not dangerous goods
IMDG Remarks	:	Not regulated as a dangerous good Not dangerous goods
IATA (Cargo) Remarks	:	Not regulated as a dangerous good Not dangerous goods
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards Not regulated as a dangerous	s goo	od

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	Safety, health and environment International Chemical Weapons Schedules of Toxic Chemicals an	Convention (CWC)		specific for the substance or mixture Not applicable
	REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the registered - exempted from the registered	strea I/or gula	am suppliers, and/or tion, and/or
	REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	igerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
	REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable

Sikasil[®] WT-480 Part B



Revision Date: 20.01.2024
Date of last issue: -

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds :	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Sikasil[®] WT-480 Part B



Revision Date: 20.01.2024 Date of last issue: - Version 2.0

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H226	: Flammable liquid and vapour.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.



Revision Date: 20.01.2024 Date of last issue: -		Version 2.0	Print Date 10.09.20
H341	· Sus	pected of causing genetic defects.	
H360FD		v damage fertility. May damage the	unborn child
H370		ises damage to organs.	
H372		ises damage to organs through prol	longed or repeated
1072		osure if inhaled.	longed of repeated
H372		ises damage to organs through prol	longed or repeated
11072		osure if swallowed.	longed of repeated
H412		mful to aquatic life with long lasting	effects
		ind to aquate ino with long lacting	
Full text of other abbrevia			
Acute Tox.		te toxicity	
Aquatic Chronic		g-term (chronic) aquatic hazard	
Eye Dam.		ous eye damage	
Eye Irrit.		irritation	
Flam. Liq.		nmable liquids	
Muta.		m cell mutagenicity	
Repr.		roductive toxicity	
Skin Irrit.		rritation	
Skin Sens.		sensitisation	
STOT RE		cific target organ toxicity - repeated	
STOT SE		cific target organ toxicity - single ex	
2017/164/EU		ope. Commission Directive 2017/16	
		th list of indicative occupational exp	
PL OEL		inance of the Minister of Family, Lal	
		2 June 2018 concerning the highest	
		s and levels of the agents harmful for	
		e (Dz.U 2018 pos 1286, with later a	amendments)
2017/164/EU / TWA		it Value - eight hours	
PL OEL / NDS	: Max	imal Admissible Concentration	
ADR	: Euro	opean Agreement concerning the In	nternational Carriage of
		gerous Goods by Road	
CAS	: Che	mical Abstracts Service	
DNEL	: Deri	ived no-effect level	
EC50	: Half	maximal effective concentration	
GHS	: Glob	cally Harmonized System	
ΙΑΤΑ	: Inter	rnational Air Transport Association	
IMDG	: Inter	rnational Maritime Code for Danger	ous Goods
LD50	: Med	lian lethal dosis (the amount of a ma	aterial, given all at
	once	e, which causes the death of 50% (one half) of a group of
	test	animals)	
LC50	: Med	lian lethal concentration (concentrat	tions of the chemical in
	air tl	hat kills 50% of the test animals dur	ring the observation
	perie	od)	
MARPOL	: Inter	rnational Convention for the Preven	tion of Pollution from
	Ship	os, 1973 as modified by the Protoco	ol of 1978
OEL		upational Exposure Limit	
PBT		sistent, bioaccumulative and toxic	
PNEC		dicted no effect concentration	
REACH		ulation (EC) No 1907/2006 of the E	uropean Parliament
		of the Council of 18 December 200	
		ition, Evaluation, Authorisation and	
		(REACH), establishing a Europear	
SVHC		stances of Very High Concern	0 7
vPvB		y persistent and very bioaccumulativ	ve
Couptry PL 10000014497			17/18

Revision Date: 20.01.2024 Date of last issue: - Version 2.0



Further information

Classification of the n	nixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN