

Revision Date: 03.09.2024 Date of last issue: - Version 1.0

Print Date 03.09.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

PCI FT Megafug<sup>®</sup>

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Joint mortar

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	·

#### 1.4 Emergency telephone number

112


#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin irritation, Category 2	H315: Causes skin irritation.		
Serious eye damage, Category 1	H318: Causes serious eye damage.		
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.		

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI FT Megafug®



Revision Date: 03.09.2024 Version 1.0 Print Date 03.09.2024 Date of last issue: -If medical advice is needed, have product P101 Precautionary statements : container or label at hand. P102 Keep out of reach of children. **Prevention:** P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection. **Response:** P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/container in accordance with local regulation.

#### Hazardous components which must be listed on the label:

Cement (chromium reduced)

#### Additional Labelling

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI FT Megafug®



Revision Date: 03.09.2024 Date of last issue: - Version 1.0

Print Date 03.09.2024

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 1 - < 2,5
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Substances with a workplace exp	osure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		
Titanium dioxide (> 10 μm)	13463-67-7		>= 2,5 - < 5
	236-675-5		
	01-2119489379-17-		
En en els estre d'altres l'attendes	XXXX		

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.	
If inhaled	: Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible sue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with p of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> </ul>	
If swallowed	: Do not induce vomiting without medical advice.	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI FT Megafug®



Revision Date: 03.09.2024 Date of last issue: -	Version 1.0	Print Date 03.09.2024
	Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncons	scious person.
4.2 Most important symptoms a	d effects, both acute and delayed	
Symptoms	: Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms.	on on health effects
Risks	: Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
	irritant effects	
<b>4.3 Indication of any immediate</b> Treatment	irritant effects nedical attention and special treatment need : Treat symptomatically.	led
-	nedical attention and special treatment need	led
Treatment SECTION 5: Firefighting mea	nedical attention and special treatment need	led
Treatment	nedical attention and special treatment need : Treat symptomatically. ures	r jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media	<ul> <li>inedical attention and special treatment need</li> <li>i. Treat symptomatically.</li> <li>i. In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.</li> </ul>	r jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	<ul> <li>inedical attention and special treatment need</li> <li>i. Treat symptomatically.</li> <li>i. In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.</li> </ul>	r jet/carbon diox- ical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	<ul> <li>inedical attention and special treatment need</li> <li>i. Treat symptomatically.</li> <li>ures</li> <li>i. In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.</li> <li>the substance or mixture</li> </ul>	r jet/carbon diox- ical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters	<ul> <li>inedical attention and special treatment need</li> <li>i. Treat symptomatically.</li> <li>ures</li> <li>i. In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.</li> <li>the substance or mixture</li> </ul>	r jet/carbon diox- ical powder for own

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.
Avoid breathing dust.
Deny access to unprotected persons.



Revision Date: 03.09.2024 Date of last issue: -	Version 1.0	Print Date 03.09.2024
6.2 Environmental precautions Environmental precautions	: Try to prevent the material from entering courses. No special environmental precautions re	-

## 6.3 Methods and material for containment and cleaning up

:

Methods for cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	<ul><li>Avoid exceeding the given occupational exposure limits (see section 8).</li><li>Do not get in eyes, on skin, or on clothing.</li><li>For personal protection see section 8.</li><li>Smoking, eating and drinking should be prohibited in the application area.</li><li>Follow standard hygiene measures when handling chemical products</li></ul>
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Revision Date: 03.09.2024 Date of last issue: - Version 1.0

Print Date 03.09.2024

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *			
Quartz (SiO2)	14808-60-7	NDS (respirable fraction)	1 mg/m3	PL OEL			
	Further inform	nation: Respirable fra	action - the fractio	n of aerosol			
		that penetrates into the respiratory tract, which poses a threat to					
	the health of t	he deposit in the are	a of gas exchang	e, determined			
		e with standard PN-E					
		NDS (inhalable fraction)	2 mg/m3	PL OEL			
	Further inform	nation: Inhalable frac	tion - the fraction	of aerosol			
	penetrating th	rough the nose and	mouth, which afte	er deposit in			
	the respirator	y tract poses a threa	t to health, detern	nined in ac-			
		standard PN-EN 48					
		NDS (respirable	0,1 mg/m3	PL OEL			
- /		fraction)	(Silica)				
Cement (chromium reduced)	65997-15-1	NDS (inhalable fraction)	6 mg/m3	PL OEL			
		NDS (respirable fraction)	2 mg/m3	PL OEL			
Titanium dioxide (> 10 μm)	13463-67-7	NDS (inhalable fraction)	10 mg/m3	PL OEL			
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU			
	Further inform	nation: Indicative					
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU			
		NDS (inhalable	2 mg/m3	PL OEL			
		fraction)					
		NDS (respirable fraction)	1 mg/m3	PL OEL			
		NDSch (inhalable fraction)	6 mg/m3	PL OEL			
		NDSch (respirable fraction)	4 mg/m3	PL OEL			

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

:

#### Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI FT Megafug®



Revision Date: 03.09.2024 Date of last issue: -		Version 1.0	Print Date 03.09.2024
Hand protection	:	<ul> <li>Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.</li> <li>Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.</li> </ul>	
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc long-sleeved working clothing, long trouse and protective boots are additionaly recor and stirring work.	ers). Rubber aprons
Respiratory protection	:	In case of inadequate ventilation wear res Respirator selection must be based on kr exposure levels, the hazards of the produ- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous sub Ensure adequate ventilation. This can be exhaust extraction or by general ventilation ods for determining inhalation exposure). ticular to the mixing / stirring area. In case to keep the concentrations under the occu- limits then respiration protection measure	nown or anticipated lict and the safe work- estances achieved by local on. (EN 689 - Meth- This applies in par- e this is not sufficent upational exposure
Environmental exposure c	ontro	ls	
General advice		Try to prevent the material from entering	drains or water

No special environmental precautions required.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

courses.

Physical state Appearance Colour	: solid : powder : various
Odour	: odourless
Melting point/ range	: > 2.000 °C
Boiling point/boiling range	: No data available
Flammability	: The product is not flammable.

per flammability limit

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI FT Megafug®



Print Date 03.09.2024

Revision Date: 03.09.2024 Version 1.0 Date of last issue: -

Upper/lower flammability or explosive limits

Upper explosion limit / Up- : No data available

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
<b>Viscosity</b> Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	dispersible
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 1,2 g/cm3 (20 °C)

: ca. 1.400 - 1.500 kg/m3

No data available

: No data available

:

## 9.2 Other information

Bulk density

Relative vapour density

Particle characteristics

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI FT Megafug®



Revision Date: 03.09.2024 Date of last issue: -	Version 1.0	Print Date 03.09.2024
Explosives	: Not explosive	
SECTION 10: Stability and	eactivity	
10.1 Reactivity		
No dangerous reaction kno	wn under conditions of normal use.	
10.2 Chemical stability		
The product is chemically s	table.	
10.3 Possibility of hazardous	reactions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	n products	
	: No hazardous decomposition products are	e known.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### **Respiratory sensitisation**

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## **PCI FT Megafug®**

**Jika**®

Revision Date: 03.09.2024 Date of last issue: - Version 1.0

Print Date 03.09.2024

## Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### Reproductive toxicity

Not classified due to lack of data.

#### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### **11.2 Information on other hazards**

#### Endocrine disrupting properties

2

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..



Print Date 03.09.2024 Revision Date: 03.09.2024 Version 1.0 Date of last issue: -

### 12.6 Endocrine disrupting properties

#### Product:

Ass

sessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
		-

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> </ul>
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI FT Megafug®



	Vers	sion 1.0	Print Date 03.09.2024
ADR	: Not regulated as	a dangerous good	
IMDG	: Not regulated as	a dangerous good	
ΙΑΤΑ	: Not regulated as	a dangerous good	
14.4 Packing group			
ADR	: Not regulated as	a dangerous good	
IMDG	: Not regulated as	a dangerous good	
IATA (Cargo)	: Not regulated as	a dangerous good	
IATA (Passenger)	: Not regulated as	a dangerous good	
14.5 Environmental hazards Not regulated as a danger	ous good		
14.6 Special precautions for Not applicable	user		
SECTION 15: Regulatory in 15.1 Safety, health and enviro International Chemical We	onmental regulations/leg	•	substance or mixture
Schedules of Toxic Chemi			
Schedules of Toxic Chemi	cals and Precursors All substances co - registered by ou - registered by us	ntained in our Products a ir upstream suppliers, and , and/or ne regulation, and/or	are
	All substances co - registered by ou - registered by us - excluded from th - exempted from th he manufacture, placing o	ontained in our Products a ir upstream suppliers, and , and/or ne regulation, and/or the registration.	are d/or estriction for the fol- should be considered:
REACH Information: REACH - Restrictions on t the market and use of cert	All substances co - registered by ou - registered by us - excluded from th - exempted from th - exempted from th the manufacture, placing of ain dangerous substances ex XVII)	ontained in our Products a r upstream suppliers, and , and/or ne regulation, and/or the registration. on : Conditions of ro s, lowing entries Number on list	are d/or estriction for the fol- should be considered:
REACH Information: REACH - Restrictions on t the market and use of cert mixtures and articles (Ann REACH - Candidate List o	All substances co - registered by ou - registered by us - excluded from th - exempted from th - exempted from th sain dangerous substances ex XVII) f Substances of Very High (Article 59).	ontained in our Products a r upstream suppliers, and , and/or ne regulation, and/or the registration. on : Conditions of re s, lowing entries s Number on list n : None of the co (=> 0.1 %).	are d/or estriction for the fol- should be considered: 75:

layer

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI FT Megafug®



Revision Date: 03.09.2024Version 1.0Print Date 03.09.2024Date of last issue: -

Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import	:	Not applicable

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

> Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI FT Megafug®



Revision Date: 03.09.2024 Date of last issue: - Version 1.0

Print Date 03.09.2024

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

Full text of H-Statements				
H315	: Ca	auses skin irritation.		
H318	: Ca	auses serious eye damage.		
H335	: Ma	ay cause respiratory irritation.		
Full text of other abbreviations				
Eye Dam.	: Se	rious eye damage		
Skin Irrit.	: Sk	in irritation		
STOT SE	: Sp	ecific target organ toxicity - single exposure		
2017/164/EU		rope. Commission Directive 2017/164/EU establishing a urth list of indicative occupational exposure limit values		
PL OEL	of	dinance of the Minister of Family, Labour and Social Policy 12 June 2018 concerning the highest allowable concentra- ns and levels of the agents harmful for health in the work-		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI FT Megafug®



Revision Date: 03.09.2024 Version 1.0 Print Date 03.09.2024 Date of last issue: place (Dz.U 2018 pos 1286, with later amendments) 2017/164/EU / STEL Short term exposure limit Limit Value - eight hours 2017/164/EU / TWA PL OEL / NDS Maximal Admissible Concentration Maximal Admissible Temporary Concentration PL OEL / NDSch : ADR European Agreement concerning the International Carriage of Dangerous Goods by Road CAS **Chemical Abstracts Service** DNEL Derived no-effect level Half maximal effective concentration **EC50** GHS **Globally Harmonized System** : International Air Transport Association IATA IMDG International Maritime Code for Dangerous Goods LD50 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from : Ships, 1973 as modified by the Protocol of 1978 **Occupational Exposure Limit** OEL : Persistent, bioaccumulative and toxic PBT : Predicted no effect concentration PNEC Regulation (EC) No 1907/2006 of the European Parliament REACH and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC : Substances of Very High Concern vPvB Very persistent and very bioaccumulative

#### **Further information**

Classification of	the mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI FT Megafug®

Revision Date: 03.09.2024 Date of last issue: - Version 1.0

Print Date 03.09.2024

