

Revision Date: 18.08.2023 Date of last issue: - Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaForce[®]-7780 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person responsible for the SDS	: EHS@pl.sika.com

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Revision Date: 18.08.2023 Date of last issue: - Version 2.0

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H315 H317 H319 H332 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through pro- longed or repeated exposure.
Precautionary statements	:	Prevention: P201 P260 P264 P280	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing pro- tection.
		Response: P304 + P340 + P342 + P311	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

1,3-Butanediol, polymer with 1,1'-methylenebis[isocyanatobenzene], 2,2'-oxybis[ethanol] and 1,2-propanediol

Diphenylmethanediisocyanate, isomeres and homologues

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SikaForce[®]-7780 Part B



Revision Date: 18.08.2023 Date of last issue: - Version 2.0

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No. Registration number		(% w/w)
1,3-Butanediol, polymer with 1,1'- meth- ylenebis[isocyanatobenzene], 2,2'-oxybis[ethanol] and 1,2- propanediol	155662-82-1 Not Assigned 01-2119480402-45- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	>= 40 - < 60
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H314 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % Resp. Sens. 1; H334 >= 0,1 % Skin Irrit. 2; H315 >= 5 % STOT SE 3; H335 >= 5 %	>= 25 - < 40

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area.
Country PL 000000016142	

SikaForce[®]-7780 Part B



Revision Date: 18.08.2023 Date of last issue: -	Versio	on 2.0	Print Date 05.02.202
	Consult a physiciar Show this safety da	n. ata sheet to the doctor ir	n attendance.
If inhaled	: Move to fresh air. Consult a physiciar	n after significant exposu	ure.
In case of skin contact		ated clothing and shoes i and plenty of water. t, call a physician.	immediately.
In case of eye contact	Remove contact ler Keep eye wide ope		
If swallowed	Rinse mouth with w Do not give milk or	iting without medical adv vater. alcoholic beverages. g by mouth to an uncons	
4.2 Most important symptoms	and effects, both acute a	and delayed	
Symptoms	: Asthmatic appearan Cough Respiratory disorder Allergic reactions Excessive lachryma Erythema Headache Dermatitis See Section 11 for and symptoms.	PL	on on health effects
Risks	: irritant effects sensitising effects		
	ties if inhaled. May cause respirat Suspected of causi	gic skin reaction. e irritation. or asthma symptoms or cory irritation.	-
4.3 Indication of any immedia		-	ded
Treatment	 Treat symptomatica 	allv	



Revision Date: 18.08.2023 Date of last issue: - Version 2.0

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8).
		Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.
		Persons with a history of skin sensitisation problems or asth-

SikaForce[®]-7780 Part B



Revision Date: 18.08.2023 Date of last issue: -	Version 2.0	Print Date 05.02.2024
	ma, allergies, chronic or recurrent res not be employed in any process in wi used. Smoking, eating and drinking should plication area. Provide sufficient air exchange and/c Follow standard hygiene measures w products	hich this mixture is being be prohibited in the ap- or exhaust in work rooms.
Advice on protection against fire and explosion	Normal measures for preventive fire	protection.
Hygiene measures	Handle in accordance with good indu practice. When using do not eat or dr smoke. Wash hands before breaks a	rink. When using do not
7.2 Conditions for safe storage, i	cluding any incompatibilities	
Requirements for storage areas and containers	Keep container tightly closed in a dry place. Containers which are opened sealed and kept upright to prevent lea ance with local regulations.	must be carefully re-
Further information on stor- age stability	No decomposition if stored and appli	ed as directed.
7.3 Specific end use(s)		
Specific use(s)	Cleaning with aprotic polar solvents r Consult most current local Product D use.	

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

SikaForce[®]-7780 Part B



Eye/face protection: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure waterHand protection: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.Skin and body protection: Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1 < 1000 ppm; A2 < 5000 ppm; A3 < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent	evision Date: 18.08.2023 ate of last issue: -	Version 2.0	Print Date 05.02.2
proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) 	Eye/face protection		forming to EN166
Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.Skin and body protection:Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.Respiratory protection:In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par-	Hand protection	proved standard must be worn at all chemical products. Reference numb	times when handling
Iong-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.Respiratory protection:In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated 		Butyl rubber/nitrile rubber gloves (> Contaminated gloves should be rem Suitable for permanent exposure: Viton gloves (0.4 mm),	0,1 mm)
Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par-	Skin and body protection	long-sleeved working clothing, long and protective boots are additionaly	trousers). Rubber aprons
to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.	Respiratory protection	Respirator selection must be based exposure levels, the hazards of the p ing limits of the selected respirator. Use a properly fitted NIOSH approver respirator complying with an approver sessment indicates this is necessary organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A Ensure adequate ventilation. This can exhaust extraction or by general ver ods for determining inhalation exposs ticular to the mixing / stirring area. In to keep the concentrations under the limits then respiration protection mean	on known or anticipated product and the safe work- ed air-purifying or air-fed ed standard if a risk as- y. 3: < 10000 ppm an be achieved by local ntilation. (EN 689 - Meth- sure). This applies in par- n case this is not sufficent e occupational exposure asures must be used.

General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: various
Odour	: slight



	Version 2.0	Print Date 0
:	No data available	
:	No data available	
:	No data available	
exp	losive limits	
	No data available	
:	No data available	
:	> 101 °C Method: closed cup	
:	No data available	
:	No data available	
:	Not applicable	
:	ca. 230 mPa.s (20 °C)	
:	> 20,5 mm2/s (40 °C)	
:	insoluble	
:	No data available	
:	0,01 hPa	
:	ca. 1,23 g/cm3 (20 °C)	
:	No data available	
:	No data available	8
	: ; ; ;	 No data available > 101 °C Method: closed cup No data available Not applicable ca. 230 mPa.s (20 °C) > 20,5 mm2/s (40 °C) insoluble No data available Not applicable ca. 1,23 g/cm3 (20 °C) No data available

Print Date 05.02.2024

Revision Date: 18.08.2023 Date of last issue: - Version 2.0

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg

SikaForce[®]-7780 Part B

Revision Date: 18.08.2023 Date of last issue: - Version 2.0



Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic	: EC50 (Desmodesmus subspicatus (green algae)): > 1.6

640

Print Date 05.02.2024

Revision Date: 18.08.2023 Date of last issue: - Version 2.0

plants

mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with



Revision Date: 18.08.2023 Date of last issue: -		Version 2.0	Print Date 05.02.2024
		soil, waterways, drains and sewers.	
European Waste Catalogue	:	08 04 09* waste adhesives and sealants consolvents or other dangerous substances	ontaining organic
Contaminated packaging	:	15 01 10* packaging containing residues of by dangerous substances	or contaminated

SECTION 14: Transport information

14.1 UN number or ID number						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.2 UN proper shipping name	14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.3 Transport hazard class(es)						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.4 Packing group						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
IATA (Cargo)	:	Not regulated as a dangerous good				
IATA (Passenger)	:	Not regulated as a dangerous good				
14.5 Environmental hazards Not regulated as a dangerous good						
14.6 Special precautions for user Not applicable						
44.7 Monthing transment in hull according to IMO in strumonts						

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SikaForce[®]-7780 Part B



Revision Date: 18.08.2023 Date of last issue: -	Version 2	2.0	Print Date 05.02.202	
International Chemical Weapons Schedules of Toxic Chemicals ar		:	Not applicable	
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.			
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
			Diphenylmethanediisocyanate, iso- meres and homologues (Number on list 74, 56)	
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals	•	:	Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nent	and of the Council on the control of ma-	
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties		or volatile organic compounds	
			4 November 2010 on industrial ution prevention and control)	

SikaForce[®]-7780 Part B

Revision Date: 18.08.2023 Date of last issue: - Version 2.0



Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item

Print Date 05.02.2024

Revision Date: 18.08.2023 Date of last issue: - Version 2.0

1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315	:	Causes skin irritation.			
H317	:	May cause an allergic skin reaction.			
H319	:	Causes serious eye irritation.			
H332	:	Harmful if inhaled.			
H334	:	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.			
H335		May cause respiratory irritation.			
H351	:	Suspected of causing cancer.			
H373	:	May cause damage to organs through prolonged or repeated			
	•	exposure.			
H373	:	May cause damage to organs through prolonged or repeated exposure if inhaled.			
Full text of other abbreviations					
Acute Tox.	:	Acute toxicity			
Carc.	:	Carcinogenicity			
Eye Irrit.	:	Eye irritation			
Resp. Sens.	:	Respiratory sensitisation			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitisation			
STOT RE	:	Specific target organ toxicity - repeated exposure			
STOT SE	:	Specific target organ toxicity - single exposure			
PL OEL	:	Ordinance of the Minister of Family, Labour and Social Policy			
		of 12 June 2018 concerning the highest allowable concentra-			
		tions and levels of the agents harmful for health in the work-			
		place (Dz.U 2018 pos 1286, with later amendments)			
PL OEL / NDS	:	Maximal Admissible Concentration			
PL OEL / NDSch	:	Maximal Admissible Temporary Concentration			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of			
		test animals)			



Revision Date: 18.08.2023 Date of last issue: -	Version 2.0	Print Date 05.02.202
LC50	: Median lethal concentration (concer air that kills 50% of the test animals period)	
MARPOL	: International Convention for the Pre Ships, 1973 as modified by the Prot	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and tox	ic
PNEC	: Predicted no effect concentration	
REACH	 Regulation (EC) No 1907/2006 of th and of the Council of 18 December istration, Evaluation, Authorisation a cals (REACH), establishing a Europ 	2006 concerning the Reg- and Restriction of Chemi-
SVHC	: Substances of Very High Concern	<u> </u>
vPvB	: Very persistent and very bioaccumu	llative

Further information

Classification of	Classification procedure:	
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN