

Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®] M 276 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Polyurethane coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Acute toxicity, Category 4	H332: Harmful if inhaled.				
Skin irritation, Category 2	H315: Causes skin irritation.				
Eye irritation, Category 2	H319: Causes serious eye irritation.				
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.				
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.				
Carcinogenicity, Category 2	H351: Suspected of causing cancer.				
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.				
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.				

Sikafloor[®] M 276 Part B

Revision Date: 26.07.2024	
Date of last issue: -	

Hazard pictograms

Version 1.0

last issue: -

Labelling (REGULATION (EC) No 1272/2008)

:

2.2 Label elements

Signal word :	Danger
Hazard statements :	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H32 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure.
Precautionary statements :	Prevention:
	P201Obtain special instructions before use.P260Do not breathe mist or vapours.P264Wash skin thoroughly after handling.P280Wear protective gloves/ protective clothing/ eye protection/ face protection.
	Response:
	P304 + P340 + P312IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.P342 + P311If experiencing respiratory symptoms: Call a
	P342 + P311 In experiencing respiratory symptoms. Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

methylenediphenyl diisocyanate

Diphenylmethanediisocyanate, isomeres and homologues

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Print Date 26.07.2024

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sikafloor [®] M 276 Part B



Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
methylenediphenyl diisocyanate	Registration number 26447-40-5 905-806-4 01-2119457015-45- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit STOT SE 3; H335 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 %	>= 60 - < 80
		limit Resp. Sens. 1; H334 >= 0,1 %	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amo tion (EU) 2020/878 Sikafloor® M 276 Part B	ended by Commission Regula-
Revision Date: 26.07.2024	Version 1.0



Revision Date: 26.07.2024 Date of last issue: -	Version 1.0	Print Date 26.07.2024	
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Stor SE 3; H335 >= 5 %	>= 25 - < 40

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

Sikafloor[®] M 276 Part B



Revision Date: 26.07.2024 Date of last issue: -		Version 1.0	Print Date 26.07.2024
In case of eye contact	:	Immediately flush eye(s) with plenty of wat Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialis	
If swallowed	:	Do not induce vomiting without medical ad Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncon	
4.2 Most important symptoms	s and e	effects, both acute and delayed	
Symptoms	:	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed informati and symptoms.	on on health effects
Risks	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prof exposure. irritant effects	
		sensitising effects	
1.2 Indication of any immedia	to mo	dical attention and special treatment need	dad
4.5 mulcation of any mineula	te me	Treat symptomatically.	ueu
Treatment	•		

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known



Revision Date: 26.07.2024 Date of last issue: -		Version 1.0	Print Date 26.07.2024
ucts			
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained brea	athing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	ie I	neasures	
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary s If the product contaminates rivers and lakes respective authorities.	

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

_

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products
-------------------------	--



Revision Date: 26.07.2024 Date of last issue: -		Version 1.0	Print Date 26.07.2024
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	Handle in accordance with good industrial hygier practice. When using do not eat or drink. When using smoke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage, in	nc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Containers which are opened must be car sealed and kept upright to prevent leakage. Stor- ance with local regulations.	efully re-
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s)			
Specific use(s)	:	Cleaning with aprotic polar solvents must be avo Consult most current local Product Data Sheet p use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
methylenediphenyl diisocyanate	26447-40-5	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.

Sikafloor[®] M 276 Part B



vision Date: 26.07.2024 te of last issue: -		Version 1.0	Print Date 26.07.2024
	Bi Ci Si Vi	uitable for short time use or protectio utyl rubber/nitrile rubber gloves (> 0,7 ontaminated gloves should be remov uitable for permanent exposure: ton gloves (0.4 mm), eakthrough time >30 min.	1 mm)
Skin and body protection	lo ar	rotective clothing (e.g. Safety shoes a ng-sleeved working clothing, long tro nd protective boots are additionaly re nd stirring work.	users). Rubber aprons
Respiratory protection	R e> in U re se or A Er e> oc tic to	case of inadequate ventilation wear espirator selection must be based on construction of the properties of the property fitted NIOSH approved spirator complying with an approved essment indicates this is necessary. ganic vapor filter (Type A) 1: < 1000 ppm; A2: < 5000 ppm; A3: nesure adequate ventilation. This can chaust extraction or by general ventilations sular to the mixing / stirring area. In con- keep the concentrations under the op- nits then respiration protection measing insure adequate ventilation, especially	 known or anticipated oduct and the safe work- air-purifying or air-fed standard if a risk as- < 10000 ppm be achieved by local ation. (EN 689 - Meth- e). This applies in par- ase this is not sufficent occupational exposure ures must be used.
Environmental exposure co	ontrols		
General advice		o not flush into surface water or sanit the product contaminates rivers and	

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid viscous yellow
Odour	:	musty
Melting point/ range / Freez- ing point	:	No data available

Boiling point/boiling range : No data available

Sikafloor[®] M 276 Part B



Revision Date: 26.07.2024 Date of last issue: -		Version 1.0	Print Date 26.07.2024
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	blosive limits	
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 110 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, dynamic	:	730 - 930 mPa.s (20 °C)	
Viscosity, kinematic	:	No data available	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,11 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	



Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions		Stable under recommended storage conditions.
	-	

10.4 Conditions to avoid

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg
Skin corrosion/irritation		

Causes skin irritation.





Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l



Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product: Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with



Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

soil, waterways, drains and sewers.

SECTION 14: Transport information 14.1 UN number or ID number ADR Not regulated as a dangerous good : IMDG Not regulated as a dangerous good ΙΑΤΑ Not regulated as a dangerous good 14.2 UN proper shipping name ADR 2 Not regulated as a dangerous good IMDG Not regulated as a dangerous good ΙΑΤΑ Not regulated as a dangerous good 14.3 Transport hazard class(es) ADR Not regulated as a dangerous good 2 IMDG Not regulated as a dangerous good 1 ΙΑΤΑ Not regulated as a dangerous good 14.4 Packing group ADR Not regulated as a dangerous good IMDG Not regulated as a dangerous good 2 IATA (Cargo) Not regulated as a dangerous good 1 Not regulated as a dangerous good IATA (Passenger) 14.5 Environmental hazards Not regulated as a dangerous good 14.6 Special precautions for user Not applicable 14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied. **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 International Chemical Weapons Convention (CWC)
 : Not applicable

 Schedules of Toxic Chemicals and Precursors
 - REACH Information:

All substances contained in our Products are - registered by our upstream suppliers, and/or

Sikafloor[®] M 276 Part B



Revision Date: 26.07.2024 Date of last issue: -	Version 1.0	Print Date 26.07.2024		
	 registered by us, and/or excluded from the regula exempted from the regist 			
REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII)	gerous substances,	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3		
		Number on list 75: Banned and/or restricted		
REACH - Candidate List of Substa Concern for Authorisation (Article		None of the components are listed (=> 0.1 %).		
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable		
Regulation (EC) on substances th layer	at deplete the ozone :	Not applicable		
Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)				
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals				
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dan		and of the Council on the control of ma-		
Volatile organic compounds :	Law on the incentive tax for (VOCV) no VOC duties	or volatile organic compounds		
		4 November 2010 on industrial ution prevention and control)		

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)



Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)



Revision Date: 26.07.2024 Date of last issue: - Version 1.0

Print Date 26.07.2024

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H334	:	May cause allergy or asthma symptoms or breathing difficul-
		ties if inhaled.
H335	:	May cause respiratory irritation.
H351	:	Suspected of causing cancer.
H373	:	May cause damage to organs through prolonged or repeated
		exposure.
H373	:	May cause damage to organs through prolonged or repeated
		exposure if inhaled.
Full text of other abbreviatio	ons	
Acute Tox.		Acute toxicity
Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Resp. Sens.	:	Respiratory sensitisation
Skin Irrit.	:	Skin irritation
Skin Sens.		Skin sensitisation
STOT RE		Specific target organ toxicity - repeated exposure
STOT SE	÷	Specific target organ toxicity - single exposure
PLOEL	:	Ordinance of the Minister of Family, Labour and Social Policy
		of 12 June 2018 concerning the highest allowable concentra-
		tions and levels of the agents harmful for health in the work-
		place (Dz.U 2018 pos 1286, with later amendments)
PL OEL / NDS	:	Maximal Admissible Concentration
PL OEL / NDSch	:	Maximal Admissible Temporary Concentration
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®] M 276 Part B



Revision Date: 26.07.2024 Date of last issue: -		Version 1.0	Print Date 26.07.2024
	air that k period)	ills 50% of the test animals d	luring the observation
MARPOL		onal Convention for the Preve 973 as modified by the Proto	
OEL		ional Exposure Limit	
PBT	: Persister	nt, bioaccumulative and toxic	
PNEC	: Predicted	d no effect concentration	
REACH	and of th istration, cals (RE	on (EC) No 1907/2006 of the e Council of 18 December 20 Evaluation, Authorisation an ACH), establishing a Europe	006 concerning the Reg- id Restriction of Chemi-
SVHC		ces of Very High Concern	
vPvB	: Very per	sistent and very bioaccumula	ative
Further information			
Classification of the m	ixture:	Classification	on procedure:
Acute Tox. 4	H332	Calculation r	method
Skin Irrit. 2	H315	Calculation r	method

Calculation method

Calculation method

Calculation method

Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

H319

H334

H317

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN

Eye Irrit. 2

Resp. Sens. 1

Skin Sens. 1