# Sikafloor®-327 Part B



Revision Date: 02.09.2023 Date of last issue: - Version 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikafloor<sup>®</sup>-327 Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system, For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o.
	Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

#### 1.4 Emergency telephone number

112

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Print Date 05.02.2024

Revision Date: 02.09.2023 Date of last issue: - Version 2.0

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H315 H317 H319 H332 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through pro- longed or repeated exposure if inhaled.
Precautionary statements	:	<b>Prevention:</b> P201 P260 P264 P280	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing pro- tection.
		<b>Response:</b> P304 + P340 + I P342 + P311	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

### Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues

4,4'-methylenediphenyl diisocyanate

o-(p-isocyanatobenzyl)phenyl isocyanate 2,2'-methylenediphenyl diisocyanate

## Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# Sikafloor<sup>®</sup>-327 Part B

Print Date 05.02.2024

Revision Date: 02.09.2023 Date of last issue: - Version 2.0

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 $\overline{}$ specific concentration limit Eye Irrit. 2; H319 >= 5 % Resp. Sens. 1; H334 >= 0,1 % Skin Irrit. 2; H315 >= 5 % STOT SE 3; H335 >= 5 %	>= 60 - < 80

# Sikafloor<sup>®</sup>-327 Part B

Revision Date: 02.09.2023 Date of last issue: - Version 2.0



4,4'-methylenediphenyl diisocya-	101-68-8	Acute Tox. 4; H332	>= 10 - < 20
nate	202-966-0 01-2119457014-47- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	2-10-220
		specific concentration limit Eye Irrit. 2; H319 >= 5 % STOT SE 3; H335 >= 5 % Skin Irrit. 2; H315 >= 5 % Resp. Sens. 1; H334 >= 0,1 %	
		Acute toxicity esti- mate	
		Acute inhalation tox- icity (dust/mist): 1,5 mg/l	
o-(p-isocyanatobenzyl)phenyl isocyanate	5873-54-1 227-534-9 01-2119480143-45- XXXX	Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335 Skin Irrit. 2; H315 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT RE 2; H373	>= 10 - < 20
		specific concentration limit Eye Irrit. 2; H319 >= 5 % STOT SE 3; H335 >= 5 % Skin Irrit. 2; H315 >= 5 % Resp. Sens. 1; H334 >= 0,1 %	

# Sikafloor®-327 Part B

Print Date 05.02.2024

Revision Date: 02.09.2023				
Date of last issue: -				

Version 2.0

2,2'-methylenediphenyl diisocya- nate	2536-05-2 219-799-4 01-2119927323-43- XXXX	Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335 Skin Irrit. 2; H315 Resp. Sens. 1; H317 Carc. 2; H351 STOT RE 2; H373  specific concentration limit Eye Irrit. 2; H319 >= 5 % STOT SE 3; H335 >= 5 % Skin Irrit. 2; H315 >= 5 % Resp. Sens. 1; H334 >= 0,1 %	< 0,1
--	---	---	-------

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

4.1	Description of first aid measu	lres	5		
	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.		
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
	In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms and effects, both acute and delayed					
	Symptoms	:	Asthmatic appearance Cough Respiratory disorder		

# Sikafloor<sup>®</sup>-327 Part B



Revision Date: 02.09.2023 Version 2.0 Date of last issue: -Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms. Risks irritant effects ٠ sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.

#### 4.3 Indication of any immediate medical attention and special treatment needed

т	re	at	m	e	n	t
		u		-		ι.

: Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1	Extinguishing media		
	Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2	Special hazards arising from	the	substance or mixture
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
	Further information	:	Standard procedure for chemical fires.

### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

:	Use personal protective equipment.
	Deny access to unprotected persons.

Personal precautions

Print Date 05.02.2024

Revision Date: 02.09.2023 Date of last issue: - Version 2.0

### 6.2 Environmental precautions

Environmental prec	autions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

	Advice on safe handling :	<ul> <li>Avoid formation of aerosol.</li> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>	
	Advice on protection against : fire and explosion	Normal measures for preventive fire protection.	
	Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	
7.2	Conditions for safe storage, inc	luding any incompatibilities	
	Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.	
	Further information on stor- : age stability	No decomposition if stored and applied as directed.	

Revision Date: 02.09.2023 Date of last issue: - Version 2.0



#### 7.3 Specific end use(s)

Specific use(s)

: Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
4,4'-methylenediphenyl diisocyanate	101-68-8	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
o-(p-isocyanatobenzyl)phenyl isocyanate	5873-54-1	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL
2,2'-methylenediphenyl diisocyanate	2536-05-2	NDS	0,03 mg/m3	PL OEL
		NDSch	0,09 mg/m3	PL OEL

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	: Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.



Revision Date: 02.09.2023 Date of last issue: -	Version 2.0	Print Date 05.02
Respiratory protection	<ul> <li>In case of inadequate ventilation wear r Respirator selection must be based on exposure levels, the hazards of the proci ing limits of the selected respirator. Use a properly fitted NIOSH approved a respirator complying with an approved a sessment indicates this is necessary. organic vapor filter (Type A) A1: &lt; 1000 ppm; A2: &lt; 5000 ppm; A3: &lt; Ensure adequate ventilation. This can b exhaust extraction or by general ventila ods for determining inhalation exposure ticular to the mixing / stirring area. In ca to keep the concentrations under the oc limits then respiration protection measu Ensure adequate ventilation, especially</li> </ul>	known or anticipated duct and the safe work- air-purifying or air-fed standard if a risk as- < 10000 ppm be achieved by local tion. (EN 689 - Meth- be). This applies in par- se this is not sufficent ccupational exposure res must be used.
Environmental exposure	e controls	
General advice	: Do not flush into surface water or sanita If the product contaminates rivers and la	

respective authorities.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

		• •
Physical state	:	liquid
Colour	•	brown
Odour	:	characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	ca. 220 °C Method: closed cup

# Sikafloor<sup>®</sup>-327 Part B



Revision Date: 02.09.2023 Date of last issue: -		Version 2.0	Print Date 05.02.20
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture reacts with water	
<b>Viscosity</b> Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
<b>Solubility(ies)</b> Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,24 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

### 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

#### 10.4 Conditions to avoid

Conditions to avoid : No data available



Revision Date: 02.09.2023 Date of last issue: - Version 2.0

### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Harmful if inhaled.

#### **Components:**

#### Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity :	LD50 Oral (Rat): > 10.000 mg/kg					
Acute inhalation toxicity :	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.					
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 9.400 mg/kg					
4,4'-methylenediphenyl diisocyanate:						
Acute oral toxicity :	LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401					
Acute inhalation toxicity :	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method					
Skin corrosion/irritation Causes skin irritation.						
Serious eye damage/eye irritation Causes serious eye irritation.						
Respiratory or skin sensitisation						

### Skin sensitisation

May cause an allergic skin reaction.

Revision Date: 02.09.2023 Date of last issue: -



#### Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Suspected of causing cancer.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

#### **Aspiration toxicity**

Not classified due to lack of data.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

### Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

<b>Jika</b> ®
Print Date 05.02.2024

Revision Date: 02.09.2023 Date of last issue: - Version 2.0

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

### Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods Product The generation of waste should be avoided or minimized 2 wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. European Waste Catalogue : 08 05 01\* waste isocyanates Contaminated packaging 15 01 10\* packaging containing residues of or contaminated : by dangerous substances

Print Date 05.02.2024

Revision Date: 02.09.2023 Date of last issue: -

Version 2.0

# **SECTION 14: Transport information**

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous good				
14.6 Special precautions for user				

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

**REACH Information:** 

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

# Sikafloor®-327 Part B

<b>Jika</b> ®
Print Date 05.02.2024

Revision Date: 02.09.2023 Date of last issue: -	Version 2.0	Print Date 05.02.2
REACH - Restrictions on the manufacture the market and use of certain dangerous s mixtures and articles (Annex XVII)		Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3Diphenylmethanediisocyanate, isomeres and homologues (Number on list 74, 56) 4,4'-methylenediphenyl diisocyanate (Number on list 74, 56) o-(p-isocyanatobenzyl)phenyl isocy- anate (Number on list 74, 56)
		Diphenylmethanediisocyanate, iso- meres and homologues (Number on list 74, 56) 4,4'-methylenediphenyl diisocyanate (Number on list 74, 56) o-(p-isocyanatobenzyl)phenyl isocy- anate (Number on list 74, 56) 2,2'-methylenediphenyl diisocyanate (Number on list 74, 56)
REACH - Candidate List of Substances of Concern for Authorisation (Article 59).	Very High :	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to aut (Annex XIV)	thorisation :	Not applicable
Regulation (EC) No 1005/2009 on substan plete the ozone layer	nces that de- :	Not applicable
Regulation (EU) 2019/1021 on persistent tants (recast)	organic pollu- :	Not applicable
Regulation (EC) No 649/2012 of the Europeration ment and the Council concerning the exponsion of dangerous chemicals		Not applicable
Seveso III: Directive 2012/18/EU of the Eu jor-accident hazards involving dangerous Not app		at and of the Council on the control of ma-
(VOCV		or volatile organic compounds

# Sikafloor<sup>®</sup>-327 Part B

Revision Date: 02.09.2023 Date of last issue: -



Version 2.0

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

#### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road

Print Date 05.02.2024

Revision Date: 02.09.2023 Date of last issue: - Version 2.0

(ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

Full text of H-Statements				
H315 H317	Causes skin irritation. May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H332	Harmful if inhaled.			
H334	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.			
H335	May cause respiratory irritation.			
H351	Suspected of causing cancer.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.			
Full text of other abbreviations				
Acute Tox.	Acute toxicity			
Carc.	Carcinogenicity			
Eye Irrit. Resp. Sens.	Eye irritation Respiratory sensitisation			
Skin Irrit.	Skin irritation			
Skin Sens.	Skin sensitisation			
STOT RE	Specific target organ toxicity - repeated exposure			
STOT SE	Specific target organ toxicity - single exposure			
PL OEL	Ordinance of the Minister of Family, Labour and Social Policy			
	of 12 June 2018 concerning the highest allowable concentra-			
	tions and levels of the agents harmful for health in the work-			
	place (Dz.U 2018 pos 1286, with later amendments)			
PL OEL / NDS PL OEL / NDSch	Maximal Admissible Concentration			
ADR	Maximal Admissible Temporary Concentration European Agreement concerning the International Carriage of			
ADR	Dangerous Goods by Road			
CAS	Chemical Abstracts Service			
DNEL	Derived no-effect level			
EC50	Half maximal effective concentration			
GHS	Globally Harmonized System			
ΙΑΤΑ	International Air Transport Association			



Revision Date: 02.09.2023 Date of last issue: -

IMDG LD50	<ul> <li>International Maritime Code for Dangerous Goods</li> <li>Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of</li> </ul>
LC50	<ul> <li>test animals)</li> <li>Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)</li> </ul>
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	<ul> <li>Substances of Very High Concern</li> <li>Very persistent and very bioaccumulative</li> </ul>

### **Further information**

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN