

Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

PCI Durapox[®] Premium Multicolor Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Joint mortar, Product is not intended for consumer use, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	: Sika Poland Spółka z o.o. Karczunkowska 89
	02-871 Warszawa
Telephone	: +48 22 27 28 700
Telefax	: +48 22 27 28 800
E-mail address of person	: EHS@pl.sika.com
responsible for the SDS	

1.4 Emergency telephone number

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.
H317: May cause an allergic skin reaction.
H400: Very toxic to aquatic life.
H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



PCI Durapox[®] Premium Multicolor Part B

Revision Date: 09.07.2024 Date of last issue: -			Version 1.0	Print Date 09.07.2024
Hazard pictograms	:	L R		
Signal word	:	Danger		
Hazard statements	:	H314 H317 H410	Causes severe skin burns an May cause an allergic skin re Very toxic to aquatic life with	action.
Precautionary statements	:	Prevention: P273 P280	Avoid release to the env Wear protective gloves/ eye protection/ face prot	protective clothing/
		Response: P303 + P36 ² P304 + P340	ately all contaminated cl with water.	C C
			air and keep comfortable mediately call a POISON	I CENTER/ doctor. S: Rinse cautiously nutes. Remove con- d easy to do. Con-

Hazardous components which must be listed on the label:

Cement (chromium reduced) 3-aminomethyl-3,5,5-trimethylcyclohexylamine 3-aminopropyltriethoxysilane Formaldehyde, oligomeric reaction products with 3,3'-iminodi(propylamine)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

PCI Durapox[®] Premium Multicolor Part B



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		(11)
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
3-aminomethyl-3,5,5-	2855-13-2	Acute Tox. 4; H302	>= 5 - < 10
trimethylcyclohexylamine	220-666-8	Skin Corr. 1B; H314	
	01-2119514687-32-	Eye Dam. 1; H318	
	XXXX	Skin Sens. 1A; H317	
		specific concentration	
		limit	
		Skin Sens. 1A; H317	
		>= 0,001 %	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		1.030 mg/kg	
calcium oxide	1305-78-8	Skin Irrit. 2; H315	>= 5 - < 10
	215-138-9	Eye Dam. 1; H318	
	01-2119475325-36-	STOT SE 3; H335	
	XXXX		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PCI Durapox[®] Premium Multicolor Part B

Revision Date: 09.07.2024 Date of last issue: -

Version 1.0

N-(3-aminopropyl)-N- dodecylpropane-1,3-diamine	2372-82-9 219-145-8 01-2119980592-29- XXXX	Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Irrit. 2; H319 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 Acute toxicity esti- mate Acute oral toxicity: 261 mg/kg	>= 3 - < 5
3-aminopropyltriethoxysilane	919-30-2 213-048-4 01-2119480479-24- XXXX	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Acute toxicity estimate Acute oral toxicity: 1.490 mg/kg	>= 3 - < 5
Formaldehyde, oligomeric reac- tion products with 3,3'- iminodi(propylamine)	161278-35-9 500-626-9	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.



PCI Durapox[®] Premium Multicolor Part B

Revision Date: 09.07.2024 Date of last issue: -	Version 1.0	Print Date 09.07.2024
	Immediate medical treatment is necess wounds from corrosion of the skin heal ty.	
In case of eye contact	 Small amounts splashed into eyes can sue damage and blindness. In the case of contact with eyes, rinse of water and seek medical advice. Continue rinsing eyes during transport Remove contact lenses. Keep eye wide open while rinsing. 	immediately with plenty
If swallowed	 Do not induce vomiting without medica Rinse mouth with water. Do not give milk or alcoholic beverages Never give anything by mouth to an un 	S.
4.2 Most important symptoms and	l effects, both acute and delayed	
Symptoms	 Allergic reactions Dermatitis See Section 11 for more detailed inforr and symptoms. 	nation on health effects
Risks	: May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.	
	Health injuries may be delayed. corrosive effects sensitising effects	
4.3 Indication of any immediate m	edical attention and special treatment r	needed
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting measu	ires	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray/w ide/sand/foam/alcohol resistant foam/c extinction.	•
5.2 Special hazards arising from t	he substance or mixture	
Specific hazards during fire- fighting	: Do not allow run-off from fire fighting to courses.	enter drains or water
Hazardous combustion prod- ucts	: No hazardous combustion products are	e known





Revision Date: 09.07.2024 Date of last issue: -		Version 1.0	Print Date 09.07.2024
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	j apparatus.
Further information	:	Collect contaminated fire extinguishing water semust not be discharged into drains. Fire residues and contaminated fire extinguishing be disposed of in accordance with local regulation	g water must

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth-
	ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
	Smoking, eating and drinking should be prohibited in the ap- plication area.
	Follow standard hygiene measures when handling chemical products

Advice on protection against : Normal measures for preventive fire protection.



Revision Date: 09.07.2024 Date of last issue: -		Version 1.0	Print Date 09.07.2024
fire and explosion			
Hygiene measures	:	Handle in accordance with good industrial h practice. When using do not eat or drink. W smoke. Wash hands before breaks and at th	hen using do not
7.2 Conditions for safe storage,	inc	uding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and w place. Store in accordance with local regula	
Further information on stor- age stability	:	No decomposition if stored and applied as o	lirected.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Shouse.	eet prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Cement (chromium reduced)	65997-15-1	NDS (inhalable	6 mg/m3	PL OEL
		fraction)		
		NDS (respirable	2 mg/m3	PL OEL
		fraction)		
calcium oxide	1305-78-8	TWA (Respirable	1 mg/m3	2017/164/EU
		fraction)		
	Further inform	nation: Indicative		
		STEL (Respirable	4 mg/m3	2017/164/EU
		fraction)	J J	
		NDS (inhalable	2 mg/m3	PL OEL
		fraction)		
		NDS (respirable	1 mg/m3	PL OEL
		fraction)	J J	
		NDSch (inhalable	6 mg/m3	PL OEL
		fraction)	-	
		NDSch (respirable	4 mg/m3	PL OEL
		fraction)	-	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
ethanol	64-17-5	NDS	1.900 mg/m3	PL OEL

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Durapox[®] Premium Multicolor Part B

Revision Date: 09.07.2024
Date of last issue: -

Version 1.0

Print Date 09.07.2024

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipmen	- -
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.





Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information of	on basic physica	l an	d chemical properties
Physical stat Appearance Colour	e	:	solid paste various
Odour		:	amine-like
Melting point	t/ range / Freez-	:	No data available
Boiling point	/boiling range	:	No data available
Flammability	r (solid, gas)	:	No data available
Uppor/lowo	r flammability ar	0 V 10	locivo limito
Upper ex	r flammability or plosion limit / Up- nability limit	-	No data available
	plosion limit / mmability limit	:	No data available
Flash point		:	Not applicable
Auto-ignition	temperature	:	No data available
Decompositi	on temperature	:	No data available
рН		:	11 - 12 (20 °C) Concentration: 50 %
Viscosity Viscosity,	kinematic	:	Not applicable
Solubility(ie Water so		:	No data available
Partition coe octanol/wate		:	No data available



PCI Durapox[®] Premium Multicolor Part B

Date of last issue: -		Version 1.0	Print Date 09.07.2024
Vapour pressure	:	0,02 hPa	
Density	:	ca. 1,88 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	
9.2 Other information No data available			
SECTION 10: Stability and r	eactiv	vity	
-	eactiv	vity	
10.1 Reactivity		rity er conditions of normal use.	
10.1 Reactivity			
10.1 Reactivity No dangerous reaction know	wn und		
10.1 Reactivity No dangerous reaction know 10.2 Chemical stability	wn und able.	er conditions of normal use.	
 10.1 Reactivity No dangerous reaction know 10.2 Chemical stability The product is chemically stable 	wn und able.	er conditions of normal use.	
 10.1 Reactivity No dangerous reaction know 10.2 Chemical stability The product is chemically stability of hazardous r 	wn und able. eactio	er conditions of normal use.	
 10.1 Reactivity No dangerous reaction know 10.2 Chemical stability The product is chemically stability of hazardous reactions 	wn und able. eactio	er conditions of normal use.	
 10.1 Reactivity No dangerous reaction known 10.2 Chemical stability The product is chemically stability 10.3 Possibility of hazardous reactions 10.4 Conditions to avoid	wn und able. eactio	er conditions of normal use. ns Stable under recommended storage conditions.	
 10.1 Reactivity No dangerous reaction known 10.2 Chemical stability The product is chemically stability of hazardous reactions 10.3 Possibility of hazardous reactions 10.4 Conditions to avoid Conditions to avoid 	wn und able. eactio	er conditions of normal use. ns Stable under recommended storage conditions.	
 10.1 Reactivity No dangerous reaction known 10.2 Chemical stability The product is chemically stability The product is chemically stability of hazardous reactions 10.3 Possibility of hazardous reactions 10.4 Conditions to avoid Conditions to avoid 10.5 Incompatible materials 	wn und able. eactio :	er conditions of normal use. ns Stable under recommended storage conditions. No data available No data available	

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

3-aminomethyl-3,5,5-trimethylcyclohexylamine:

PCI Durapox[®] Premium Multicolor Part B



Revision Date: 09.07.2024 Date of last issue: -		Version 1.0	Print Date 09.07.2024
Acute oral toxicity	:	Acute toxicity estimate: 1.030 mg/kg Method: Acute toxicity estimate according to No. 1272/2008	Regulation (EC)
		LD50 Oral (Rat): 1.030 mg/kg	
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg	
		LD50 (Rabbit): > 2.000 - 5.000 mg/kg	
N-(3-aminopropyl)-N-dodecy	/lpi	opane-1,3-diamine:	
Acute oral toxicity	-	LD50 Oral (Rat): 261 mg/kg	
		Acute toxicity estimate: 261 mg/kg Method: Calculation method	
3-aminopropyltriethoxysilan	e:		
Acute oral toxicity	:	LD50 Oral (Rat): 1.490 mg/kg	
		Acute toxicity estimate: 1.490 mg/kg Method: Calculation method	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg	
Skin corrosion/irritation Causes severe burns.			
Serious eye damage/eye irri Causes serious eye damage.	tati	on	
Respiratory or skin sensitis	atio	on	
Skin sensitisation May cause an allergic skin rea	acti	on.	
Respiratory sensitisation Not classified due to lack of da	ata.		
Germ cell mutagenicity Not classified due to lack of da	ata.		
Carcinogenicity Not classified due to lack of da	ata.		
Reproductive toxicity Not classified due to lack of da	ata.		



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

3-aminomethyl-3,5,5-trimethylcyclohexylamine:

Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h
		NOEC (Desmodesmus subspicatus (green algae)): 1,5 mg/l Exposure time: 72 h

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,073 mg/l Exposure time: 48 h	
M-Factor (Acute aquatic tox- icity)	:	10	
M-Factor (Chronic aquatic toxicity)	:	1	
12.2 Persistence and degradabilit No data available	y		

12.3 Bioaccumulative potential

No data available

PCI Durapox[®] Premium Multicolor Part B



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

- Assessment
- : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:	

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

12.7 Other adverse effects

Treaden		
Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

noas	
:	The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number



PCI Durapox[®] Premium Multicolor Part B

Revision Date: 09.07.2024 Date of last issue: -		Version	1.0	Print Date 09.07.2024
ADR	:	UN 1759		
IMDG	:	UN 1759		
ΙΑΤΑ	:	UN 1759		
14.2 UN proper shipping name				
ADR	:	CORROSIVE SOLID, (3-aminopropyltrietho) trimethylcyclohexylam	ysilane, 3-aminomethyl-3,5	5,5-
IMDG	:	CORROSIVE SOLID, (3-aminopropyltrietho) trimethylcyclohexylam	kysilane, 3-aminomethyl-3,5	5,5-
ΙΑΤΑ	:	Corrosive solid, n.o.s. (3-aminopropyltriethoy trimethylcyclohexylam	kysilane, 3-aminomethyl-3,5 ine)	5,5-
14.3 Transport hazard class(es)				
		Class	Subsidiary risks	
ADR	:	8		
IMDG	:	8		
ΙΑΤΑ	:	8		
14.4 Packing group				
ADR				
Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	:	II C10 80 8 (E)		
IMDG	•			
Packing group Labels EmS Code Remarks	: : :	II 8 F-A, S-B Alkalis		
IATA (Cargo) Packing instruction (cargo aircraft)	:	863		
Packing instruction (LQ) Packing group	:	Y844 II		
Labels	:	Corrosive		
IATA (Passenger) Packing instruction (passen- ger aircraft)	:	859		
Packing instruction (LQ) Packing group Labels	:	Y844 II Corrosive		





Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

14.5 Environmental hazards

ADR Environmentally hazardous : yes IMDG Marine pollutant : yes IATA (Passenger) Environmentally hazardous : yes IATA (Cargo) Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75:	
		Number on list 3	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable	
Regulation (EC) on substances that deplete the ozone	:	Not applicable	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Durapox[®] Premium Multicolor Part B



Revision Date: 09.07.2024Version 1.0Print Date 09.07.2024Date of last issue: -

layer

5 () 1 5 1	:	Not applicable
tants (recast)		

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: <= 3% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)

Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H373	: May cause damage to organs through prolonged or repeated





Revision Date: 09.07.2024 Version 1.0 Print Date 09.07.2024 Date of last issue: exposure. Verv toxic to aquatic life. H400 Very toxic to aquatic life with long lasting effects. H410 Full text of other abbreviations Acute Tox. Acute toxicity Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard Eye Dam. Serious eye damage : Eve Irrit. Eve irritation Skin Corr. Skin corrosion Skin Irrit. Skin irritation Skin Sens. Skin sensitisation Specific target organ toxicity - repeated exposure STOT RE : Specific target organ toxicity - single exposure STOT SE Europe. Commission Directive 2017/164/EU establishing a 2017/164/EU fourth list of indicative occupational exposure limit values Ordinance of the Minister of Family, Labour and Social Policy PL OEL of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments) 2017/164/EU / STEL Short term exposure limit Limit Value - eight hours 2017/164/EU / TWA Maximal Admissible Concentration PL OEL / NDS PL OEL / NDSch Maximal Admissible Temporary Concentration European Agreement concerning the International Carriage of ADR : Dangerous Goods by Road **Chemical Abstracts Service** CAS : DNEL Derived no-effect level Half maximal effective concentration EC50 GHS **Globally Harmonized System** : International Air Transport Association IATA : IMDG International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at LD50 once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 OEL **Occupational Exposure Limit** : Persistent, bioaccumulative and toxic PBT Predicted no effect concentration PNEC Regulation (EC) No 1907/2006 of the European Parliament REACH and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC Substances of Very High Concern vPvB Very persistent and very bioaccumulative



Revision Date: 09.07.2024 Date of last issue: - Version 1.0

Print Date 09.07.2024

Further information

Classification	of the mixture:
Chin Comr 1	1044

Skin Corr. 1	H314
Eye Dam. 1	H318
Skin Sens. 1	H317
Aquatic Acute 1	H400
Aquatic Chronic 2	H411

Classification procedure: Based on product data or assessment Based on product data or assessment Calculation method

Calculation method Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

PL/EN